



INTEGRAÇÃO SISTÊMICA
DOCUMENTAÇÃO - API

DEPARTAMENTO DE TECNOLOGIA

Elaborado por: Eduardo Mendes

Aprovado por: Marcelo Di Palma

Revisado por: Francisco Guedes

Versão 2.1

1. Objetivo

Esse documento visa estabelecer as regras e processos relacionados à integração sistêmica entre IGS, Cliente e/ou Parceiros através de APIs.

2. Serviços Disponíveis nas Integrações

Ambientes:

- ✓ Homologação: <https://prdapolobr.igs.teknosgroup.com/api-hml/v1>
- ✓ Produção: <https://prdapolobr.igs.teknosgroup.com/api-apollo/v1>

Serviço	Descrição	Endpoint
Customers	Inclusão e cancelamento de Assistências Funeral, Vidas e Demais	URL: {ambiente}/customers
Residentials	Inclusão e cancelamento de Assistências para Residências	URL: {ambiente}/residentials
Pets	Inclusão e cancelamento de Assistências para Pets	URL: {ambiente}/pets
Vehicles	Inclusão e cancelamento de Assistências para Veículos	URL: {ambiente}/vehicles
Login	Autenticação para os serviços da IGS	URL: {ambiente}/auth/login

Observações:

- ✓ A API foi desenvolvida em PHP no padrão Rest.
- ✓ A validade do token gerado pelo Endpoint Auth é de 5 minutos para cada requisição.
- ✓ Não recomendamos o processo via API para envio da base full, somente incremental pois criamos um limitador de 5.000 linhas.
- ✓ Nossa recomendação é envio da base incremental com volume até 5.000 linhas, acima desta quantidade recomendamos enviar em várias requisições.
- ✓ Para um bom desempenho da utilização do serviço da API recomendamos fazer as requisições a cada 5 minutos nos casos de envio de vários itens por requisição.
- ✓ Para enviar mais de um item utilizar a vírgula ao final de cada estrutura JSON.
- ✓ Para liberar acesso a API em qualquer ambiente é necessário que os produtos, conta e serviços do cliente tenham sido previamente cadastrados no CRM da IGS.

- ✓ Com exceção do Residencial, todos os demais cadastros podem contemplar alteração dos campos:
 - Nombre
 - Apellido
 - Iniciovigencia
 - Finvigencia
 - Código
 - Calle
 - Numero
 - Complemento
 - Barrio
 - Ciudad
 - Provincia
 - Fechanacimiento
 - Email
 - telefono
- ✓ Para o Residencial o cadastro pode contemplar alteração dos campos:
 - Nombre
 - Apellido
 - Iniciovigencia
 - Finvigencia
 - Fechanacimiento
 - Email
 - telefono

3. Acesso à API

Autenticação

- ✓ URL: {ambiente}/auth/login
- ✓ Method: POST

Headers:

Parâmetros	
service	Fornecido pela IGS
auth_key	Fornecido pela IGS
username	Fornecido pela IGS
password	Fornecido pela IGS
Content-Type	application/json

Exemplo de Header

```
service: client-all-products
auth_key:
LMCRdqOxysc30bFmRxM1zo6wFzBjMWEYjGpCy50mnSfetkGCYS4M719DqBm3YqQ7y79m20OgluA3WG5taz7Yq
6bX8DPWuhSjeSLXJb4RM4KiBGSc5P0mMQ9LUPhGx1pQ
username: client-test
password: 6Uf7SdqXMKxFecNoeQUUXshPCw52QPJM
Content-Type: application/json
```

Exemplo de Response

```
{
  "status": 200,
  "message": "Successfully login.",
  "user_id": "1",
  "token":
"qG5bcgyzb5IJ04T1hjBPSokDMO0B01Mh8H9boyQFsZPjTjb1JcHdHrgT7WWyNiULqTnWH4b1SrbmR2ebUI4cTbx
RxlFaraMZu0u3uMuD4LqMDKnYxi1HAnZyxfz6B5q2pkm3UqygXAkio9WN0dNe3BRZ0yU1sCtZmWS8DGebGF9w
EU95zMasNrHEgd6PfppHC8FFEkgLpg8t27pqJFaYyicTBZjgEPoHNUMSUteBPcwlabo"
}
```

Endpoint Customers

- ✓ URL: {ambiente}/customers
- ✓ Method: POST

Headers:

Parâmetros	
service	Fornecido pela IGS
auth_key	Fornecido pela IGS
user_id	Fornecido pelo Endpoint Auth
token	Fornecido pelo Endpoint Auth
Content-Type	application/json

Exemplo de Header

```
service: client-all-products
auth_key:
u8xtceMo42UIYjB9RXJdArseqWfmAZKuX8ezdqeXjz98ZA8qYHJZz33fOYHOxSAKQf9tMeHwSGurHsZg0i5pcyKrlS
79l7J2dJmpntc70Mo85DewmZbFNMxa5tZgrjZL
user_id: 1
token:
ugcFODpfPwXZKsdPSBWFTWBF2q4T8QEetJtN0Oemm3xWWCoYZusuxy0pft9dBD8wNrAD7eqkXd6tgll5X2qJpgz
LQyoR2mEGUEJRi136Tzq0b0uyrc7Y8xjOINhd1ljMqtOkYL5N2uosgda9by8NXN0luSdX3pEnKSOjfkXy6cGd6gcXTa
lrnbTZuxwod1SoJhNpsADodJHZpjwA9YsnzCCk0zOSph70FKfyLicorkEYJ0
Content-Type: application/json
```

Exemplo Body de cadastro com mais de um item

```
[
  {
    "action": "1",
    "cnpjcpf": "96145911450",
    "nombre": "Danilo Theo",
    "apellido": "Cavalcanti",
    "email": "danilotheocavalcanti@hotmail.co.uk",
    "iniciovigencia": "2021-01-16",
    "finvigencia": "2022-01-16",
    "telefono": "2737785294",
    "codigo": "29149411",
    "calle": "Rua Albania",
    "numero": "488",
    "complemento": "",
    "barrio": "Nova Brasília",
    "ciudad": "Cariacica",
    "provincia": "es",
    "producto": "130972",
    "vendor_lead_code": "123456",
    "numero_sorte": "130973",
    "fechanacimiento": "15/03/1958"
  },
  {
    "action": "1",
    "cnpjcpf": "96145911152",
    "nombre": "Flavia Meireles",
    "apellido": "Cavalcanti",
    "email": "flaviameireles@hotmail.co.uk",
    "iniciovigencia": "2021-01-16",
    "finvigencia": "2022-01-16",
    "telefono": "2737785294",
    "codigo": "29149411",
    "calle": "Rua Albania",
    "numero": "488",
    "complemento": "",
    "barrio": "Nova Brasília",
    "ciudad": "Cariacica",
    "provincia": "es",
    "producto": "130972",
    "vendor_lead_code": "123456",
    "numero_sorte": "130972",
    "fechanacimiento": "15/03/1958"
  }
]
```

Exemplo Response do cadastro com mais de um item

```
[
  {
    "status": 201,
    "message": "Data has been created.",
    "action": "1",
    "cnpjcpf": "96145911450",
    "producto": "130972"
  },
  {
    "status": 201,
    "message": "Data has been created.",
    "action": "1",
    "cnpjcpf": "96145911152",
    "producto": "130972"
  }
]
```

Exemplo Body de cancelamento por item

```
[
  {
    "action": "3",
    "cnpjcpf": "96145911450",
    "producto": "130972"
  }
]
```

Exemplo Response do cancelamento por item

```
[
  {
    "status": 200,
    "message": "Data has been canceled.",
    "action": "3",
    "cnpjcpf": "96145911450",
    "producto": "130972"
  }
]
```

Endpoint Residentials

- ✓ URL: {ambiente}/residentials
- ✓ Method: POST

Headers:

Parâmetros	
service	Fornecido pela IGS
auth_key	Fornecido pela IGS
user_id	Fornecido pelo Endpoint Auth
token	Fornecido pelo Endpoint Auth
Content-Type	application/json

Exemplo de Header

service: client-all-products

auth_key:

u8xtceMo42UIYjB9RXJdArseqWfmAZKuX8ezdqeXjz98ZA8qYHJZz33fOYHOxSAKQf9tMeHwSGurHsZg0i5pcyKrlS79l7J2dJmpntc70Mo85DewmZbFNmxa5tZgrjZL

user_id: 1

token:

ugcFODpfPwXZKsdPSBWFTWBF2q4T8QEetJtN0Oemm3xWWCoYZusuxy0pft9dBD8wNrAD7eqkXd6tglI5X2qJpgzLQyoR2mEGUEJRi136Tzq0b0uyc7Y8xjOINhd1ljMqtfOkYL5N2uosgda9by8NXN0luSdX3pEnKSOjfkxY6cGd6gcXTaIrnbtZuxwod1SoJhNpsADodJHZpjwA9YsnzCCk0zOSph70FKfyLicorkEYJ0

Content-Type: application/json

Exemplo de Body cadastro por item

```
[
  {
    "action": "1",
    "cnpjcpf": "30797551892",
    "nombre": "Elza Teresinha Heloise",
    "apellido": "de Paula",
    "email": "elzateresinhaheloisedepaula@boiago.com.br",
    "iniciovigencia": "2021-02-01",
    "finvigencia": "2022-02-01",
    "telefono": "7126734503",
    "codigo": "41900493",
    "calle": "Rua da Brisa",
    "numero": "27a",
    "complemento": "",
    "barrio": "Amaralina",
    "ciudad": "Salvador",
    "provincia": "ba",
    "producto": "130991",
    "vendor_lead_code": "123456",
    "numero_sorte": "130972",
    "fechanacimiento": "05/09/2000"
  }
]
```

Exemplo de Response cadastro por item

```
[
  {
    "status": 201,
    "message": "Data has been created.",
    "action": "1",
    "cnpjcpf": "30797551892",
    "producto": "130991"
  }
]
```

Exemplo Body de cancelamento por item

```
[
  {
    "action": "3",
    "cnpjcpf": "30797551892",
    "producto": "130991"
  }
]
```

Exemplo Response do cancelamento por item

```
[
  {
    "status": 200,
    "message": "Data has been canceled.",
    "action": "3",
    "cnpjcpf": "30797551892",
    "producto": "130991"
  }
]
```

Endpoint Vehicles

- ✓ URL: {ambiente}/vehicles
- ✓ Method: POST

Headers:

Parâmetros	
service	Fornecido pela IGS
auth_key	Fornecido pela IGS
user_id	Fornecido pelo Endpoint Auth
token	Fornecido pelo Endpoint Auth
Content-Type	application/json

Exemplo de Header

```
service: client-all-products
auth_key:
u8xtceMo42UIYjB9RXJdArseqWfmAZKuX8ezdqeXjz98ZA8qYHJZz33fOYHOxSAKQf9tMeHwSGurHsZg0i5pcyKrlS
79l7J2dJmpntc70Mo85DewmZbFNmxa5tZgrjZL
user_id: 1
token:
ugcFOdpfPwXZKsdPSBWFTWBFE2q4T8QEetJtN0Oemm3xWWCoYZusuxy0pft9dBD8wNrAD7eqkXd6tgll5X2qJpgz
LQyoR2mEGUEJRi136Tzq0b0uyrc7Y8xjOINhd1ljMqtfOkYL5N2uosgda9by8NXN0luSdX3pEnKSOjfKxY6cGd6gcXTa
lrnbTZuxwod1SoJhNpsADodJHZpjaA9YsnzCCk0zOSph70FKfyLicorkEYJ0
Content-Type: application/json
```

Exemplo de Body cadastro por item

```
[
{
  "action": "1",
  "cnpjcpf": "08790322606",
  "nombre": "Alice Mirella Rita",
  "apellido": "Pires",
  "email": "aalicemirellaritapires@br.pwc.com",
  "iniciovigencia": "2021-01-17",
  "finvigencia": "2022-01-17",
  "telefono": "(079) 3683-1138",
  "codigo": "49004279",
  "calle": "Travessa do Hilário",
  "numero": "745",
  "complemento": "",
  "barrio": "Zona de Expansão (Robalo)",
  "ciudad": "Aracaju",
  "provincia": "se",
  "producto": "119",
  "fechanacimiento": "1947-05-20",
  "chassis": "9hjanau8554w54425",
  "placa": "bdg8652",
  "fabricante": "ford",
  "modelo": "ka+",
  "cor": "branco",
  "ano": "2015",
  "vendor_lead_code": "123456",
  "numero_sorte": "130972",
}
]
```

Exemplo de Response cadastro por item

```
[
{
  "status": 201,
  "message": "Data has been created.",
  "action": "1",
  "cnpjcpf": "08790322606",
  "placa": "BDG8652",
  "producto": "119",
}
]
```

Exemplo Body de cancelamento por item

```
[
  {
    "action": "3",
    "cnpjcpf": "08790322606",
    "placa": "BDG8652",
    "produto": "119"
  }
]
```

Exemplo Response do cancelamento por item

```
[
  {
    "status": 200,
    "message": "Data has been canceled.",
    "action": "3",
    "cnpjcpf": "08790322606",
    "placa": "BDG8652",
    "produto": "119"
  }
]
```

Endpoint Pets

- ✓ URL: {ambiente}/pets
- ✓ Method: POST

Headers:

Parâmetros	
service	Fornecido pela IGS
auth_key	Fornecido pela IGS
user_id	Fornecido pelo Endpoint Auth
token	Fornecido pelo Endpoint Auth
Content-Type	application/json

Exemplo de Header

service: client-all-products

auth_key:

u8xtceMo42UIYjB9RXJdArtdqWfmAZKuX8ezdqeXjz98ZA8qYHJZz33fOYHOxSAKQf9tMeHwSGurHsZg0i5pcyKrLS79l7J2dJmpntc70Mo85DewmZbFNmxa5tZgrjZL

user_id: 1

token:

ugcFOdpfPwXZKsdPSBWFTWBF2q4T8QEetJtN0Oemm3xWWCoYZusuxy0pft9dBD8wNrAD7eqkXd6tgll5X2qJpgzLQyoR2mEGUEJRi136Tzq0b0uyrc7Y8xjOINhd1ljMqtfOkYL5N2uosgda9by8NXN0luSdX3pEnKSOjfkxY6cGd6gcXTaIrnbtZuxwod1SoJhNpsADodJHZpjwA9YsbnzCCK0zOSph70FKfyLicorkEYJ0

Content-Type: application/json

Exemplo de Body cadastro por item

```
[
  {
    "action": "1",
    "cnpjcpf": "86138749243",
    "nombre": "Benedita Nicole Isabelle",
    "apellido": "Farias",
    "email": "marcom@gyt.com.br",
    "iniciovigencia": "2021-03-21",
    "finvigencia": "2022-03-21",
    "telefono": "1148854125",
    "codigo": "06453036",
    "calle": "Calçada dos Manacás",
    "numero": "120",
    "complemento": "",
    "barrio": "Condomínio Centro Comercial Alphaville",
    "ciudad": "Barueri",
    "provincia": "sp",
    "producto": "212772",
    "fechanacimiento": "22/05/1982",
    "registro": "tPU3kLq9G8",
    "nome": "kalil",
    "pet": "gato",
    "porte": "medio",
    "idade": "3"
    "vendor_lead_code": "123456",
    "numero_sorte": "130972",
  }
]
```

Exemplo de Response cadastro por item

```
[
  {
    "status": 201,
    "message": "Data has been created.",
    "action": "1",
    "cnpjcpf": "86138749243",
    "producto": "212772"
  }
]
```

Possíveis Mensagens de Erro

ADD ENDPOINT CUSTOMERS

status = 409 message = Could not generate the next ID customers.
status = 409 message = Could not generate the next ID products.
status = 409 message = Could not save product for this customer.
status = 406 message = Product already exists for this customer.
status = 406 message = Invalid product ID.
status = 406 message = Error saving product.
status = 406 message = Error saving customer.

UPDATE ENDPOINT CUSTOMERS

status = 409 message = Customer not found.
status = 403 message = This data does not exist.
status = 406 message = The request was missing some parameter.
status = 406 message = Error updating customer.

CANCEL ENDPOINT CUSTOMERS

status = 406 message = This client has already been canceled.

ADD ENDPOINT RESIDENTIALS

status = 409 message = Could not generate the next ID residentials.
status = 409 message = Could not generate the next ID products.
status = 409 message = Could not save product for this customer.
status = 409 message = Product already exists for this customer.
status = 406 message = Invalid product ID.
status = 406 message = Error saving product.
status = 406 message = Error saving residential.

UPDATE ENDPOINT RESIDENTIALS

status = 409 message = Customer not found.
status = 403 message = This data does not exist.

status = 406 message = The request was missing some parameter.
status = 406 message = Error updating residential.

CANCEL ENDPOINT RESIDENTIALS

status = 406 message = This client has already been canceled.

ADD ENDPOINT VEHICLES

status = 409 message = Could not generate the next ID customers.
status = 409 message = Could not generate the next ID products.
status = 409 message = Could not generate the next ID vehicles.
status = 409 message = This license plate has already been registered for this customer.
status = 409 message = Vehicle already exists for this customer.
status = 409 message = Product already exists for this customer.

status = 406 message = Invalid product ID.

status = 406 message = Error saving product.

status = 406 message = Error saving vehicle.

status = 406 message = Invalid placa vehicle.

UPDATE ENDPOINT VEHICLES

status = 409 message = Customer not found.

status = 403 message = This data does not exist.

status = 406 message = The request was missing some parameter.

status = 406 message = Error updating vehicle.

CANCEL ENDPOINT VEHICLES

status = 406 message = This client has already been canceled.

ADD ENDPOINT PETS

status = 409 message = Could not generate the next ID customers.

status = 409 message = Could not generate the next ID products.

status = 409 message = Could not generate the next ID pets.

status = 409 message = Pet already exists for this customer.

status = 409 message = Product already exists for this customer.

status = 406 message = Invalid product ID.

status = 406 message = Error saving product.

status = 406 message = Error saving pet.

UPDATE ENDPOINT PETS

status = 409 message = Customer not found.

status = 403 message = This data does not exist.

status = 406 message = The request was missing some parameter.

status = 406 message = Error updating pet.

CANCEL ENDPOINT PETS

status = 406 message = This client has already been canceled.

GENERAL MESSAGES

status = 406 message = The request was missing some parameter.

status = 406 message = JSON structure error or missing required field.

status = 406 message = The "fieldname" field is mandatory.

status = 403 message = Endpoint not allowed.

status = 406 message = Undefined action.

status = 406 message = Invalid CNPJ or CPF.

status = 406 message = Invalid product ID.

status = 406 message = The product code is not valid.

status = 406 message = JSON array empty.

Descrição dos campos

FIELD	SIZE	TYPE	FORMAT	MANDATORY	DESCRICAO
action	1	INT		Y	1 = Inclusão 2 = Atualização 3 = Cancelamento
cnpjcpf	14	VARCHAR	0000000000000000 ou 00000000000000	Y	CPF ou CNPJ - Sem formatacao
nombre	200	VARCHAR		Y	Nome do segurado
apellido	100	VARCHAR		Y	Sobrenome do segurado

iniciovigencia	10	DATE	YYYY-MM-DD	Y	Inicio da Vigencia do plano
finvigencia	10	DATE	YYYY-MM-DD	Y	Fim da Vigencia do plano
codigo	8	VARCHAR	00000000	Y	CEP - Sem formatacao
calle	200	VARCHAR		Y	Endereço
numero	20	VARCHAR		Y	Número
barrio	150	VARCHAR		Y	Bairro
ciudad	150	VARCHAR		Y	Cidade/Município - Sem formatação e sem acento
provincia	2	VARCHAR		Y	Estado/UF
producto	10	VARCHAR		Y	Codigo do produto fornecido pela IGS ou pelo Cliente
nome	100	VARCHAR		Y	Nome do Pet
porte	50	VARCHAR		Y	Porte do Pet
idade	2	INT		Y	Idade do Pet
placa	10	VARCHAR	AAA0A00 ou AAA0000	Y	Placa do Veiculo - Sem formatacao
fabricante	100	VARCHAR		Y	Fabricante do Veiculo
modelo	80	VARCHAR		Y	Modelo do Veiculo
ano	4	INT	0000	Y	Ano de fabricacao do Veiculo
email	150	VARCHAR		N	Email do asegurado
raca	60	VARCHAR		N	Raca do Pet

FIELD	SIZE	TYPE	FORMAT	MANDATORY	DESCRICAO
fechanacimiento	10	DATE	YYYY-MM-DD ou DD/MM/YYYY	N	Data de nascimento do asegurado
complemento	150	VARCHAR		N	Complemento do endereço do asegurado

registro	30	VARCHAR		N	Registro do Pet/veículo. O cliente poderá enviar um ID para identificar o Pet ou Veículo como único
pet	80	VARCHAR		N	Tipo do Pet Exemplo: Cachorro/Gato
telefono	20	VARCHAR		N	Telefone de contato do segurado
cor	30	VARCHAR		N	Cor do Veículo
chassis	40	VARCHAR		N	Chassis do Veículo
vendor_lead_code	20	VARCHAR		N	Código do Cliente (Apolice/Contrato/Proposta)