

WEB DEVELOPMENT

SE102.3

CHAPTER 05

PHP – Part B

PHP Form Handling

Ms. Thisarani Wickramasinghe

PHP Form Handling

PHP Built-in Variables for Handling Browser Data.

\$_GET[]

Stores data when the request is made using the GET method.

Retrieves data from the URL query string.

Example:

\$_GET['id'] retrieves the value of 'id' from the URL.

```
// Example of using $_GET  
$id = $_GET['id'];
```

\$_POST[]

Stores data when the request is made using the POST method.

Retrieves data from the HTTP request body.

Example:

\$_POST['username'] retrieves the value of 'username' from a form submission.

Ex: `$username = $_POST['username'];`

\$_REQUEST[]

Stores data when the request is made using either GET or POST methods.

Combines data from \$_GET, \$_POST, and \$_COOKIE arrays.

Example: \$_REQUEST['search'] retrieves 'search' data from either GET, POST, or cookies.

Ex: `$searchTerm = $_REQUEST['search'];`

Handling Form Data

A web browser can send data to a web server in different ways such as using a URL, hyperlink or a form.

Exercise 01

Create a HTML page with a hyperlink to send the following data to the server.

Create a PHP page to access this data.

Userid = 1001

Username = abc

Status = off

exercise1.html

```
<!DOCTYPE html>
<head>
    <title>Sending Data to the Server</title>
</head>
<body>
    <h1>Sending Data to the Server</h1>

    <h2>Click the link below to send data to the server:</h2>
    <a href =
        "http://localhost/formhandling/exercise1.php?userid=1001&username=abc&status=off ">
    Send Data</a>
</body>
</html>
```

exercise1.php

```
<?php
```

```
$userid = $_REQUEST['userid'];  
$username = $_REQUEST['username'];  
$status = $_REQUEST['status'];
```

```
echo "User ID: $userid<br>";  
echo "Username: $username<br>";  
echo "Status: $status<br>";
```

```
?>
```

Exercise 02

Create the following form in HTML. When the user clicks the login button, display the name and password on a separate page.

Enter your Data

Name:

Password:

exercise2.html

```
<html >
<body>
    <h1 > Enter your Data</h1>

    <form name="form1" method="POST" action="http://localhost/formhandling/exercise2.php">

        Name:      <Input type="text" name="uname">          <br><br>
        Password: <Input type="password" name="pword" >      <br><br>

        <input type="submit" name="Submit" value="Submit form">

    </form>
</body>
</html>
```

exercise2.php

```
<?php

$name = $_REQUEST["uname"];
$pwd  = $_REQUEST["pword"];
echo "<h3> Name: $name <h3>\n";
echo "<h3> Password: $pwd <h3>";
```

?>

Exercise 03

Create the following form in HTML. When the user clicks the submit form button, display the entered details in a separate page.

Enter you details

personal Information

Name:

Email:

Password:

Confirm Password:

Gender:

☐ Male

☐ Female

☐ Other

Accept Terms and Conditions:

☐

Submit form

exercise3.html

```
<!DOCTYPE html>
<html>
<body>
<h2>Enter you details</h2>

<form name="form1" method="POST" action="exercise3.php">
  <fieldset style="width: 40%;">
    <legend >personal Information</legend>

    Name: <input type="text" name="uname"><br><br>
    Email: <input type="email" name="email"><br><br>
    Password: <input type="password" name="pword"><br><br>
    Confirm Password: <input type="password" name="confirmpword"><br><br>
    Gender: <br>
    <input type="radio" name="gender" value="Male"> Male<br>
    <input type="radio" name="gender" value="Female"> Female<br>
    Accept Terms and Conditions:
    <input type="checkbox" name="terms" value="Accepted"><br><br>

    <input type="submit" name="Submit" value="Submit form">

  </fieldset>
</form>
</body>
</html>
```

```
<?php
```

```
$name = $_REQUEST["uname"];  
$email = $_REQUEST["email"];  
$pwd = $_REQUEST["pword"];  
$confirmpwd = $_REQUEST["confirmpwd"];  
$gender = $_REQUEST["gender"];  
$terms = $_REQUEST["terms"] ? "Accepted" : "Not Accepted";
```

```
echo "Name: $name<br>";  
echo "Email: $email<br>";  
echo "Password: $pwd<br>";  
echo "Confirm Password: $confirmpwd<br>";  
echo "Gender: $gender<br>";  
echo "Terms and Conditions: $terms<br>";  
?>
```

Exercise 04

Create an HTML form to enter a name and marks of a student.

Create a PHP page to access this data and if the student has got marks 50 or above, display the output as "You have Passed" and else display the output as "You have Failed".

Enter Your marks

Name:

Marks:

Your Results:

Name: Isuru Shaila

Result: You have Passed

```
<!DOCTYPE html>
<html>
<head>
  <title>Enter Your marks</title>
</head>
<body>
  <h1>Enter Your marks</h1>

  <form method="GET" action="">
    Name: <input type="text" name="sname"> <br>
    Marks: <input type="text" name="marks"><br>

    <input type="submit" value="Submit">
    <input type="reset" value="Cancel">
  </form>

  <h2>Your Results:</h2>

</body>
</html>
```

```
<?php

// Check if form is submitted
if ($_SERVER["REQUEST_METHOD"] == "GET" && isset($_GET["sname"]) && isset($_GET["marks"]))
{

    $name = $_GET["sname"];
    $marks = $_GET["marks"];

    echo "Name: $name <br>";

    echo "Result: ";
    if ($marks >= 50) {
        echo "You have Passed";
    } else {
        echo "Sorry, You have Failed";
    }
}
?>
```

In the provided form handling code, `isset` is used to check if the `$_GET` keys `sname` and `marks` are set before accessing them.

Exercise – Calculate BMI

BMI Calculator

Weight (kg):

Height (cm):

BMI Results

Weight: 75 kg

Height: 180 cm

BMI: 23.1

Category: Normal weight

[Calculate Another BMI](#)

```
<!DOCTYPE html>
<html>
<head>
    <title>BMI Calculator</title>
</head>
<body>
    <h1>BMI Calculator</h1>

    <form method="POST" action="BMIcalculate.php">
        <label for="weight">Weight (kg):</label>
        <input type="text" id="weight" name="weight" required><br>

        <label for="height">Height (cm):</label>
        <input type="text" id="height" name="height" required><br><br>

        <input type="submit" value="Calculate BMI">
        <input type="reset" value="Clear">
    </form>

</body>
</html>
```

```
<!DOCTYPE html>
<html>
<head>
    <title>BMI Results</title>
</head>
<body>
    <h2>BMI Results</h2>

    <?php
    // Retrieve form data
    $weight = $_POST["weight"];
    $height = $_POST["height"] / 100; // Convert height from cm to meters

    // Calculate BMI
    $bmi = $weight / ($height * $height);

    // Display results
    echo "<p><strong>Weight:</strong> $weight kg</p>";
    echo "<p><strong>Height:</strong> " . $_POST["height"] . " cm</p>";
    echo "<p><strong>BMI:</strong> " . number_format($bmi, 1) . "</p>";
```

```
// Interpret BMI category
if ($bmi < 18.5) {
    echo "<p><strong>Category:</strong> Underweight</p>";
} elseif ($bmi >= 18.5 && $bmi < 24.9) {
    echo "<p><strong>Category:</strong> Normal weight</p>";
} elseif ($bmi >= 24.9 && $bmi < 29.9) {
    echo "<p><strong>Category:</strong> Overweight</p>";
} else {
    echo "<p><strong>Category:</strong> Obesity</p>";
}
?>
```

```
<p><a href="bmi.html">Calculate Another BMI</a></p>
```

```
</body>
```

```
</html>
```

Upload File PHP Script

Design a HTML form for file upload.

The form's method attribute must be POST and enctype must be multipart/form-data.

Use the input type as file to let the user browse and select the file to be uploaded.

The uploadfile.php script receives the uploaded file.

The file data is collected in a suparglobal variable `$_FILES`.

Fetch the name, file type, size and the tmp_name attributes of the uploaded file.

The `move_uploaded_file()` function copies the selected file to the document folder.

Exercise

Click the File button, browse to the desired file to be uploaded, and click the Upload button.

File Upload Form
File name: No file chosen

```
<h2>File Upload Form</h2>
```

```
<form method = "POST" action = "uploadfile.php" enctype="multipart/form-data">
```

```
  <label>File name:</label>
```

```
  <input type="file" name="uploadfile" />
```

```
  <input type="submit" name="submit" value="Upload" />
```

```
</form>
```

```
<?php

echo "<b>File to be uploaded: </b>" . $_FILES["uploadfile"]["name"] . "<br>";
echo "<b>Type: </b>" . $_FILES["uploadfile"]["type"] . "<br>";

if (file_exists($_FILES["uploadfile"]["name"])){

    move_uploaded_file($_FILES["uploadfile"]["tmp_name"], $_FILES["uploadfile"]["name"]);
    echo "<h3>File Successfully Uploaded</h3>";
}

?>
```

Function	Definition
fopen	Opens a file or URL. Usage: fopen(filename, mode)
fgets	Reads a line from an open file. Usage: fgets(file)
fclose	Closes an open file pointer. Usage: fclose(file)
read	Reads data from a file (commonly used with fread). Usage: fread(file, length)
write	Writes data to a file (commonly used with fwrite). Usage: fwrite(file, string)

PHP Manipulating Files

PHP HAS SEVERAL FUNCTIONS FOR CREATING, READING, UPLOADING, AND EDITING FILES.

PHP FILE OPEN READ AND CLOSE

Write a PHP script,

- To open a file example.txt,
- Then reads the contents of a file named example.txt and displays in the browser.
- Then close the file.

```
<?php
// Specify the file name
$filename = 'example.txt';

// Open the file for reading
$file = fopen($filename, 'r');

if ($file) {
    // Read the file line by line
    while (($line = fgets($file)) !== false) {

        echo $line . "<br>";
    }
    fclose($file);    // Close the file
}

else {
    echo "Unable to open the file.";
}
?>
```

Exercise

Create the following form using HTML.

When the above form is submitted, write a PHP page to display the name, e-mail address and the contents of the CV.

Submit your CV

Name:

E-mail:

Select CV to upload: No file chosen

cvform.html

```
<!DOCTYPE html>
<html>
<body>

<h2>Submit your CV</h2>

<form action="cvform.php" method="post" enctype="multipart/form-data">

    Name: <input type="text" name="aname"><br><br>
    E-mail: <input type="text" name="email"><br><br>
    Select CV to upload: <input type="file" name="file1" id="file1"><br><br>

    <input type="submit" value="Submit" name="submit">
</form>

</body>
</html>
```

cvform.php


```
<!DOCTYPE html>
<html>
<body>

<h2>Data of Applicant</h2>
Name: <?php
$name = $_REQUEST["aname"];
echo $name;
?><br>

E-mail: <?php
$mail = $_REQUEST["email"];
echo $mail;
?><br>
```

```
<h3><u>CV Details:</u></h3>
<?php
if (isset($_FILES["file1"])) {
    $handle = fopen($_FILES["file1"]["tmp_name"], "r");
    if ($handle) {
        while (($text = fgets($handle)) !== false) {
            echo "$text <br>";
        }
        fclose($handle);
    } else {
        echo "Error: Unable to open the file.";
    }
} else {
    echo "No file uploaded.";
}
?>

</body>
</html>
```



Thank You