REGIONAL SPECIALISED METEOROLOGICAL CENTRE -TROPICAL CYCLONES, NEW DELHI
TROPICAL CYCLONE ADVISORY NO. 17

DEMS-RSMC SPECIAL TROPICAL CYCLONES NEW DELHI DATED 28.10.2026
FROM: RSMC –TROPICAL CYCLONES, NEW DELHI
TO: STORM WARNING CENTRE, NAYPYITAW (MYANMAR)
STORM WARNING CENTRE, BANGKOK (THAILAND)
STORM WARNING CENTRE, COLOMBO (SRILANKA)
STORM WARNING CENTRE, DHAKA (BANGLADESH)
STORM WARNING CENTRE, KARACHI (PAKISTAN)
METEOROLOGICAL OFFICE, MALE (MALDIVES)
OMAN METEOROLOGICAL DEPARTMENT,
MUSCAT (THROUGH RTH JEDDAH)
YEMEN METEOROLOGICAL SERVICES,
REPUBLIC OF YEMEN (THROUGH RTH JEDDAH)
NATIONAL CENTRE FOR METEOROLOGY, UAE (THROUGH RTH JEDDAH)
PRESIDENCY OF METEOROLOGY AND ENVIRONMENT,
SAUDI ARABIA (THROUGH RTH JEDDAH)
IRAN METEOROLOGICAL ORGANISATION, (THROUGH RTH JEDDAH)
QATAR METEOROLOGICAL DEPARTMENT (THROUGH RTH JEDDAH)

TROPICAL CYCLONE ADVISORY NO. 17 FOR NORTH INDIAN OCEAN (THE BAY OF BENGAL AND ARABIAN SEA) VALID FOR NEXT 120 HOURS ISSUED AT 0300 UTC OF 28.10.2026 BASED ON 0000 UTC OF 28.10.2026

Sub: Very Severe Cyclonic Storm "Arnab" [Pronunciation: Ornab] over Westcentral Bay of Bengal close to Andhra Pradesh coast [Post Landfall Outlook for Andhra Pradesh and adjoining South Odisha coasts—Red Message]

The very severe cyclonic storm "Arnab" [Pronunciation :Ornab] over Westcentral Bay of Bengal close to Andhra Pradesh coast remains practically stationary during past 03 hours, and lay centered at 0000 UTC of today, the 28th October, 2026 over the same region, near latitude 16.4°N and longitude 82.0°E, about 30 km east of Narsapur (43187), 70 km south-southwest of Kakinada (43189), 90 km east-northeast of Machilipatnam (43185), and 170 km east-northeast of Bapatla (43220).

It is very likely to continue to move northwestwards and cross Andhra Pradesh & Yanam coasts between Bapatla and Visakhapatnam, close to south of Yanam as a very severe cyclonic storm with the maximum sustained wind speed of 115-125 kmph gusting to 140 kmph during next 2 hours.

Very severe cyclonic storm "Arnab" is continuing to interact with the land surface and the spiral band of northern sector has further entered into the land. Centre of system is very close to the coast line and the landfall process will continue during next 2 hours.

The system is under continuous surveillance of the Doppler Weather Radar at Machillipatnam.

As per latest DWR Machilipatnam imagery at 0002 UTC, there is a significant reduction in convection in wall cloud region especially in eastern and northern sector. Eye is not seen at 0002 UTC. The outer spiral band in the northern sector is interacting with the land surface. All these signal further weakening of the system.

The intensity of the system is characterized as T4.0. Associated scattered to broken, low and medium clouds with embedded intense to very intense convection lay over the northwest, central & south Bay of Bengal and North Coastal Andhra Pradesh, southeast Bihar, Odisha, Chhattisgarh, Jharkhand, Gangetic West Bengal, East Madhya Pradesh, and East Telangana. Minimum Cloud Top Temperature (CTT) had been -70 to -90°C. Moderate to intense convection over Northeast Bay of Bengal and west Telangana, rest Bihar and Southeast Uttar Pradesh, Rayalaseema, West Telangana (Minimum Cloud Top Temperature (CTT) was -40 to -70°C).

The estimated central pressure is 985 hPa and maximum sustained wind speed (MSW) is 65 kt gusting to 75 kt.

Visakhapatnam (43149) reported mean sea level pressure (MSLP) of 1003.9 hPa, maximum sustained wind speed (MSW) as 70°/ 14 kt, P24 as -2.4 hPa. Tuni reported MSLP as of 1002.0 hPa, MSW as 50°/ 5 kt, P24 as -4.0 hPa. Kakinada reported MSLP as of 1000.0 hPa, MSW as 90°/ 6 kt, P24 as -6.3 hPa. Narsapur reported MSLP as of 986.4 hPa, MSW as 50°/ 26 kt, P24 as -20.7 hPa.

Forecast location and intensity are given in following table:

Date/Time (UTC)	Position (Lat. ^{0}N/ long. ^{0}E)	Maximum sustained surface wind speed (Kmph)	Category of cyclonic disturbance
28.10.26/0000	16.4/82.0	115-125 gusting to 135	Very Severe Cyclonic Storm
28.10.26/0600	17.0/81.7	80-90 gusting to 100	Cyclonic Storm
28.10.26/1200	17.6/81.7	55-65 gusting to 75	Deep Depression
28.10.26/1800	18.2/81.7	45-55 gusting to 65	Depression
29.10.26/0000	18.8/81.8	30-40 gusting to 55	Depression
30.10.26/1200	20.8/81.9	20-30 gusting to 40	Well Marked Low Pressure Area

Wind Warning:

Gale wind speed reaching 115-125 gusting to 140 kmph is prevailing and is very likely to decrease gradually and becoming 80-90 gusting to 100 kmph by 0600 UTC of 28th October 2026. After landfall, it would start decreasing becoming gale wind speed reaching 55-65 gusting to 75 kmph by 1200 UTC of 28th October, squally wind speed reaching 30-40 gusting to 55 kmph by 0000 UTC of 29th October and decrease gradually thereafter.

Storm Surge Warning:

Storm surge of 1.5 to 2.5 m height above astronomical tide is very likely to inundate low lying areas of Andhra Pradesh during the time of landfall. The maximum peak surge is expected over near Kakinada and Yanam (Puducherry). Surge height of 2-3.5 m is expected along the Godavari river mouth. (Figure attached).

Sea Condition:

Sea condition is likely to be Phenomenal till landfall (forenoon of 28th October). After landfall, it would start improving becoming very high to high by evening of 28th October and improve further becoming very rough to rough by morning of 29th October and further improve gradually thereafter.

Remarks –

The guidance from various numerical models indicates that the Madden Julian Oscillation (MJO) is currently in Phase 3 with amplitude more than 1. It is likely to continue in same phase during next 5 days with amplitude more than 1. Thus, MJO is favorable for enhancement of convective activity and further intensification of "Arnab" till landfall over the Bay of Bengal (BoB).

The guidance from the NCICS model indicates prevalence of westerly wind anomaly (7-9mps) along with simultaneous occurrence of Equatorial Rossby wave (ERW), Kelvin wave (KW) & Madden Julian Oscillation (MJO) wave over south and adjoining central BoB and easterly wind anomaly (7-9 mps) over north BoB. These features indicate a highly favorable environment for its further intensification of system till 28th Oct.

The Sea surface temperature is 30°C over eastcentral and adjoining Westcentral BoB and around 29°C along the east coast of India. The ocean heat content is around 80-100 KJ/cm^2 over most parts of Bay of Bengal with 100-120 KJ/cm^2 over some pockets over southwest and adjoining westcentral Bay of Bengal.

The positive low-level vorticity is around 200 X10^{-6} s^{-1} to the south of system area with vertical extension upto 200 hPa. Another zone of positive vorticity of 100 X10^{-6} s^{-1} is seen to its southeast, in association with the upper air cyclonic circulation over southwest BoB. The low level vorticity is circularly oriented and is interacting with the vorticity associated with the upper air cyclonic circulation over southwest Bay of Bengal. The low level convergence is around 30X10^{-6} s^{-1} near the southeast of system centre. It is extending upto southeast Bay of Bengal. Upper-level divergence is around 40X10^{-6} s^{-1} to the southeast of system centre. Mid-level wind-shear (500-850 hpa) is moderate (15-20 kt) over the system area and High along the predicted path. Similarly, the deep layer wind-shear (200-850 hpa) is moderate (15-20 kt) over system area and High along the expected path. Further, the vertical wind shear is becoming high over Andhra Pradesh & adjoining land areas. It would lead to rapid weakening of the system after landfall.

The system is trailing along the outer periphery of the upper sub-tropical ridge (STR) near 20°N. A deep trough in westerly is seen along 67 °E to the north of 15 °N at 200 hPa level. It is expected to reach 80°E on 28th. It would restrict the westward movement of the system after landfall and would also support northwards re-curvature of the system after landfall.

The Total Precipitable water (TPW) indicates warm moist air (70mm) incursion into the system area from south and southeast. Cold dry air incursion is also seen in the western periphery which may lead to slight weakening of the system at the time of landfall. The dry cold air over the Andhra, Odisha and Chhattisgarh region will lead to rapid weakening of the system after landfall on 28th when the system moves across these areas.

Most of the models are indicating to recurve northwestwards and almost northward movement after landfall. IMD MME is also indicating similar movement. There is large divergence among various models with respect to intensification. Peak intensity is varying between 50-70kt. However, latest observations indicate that landfall process has commenced and it will continue another 2 hours time.

Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature(CTT)>-25°C, (b) Moderate: CTT:-25°Cto-40°C, (c) Intense: CTT: -41°Cto -70°C and (d) Very Intense::Less than -70°C Probability of cyclogenesis (formation of depression) :NIL:0%, LOW:1-33%, MODERATE:34-66% and HIGH:67-100%

This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins.


Confidence Level in estimation of:
(a) Current location and intensity: High
(b) Forecast Track: Moderate to High
(c) Forecast intensity: Moderate to High

Considering all the above, It is very likely to continue to move northwestwards and cross Andhra Pradesh & Yanam coasts between Bapatla and Visakhapatnam, close to south of Yanam as a very severe cyclonic storm with the maximum sustained wind speed of 115-125 kmph gusting to 140 kmph during next 2 hours.

Very severe cyclonic storm “Arnab” is continuing to interact with the land surface and the spiral band of northern sector has further entered into the land. Centre of system is very close to the coast line and the landfall process will continue during next 2 hours.

(Dr Amit Bhardwaj)
Scientist-D
RSMC New Delhi


Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature(CTT)>-25°C, (b) Moderate: CTT:-25°Cto-40°C, (c) Intense: CTT: -41°Cto -70°C and (d) Very Intense::Less than -70°C Probability of cyclogenesis (formation of depression) :NIL:0%, LOW:1-33%, MODERATE:34-66% and HIGH:67-100%
This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins.



Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature(CTT)>-25°C, (b) Moderate: CTT:-25°Cto-40°C, (c) Intense: CTT: -41°Cto -70°C and (d) Very Intense::Less than -70°C Probability of cyclogenesis (formation of depression) :NIL:0%, LOW:1-33%, MODERATE:34-66% and HIGH:67-100%

This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins.


Radar Image of Machhlipatanam at 0002 UTC of 28th October 2026



Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature(CTT)>-25°C, (b) Moderate: CTT:-25°Cto-40°C, (c) Intense: CTT: -41°Cto -70°C and (d) Very Intense::Less than -70°C Probability of cyclogenesis (formation of depression) :NIL:0%, LOW:1-33%, MODERATE:34-66% and HIGH:67-100%

This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins.

OBSERVED AND FORECAST TRACK ALONGWITH CONE OF UNCERTAINTY OF VERY SEVERE CYCLONIC STORM 'ARNAB' OVER WESTCENTRAL BAY OF BENGAL CLOSE TO ANDHRA PRADESH COAST BASED ON 0000 UTC (0530 Hrs. IST) OF 28TH OCTOBER 2026



DATE/TIME IN UTC
IST= UTC + 0530
L: LOW PRESSURE AREA
WML: WELL MARKED LOW PRESSURE AREA
D: DEPRESSION (17-27 KT)
DD: DEEP DEPRESSION (28-33 KT)
CS: CYCLONIC STORM (34-47 KT)
SCS: SEVERE CYCLONIC STORM (48-63 KT)
VSCS: VERY SEVERE CYCLONIC STORM (64-89 KT)
ESCS: EXTREMELY SEVERE CYCLONIC STORM (90-119 KT)
SuCS: SUPER CYCLONIC STORM (≥120 KT)
KT = NAUTICAL MILES PER HOUR (1 KT = 1.85 KMPH)


- LESS THAN 34 KT
- 34-47 KT
- ≥ 48 KT
- OBSERVED TRACK
- FORECAST TRACK
- CONE OF UNCERTAINTY

				Forecast distance (km) and direction of the centre from nearest 5 stations				
Forecast Date and Time	Lead Period (hrs)	Lat	Lon	Station 1	Station 2	Station 3	Station 4	Station 5
28.10.2026 00:00 UTC	0	16.4	81.9	NARSAPUR (30, E)	YANAM (45, SSW)	KAKINADA (70, SSW)	MACHILIPATNAM/ FRANCHPET (90, ENE)	BAPATLA (170, ENE)

Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature(CTT)>-25°C, (b) Moderate: CTT:-25°Cto-40°C, (c) Intense: CTT: -41°Cto -70°C and (d) Very Intense::Less than -70°C Probability of cyclogenesis (formation of depression) :NIL:0%, LOW:1-33%, MODERATE:34-66% and HIGH:67-100%

This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins.

OBSERVED AND FORECAST TRACK ALONGWITH QUADRANT WIND DISTRIBUTION OF VERY SEVERE CYCLONIC STORM 'ARNAB' OVER WESTCENTRAL BAY OF BENGAL CLOSE TO ANDHRA PRADESH COAST BASED ON 0000 UTC (0530 Hrs. IST) OF 28TH OCTOBER 2026



DATE/TIME IN UTC
IST= UTC + 0530
L: LOW PRESSURE AREA
WML: WELL MARKED LOW PRESSURE AREA
D: DEPRESSION (17-27 KT)
DD: DEEP DEPRESSION (28-33 KT)
CS: CYCLONIC STORM (34-47 KT)
SCS: SEVERE CYCLONIC STORM (48-63 KT)
VSCS: VERY SEVERE CYCLONIC STORM (64-89 KT)
ESCS: EXTREMELY SEVERE CYCLONIC STORM (90-119 KT)
SuCS: SUPER CYCLONIC STORM (≥120 KT)

KT = NAUTICAL MILES PER HOUR
1 KT = 1.85 KMPH

LESS THAN 34 KT
34-47 KT
≥ 48 KT
OBSERVED TRACK
FORECAST TRACK
CONE OF UNCERTAINTY

AREA OF MAXIMUM SUSTAINED WIND SPEED:
28-33 KT (52-61 KMPH)
34-49 KT (62-91 KMPH)
50-63 KT (92-117 KMPH)
≥ 64 KT (≥118 KMPH)


IMPACT OVER THE SEA

MSW (knot/kmph)	Impact	Action
28-33 (52-61)	Very rough seas	Total suspension of fishing operations
34-49 (62-91)	High to very high seas	Total suspension of fishing operations
50-63 (92-117)	Very high seas	Total suspension of fishing operations
≥ 64 (≥118)	Phenomenal	Total suspension of fishing operations

Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature(CTT)>-25°C, (b) Moderate: CTT:-25°Cto-40°C, (c) Intense: CTT: -41°Cto -70°C and (d) Very Intense::Less than -70°C Probability of cyclogenesis (formation of depression) :NIL:0%, LOW:1-33%, MODERATE:34-66% and HIGH:67-100%

This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins.

Storm Surge Guidance



Storm surge of 1.5 to 2.5 m height above astronomical tide is very likely to inundate low lying areas of Andhra Pradesh during the time of landfall. The maximum peak surge is expected over near Kakinada and Yanam (Puducherry). Surge height of 2-3.5 m is expected along the Godavari river mouth.

STORM SURGE HEIGHT INFORMATION:

* The below listed surge heights are over and above astronomical tide.


A surge height of 2 to 3.5 meters is forecasted along the Godavari river mouth according to the model.


MANDAL/TALUK	DISTRICT	STATE / UNION TERRITORY	NEAREST PLACE OF HABITATION	STORM SURGE (m) *	EXPECTED INUNDATION EXTENT (km)
Amalapuram	East Godavari	Andhra Pradesh	Nimmakayala Kothapalle	0.4-0.8	Upto 0.20
Anakapalli	Visakhapatnam	Andhra Pradesh	Cheepurupalle (East)	0.2-0.3	Nil
Bhimunipatnam	Visakhapatnam	Andhra Pradesh	Chippada	0.2-0.2	Upto 0.11
Kakinada	East Godavari	Andhra Pradesh	Polekurru	0.7-1.8	Upto 0.24
Machilipatnam	Krishna	Andhra Pradesh	Perupalem	0.3-0.3	Nil
Mummidivaram	East Godavari	Andhra Pradesh	G. Vemavaram	0.7-1.1	Upto 0.18
Narsapur	West Godavari	Andhra Pradesh	Perupalem	0.2-0.6	Upto 0.19
Pithapuram	East Godavari	Andhra Pradesh	Ponnada	0.7-1.0	Upto 0.20
Puspatirega	Vizianagaram	Andhra Pradesh	Konada	0.2-0.2	Nil
Razole	East Godavari	Andhra Pradesh	Bendamurulanka	0.2-0.6	Upto 0.19
Repalle	Guntur	Andhra Pradesh	Gangadipalem	0.2-0.2	Nil
Tuni	East Godavari	Andhra Pradesh	Kona Forest	0.5-0.5	Nil
Vishakhapatnam	Visakhapatnam	Andhra Pradesh	Visakhapatnam	0.2-0.3	Nil
Yanam	Yanam	Puducherry	Yanam	0.6-2.0	Upto 0.48
Yellamanchili	Visakhapatnam	Andhra Pradesh	Tantadi	0.3-0.5	Upto 0.16


Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature(CTT)>-25°C, (b) Moderate: CTT:-25°Cto-40°C, (c) Intense: CTT: -41°Cto -70°C and (d) Very Intense::Less than -70°C Probability of cyclogenesis (formation of depression) :NIL:0%, LOW:1-33%, MODERATE:34-66% and HIGH:67-100%


This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins.


Fishermen Warning Graphics











Legend

	Squally Weather with wind speed 40-50 kmph gusting to 60 kmph
	Squally Weather with wind with speed 45-55 kmph gusting to 65 kmph
	Squally weather with wind speed 50-60 kmph gusting to 70 kmph
	CS with Gale winds with speed 60-90 kmph gusting to 100 kmph
	SCS with Gale wind speed 90-115 kmph gusting to 125 kmph
	VSCS with Gale wind speed 115-125 kmph gusting to 140 kmph

Fishermen are advised not to venture into the marked areas.

Cloud distribution: (a) Isolated: <25%, Scattered:25-50%, Broken: 51-75%, Solid:>75%, Convection Intensity: (a) Weak: Cloud Top Temperature(CTT)>-25°C, (b) Moderate: CTT:-25°Cto-40°C, (c) Intense: CTT: -41°Cto -70°C and (d) Very Intense::Less than -70°C Probability of cyclogenesis (formation of depression) :NIL:0%, LOW:1-33%, MODERATE:34-66% and HIGH:67-100%

This is a guidance Bulletin for WMO/ESCAP Panel Member countries. Visit respective National websites for Country specific Bulletins.