First few rows: Pregnancies Glucose BloodPressure SkinThickness Insulin BMI \ 148 72 35 0 33.6 0 26.6 0 23.3 94 28.1 168 43.1 DiabetesPedigreeFunction Age Outcome 0.627 0.351 31 0.672 32

Dataset Info:

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 768 entries, 0 to 767
Data columns (total 9 columns):

#	Column	Non-Null Count	Dtype
0	Pregnancies	768 non-null	int64
1	Glucose	768 non-null	int64
2	BloodPressure	768 non-null	int64
3	SkinThickness	768 non-null	int64
4	Insulin	768 non-null	int64
5	BMI	768 non-null	float64
6	DiabetesPedigreeFunction	768 non-null	float64
7	Age	768 non-null	int64
8	Outcome	768 non-null	int64

0.167 21

2.288 33

dtypes: float64(2), int64(7)

memory usage: 54.1 KB


None

	Summary	y Statistics:						
		Pregnancies	Glucose	BloodPressure	SkinThick	ness	Insulin	\
	count	768.000000	768.000000	768.000000	768.00	0000	768.000000	
	mean	3.845052	120.894531	69.105469	20.53	6458	79.799479	
	std	3.369578	31.972618	19.355807	15.95	2218	115.244002	
	min	0.000000	0.000000	0.000000	0.00	0006	0.000000	
	25%	1.000000	99.000000	62.000000	0.00	0000	0.000000	
	50%	3.000000	117.000000	72.000000	23.00	9000	30.500000	
	75%	6.000000	140.250000	80.000000	32.00	0006	127.250000	
	max	17.000000	199.000000	122.000000	99.00	9000	846.000000	
		BMI DiabetesPedigreeFunction		Age	Age Outcom			
	count	768.000000		768.000000	768.000000	768.	000000	
	mean	31.992578		0.471876	33.240885	0.	348958	
	std	7.884160		0.331329	11.760232	0.	476951	
	min	0.000000		0.078000	21.000000	0.	000000	
	25%	27.300000		0.243750	24.000000	0.	000000	
	50%	32.000000		0.372500	29.000000	0.	000000	
	75%	36.600000		0.626250	41.000000	1.	000000	
	max	67.100000		2.420000	81.000000	1.	000000	
	Missing Values:							
Pregnancies 0		0						
Glucose 0		0						
BloodPressure 0								
SkinThickness 0								
Insulin 0								
BMI 0								
DiabetesPedigreeFunction 0								
	Age		0					
	Outcome	е	0					
dtype: int64								


Accuracy with k=3: 0.7012987012987013

Accuracy with k=3 (scaled features): 0.7186147186147186

: <Figure size 1200x600 with 0 Axes>
 <Figure size 1200x600 with 0 Axes>



k vs Time Taken



Discussion:

- 1. Scaling the features significantly impacted the performance of KNN. After scaling, the accuracy improved for most values o f k, and computational cost decreased.
- 2. The choice of k directly impacts both accuracy and time taken. Lower k tends to overfit, while higher k may underfit.
- Optimal k based on the analysis: k=