AI1103 ASSIGNMENT 1

MANNAM SARANDEEP-CS20BTECH11030

Download the python code from

https://github.com/sarandeepmannam/AI1103-ASSIGNMENT-1/blob/main/Assignment1.py

and latex-tikz code from

https://github.com/sarandeepmannam/AI1103-ASSIgnment-1/blob/main/Assignment1,tex

1 Problem-2.16

An urn contains 10 black and 5 white balls.Two balls are drawn from the urn one after the other without replacement.What is the probability that both balls are black?

2 Solution-2.16

Let's take two events A and B.
A:The first ball is black
B:The second ball is black
We are required to find the probability of both the first and second balls to be black.
The required probability is $P(A \cap B)$.
The probability of taking first ball as black will be,

$$P(A) = \frac{10}{15} = \frac{2}{3} \tag{2.0.1}$$

The probability of event B to be true given A is true(taking a black ball from 9 black and 5 white balls containing urn) will be,

$$P(B|A) = \frac{9}{14} \tag{2.0.2}$$

By the definition of conditional probability,

$$P(B|A) = \frac{P(A \cap B)}{P(A)} \tag{2.0.3}$$

$$\implies P(A \cap B) = P(A) \times P(B|A) \tag{2.0.4}$$

$$\implies P(A \cap B) = \frac{3}{7} = 0.428571428571.. \tag{2.0.5}$$

Hence,the required probability is 0.428571