A companion for staying on course.

A visual concept and implementation plan for more intentional browsing.

Three sample screens: focus, an interruption, and a learning library.




DESIGN DRAFT

Static mockups and sample data. No product is implemented.

Focus dashboard


Set a specific intention and see a gentle question about yesterday.



The task and reflection prompt use sample data.

Task-specific interruption


A chemistry video can still be a detour from a gas stoichiometry assignment.



Conceptual example only. YouTube integration requires a policy review.

Focused video library

Search for learning resources relevant to the task, with source details.



Titles, channels, and view counts are illustrative, not live results.

How it would work

A calm focus companion for studying, work, and personal projects.

01 **Set the intention**

Enter the task, topic, due date, and optional page to return to. Start a time-boxed focus session.

02 **Catch a detour**

Use user-approved site rules and, later, context matching to notice when a page may not support the specific task.

03 **Reflect the next day**

Ask whether an observed browsing session was intentional and what might help next time. Skipping is always allowed.

04 **Find useful resources**

Explore a curated set of relevant learning videos with title, channel, duration, and available view counts.

Build it in stages

The complete feature specifications and acceptance criteria are in IMPLEMENTATION_PLAN.md.

0

Validate

Review the mockups, coaching language, accessibility, privacy, and video-platform requirements.

1

Local focus MVP

Build a Chromium extension and companion dashboard with intentions, a timer, user-selected site rules, and an override.

2

Reflection and patterns

Add opt-in foreground activity, planned-versus-actual views, morning check-ins, export, and deletion.

3

Context and resources

Evaluate local task relevance, optional cloud AI, and a compliant video source before expanding.

Keep the important trade-offs visible.

Privacy and control	Keep activity local by default, ask separately for browser permissions, offer deletion, and require explicit opt-in before sending anything to cloud AI.
Strict, with an exit	Strict blocking applies only during a session. People can pause, end, or override it. A model should express uncertainty rather than pretend to know intent.
The YouTube constraint	YouTube embeds may display ads and related videos; their player features cannot simply be removed. No ads anywhere requires another properly licensed source.
Free for users	The app can avoid subscriptions and its own ads, but API quota, hosting, AI, bandwidth, and maintenance still need a sustainable plan.

The accompanying Markdown plan includes acceptance criteria, technical details, source links, and open questions.