Bulletin: Carriage House Requirements



Bulletin # 14-01 Updated: Oct. 14, 2021 Created: Sept. 10, 2014

This bulletin is for informational purposes only. Please be sure to consult the relevant City of Kelowna Bylaw.

Rules that Apply to All Carriage Houses

- 1. A carriage house is only permitted on urban area properties located within the City's Core Area that are zoned:
 - RU6 Two Dwelling Housing
 - RU1 Large Lot Housing
 - RU₂ Medium Lot Housing

A carriage house is only permitted on urban area properties located outside the City's Core Area that are zoned:

- RU6 Two Dwelling Housing
- RU1c Large Lot Housing with Carriage House
- RU2c Medium Lot Housing with Carriage House

A carriage house is only permitted on rural area properties zoned:

- RR1c Rural Residential 1 with Carriage House
- RR2c Rural Residential 2 with Carriage House
- RR3c Rural Residential 3 with Carriage House

A rezoning application for a carriage house should be consistent with City policies, including having sanitary services, being within the Permanent Growth Boundary, and being outside of the Agricultural Land Reserve.

To learn more about the Zoning Bylaw land use regulations and the application process, visit the City of Kelowna's website (kelowna.ca) or contact the Community Planning Department at 250-469-8626.

- 2. Depending on the zoning of the parcel, in addition to a single family dwelling, a legal parcel may either have one secondary suite or one carriage house, but not both.
- 3. Application fees that are typically applicable are:

Development Category	Application Fee	Fee Due	
Zoning Amendments to:	Review City of	With Zoning Application	
"C" for Carriage House	Kelowna Development Fees Application Bylaw		
Bylaw Enforcement – Add "C" for Carriage House	Tees Application Bylaw	, pp. eac.o	
Development Cost Charges	\$2,500	Prior to Building Permit Issuance	
Other Fees may Apply (e.g. water/sewer upgrades)	Varies	Varies	

Community Planning


1435 Water Street Kelowna, BC V1Y 1J4 TEL 250-469-8626 FAX 250-862-3320 planninginfo@kelowna.ca


Building & Permitting

1435 Water Street Kelowna, BC V1Y 1J4 TEL 250-469-8960 FAX 250-862-3314 developmentservicesinfo@kelowna.ca CITY OF KELOWNA BULLETIN

4. All carriage houses (including single storey carriage houses) shall not exceed 75% of the habitable floor area of the principal dwelling unit, excluding the garage or carport area.

- 5. Three off-street parking stalls must be provided on site for the dwelling units. Only one driveway access to the property is permitted and the maximum driveway width is 6m.
- 6. The upper storey floor area of any carriage house is limited to 75% of the carriage house footprint (this includes any attached garages but not a carport).
- 7. A hard-surfaced lighted pathway at least 1.1 m wide is required from the streetfront to the entrance of the carriage house. This path must be kept clear of debris and snow, and gates must operate without keys or special knowledge.
- 8. In total, a minimum of 60 m² of private open space shall be provided. The private open space is recommended to be defined and to be screened through the use of landscaping including but not limited to: plantings, architectural elements such as a trellis, low fences or planters, and changes in grade or elevation.
- 9. Carriage houses are not permitted on lots less than 1 hectare in size unless a connection to the community sanitary sewer exists.
- 10. Walkout basement exemptions do not apply to carriage houses or accessory buildings





CITY OF KELOWNA BULLETIN

Carriage House Zone Dependent Rules

Criteria		Rural Zones		Urban Zones
		RR1c	RR2c RR3c	RU1, RU1c, RU2, RU2c & RU6
Siting Regulation	ns			
Max Height¹		6.o m	4.8 m	4.8 m
Front Yard		12.0 M	•	9.0 m
Min Side Yard		1.5M	1.5m	
Min Flanking Side Yard		4.5m		4.5 m
	With a Lane	o.9 m		o.9 m
Min Rear Yard	Without Lane	RR1c & RR2c 3.0 m	RR3c 1.5 m	1.5 m
Min Distance from Principal Building		3.om		3.0 m
Area Regulations	S			
Max Net Floor Are House	Max Net Floor Area of Carriage House		90 m²	
Max Combined Area (e.g. footprint size) of all Accessory Buildings / Structures & Carriage House		n/a	n/a	
	ot Coverage of all	14%		14%
Single Storey Inc	centives ²			•
Max Net Floor Area of Carriage House		100 M²		100 m²
Max Combined A size) of all Access Structures & Carr		n/a		130 m²
	otprint size) of all	50 m²		50 m²
	ot Coverage of all	20%		20%
¹ Height to the mid		eak of roof cannot be taller than the heig	ht of the Principal Maximum He Carriage Hou relative to Pr Dwelling	eight of

² The incentives apply when the height of all the accessory buildings / structure and carriage house are limited to one

storey.

CITY OF KELOWNA BULLETIN

Dormer Rules

1. A dormer is a structural element of a building that projects from the plane of a sloping roof surface. The following setbacks apply:

- a) The dormer's cheek wall must be setback horizontally a minimum o.9 m from a vertical wall under a sloping roof; and
- b) The dormer's face wall must be setback horizontally a minimum o.6 m from the outer edge of the eaves.

