SEO Plan - Yala Wild

Yala Leopard Safari Tours — Full SEO Setup Plan and Developer Guide

Website: https://yalaleopardsafaritours.com | **Created:** October 2026 | **Status:** implementation checklist — items are not assumed completed.

Purpose: make all key URLs crawlable, indexable, keyword-aligned, measurable and ready to convert organic visitors into safari bookings. This plan uses the uploaded "Yala_Safari_SEO_Keywords_and_Metadata.xlsx" mapping. **Keyword selection:** 1) relevance/search intent, 2) higher monthly volume, 3) lower SEO difficulty. Metrics are Ubersuggest estimates, not verified Google traffic. Lunugamvehera and Hambantota phrases have unmeasured demand.

1. Scope and responsibilities

Role	Responsibility
Developer	Rendering, tags, sitemap, robots, canonical, redirects, structured data, GA4/GTM installation, route events and QA.
SEO manager	Approve keyword map, titles/H1s, internal links, content briefs, GSC monitoring and reports.
Client / site owner	Provide DNS access, own Google accounts, verified business details, approved prices/policies and consent text.
Content editor	Update park/service copy, accurate pricing FAQs, images/alt text and articles.

Pages: 10 main/service pages + 4 park pages + 4 legal pages = 18 URLs, plus all published blog detail URLs. Do not count the /blog index as a substitute for articles.

2. Master checklist — tick items only after evidence is checked

P0 | Ownership, access and initial assessment

- [ ] Confirm public brand name, actual company/legal name and correct phone/address; standardize site branding.
- [ ] Confirm framework, hosting, deployment repository, staging URL, form provider, booking engine and payment gateway.
- [ ] Grant client/agency appropriate access: DNS, hosting, code, GA4, Search Console, GTM (if used), Google Business Profile.

- [ ] Check whether Google tags, Search Console property, sitemap, robots and schema already exist to avoid duplication.
- [ ] Take an SEO baseline: indexed pages, queries/clicks/impressions (if available), mobile speed, organic enquiries.
- [ ] Check privacy/cookie disclosures before introducing additional analytics or marketing tags.

P0 | Crawl, rendering, indexability and technical

- [ ] Verify each of 18 URLs returns HTTP 200 and the correct page content (not the same generic SPA shell only).
- [ ] Check 'view-source' and URL Inspection rendered HTML for visible headings, meaningful text, title, description, canonical.
- [ ] Implement SSR, SSG or per-route prerendering if essential HTML is client-only; avoid a disruptive framework rebuild if rendering works.
- [ ] Ensure meaningful descriptive <a href> internal links (not click handlers only) and unique shareable URLs.
- [ ] Implement 1 unique title and description on every indexable route; verify no duplicate/empty tags.
- [ ] Implement absolute self-referencing canonical on each indexable route; do not emit multiple canonicals.
- [ ] Ensure indexable pages do not have robots noindex/X-Robots-Tag noindex and are not blocked in robots.txt.
- [ ] Generate valid XML sitemap containing canonical public pages and published posts, with honest lastmod dates.
- [ ] Serve robots.txt at site root and reference sitemap URL; do not block important assets.
- [ ] Implement correct 301/308 redirect preference: HTTPS and preferred www/non-www host, consistent trailing slash policy.
- [ ] Return actual HTTP 404 for invalid routes; use 301/308 for genuinely moved old URLs, not blanket home redirects.
- [ ] Remove or noindex duplicate, search, test, checkout, login, confirmation and staging routes as appropriate.
- [ ] Check mobile navigation, broken links, contact/booking forms, mixed content, TLS, and browser console errors.
- [ ] Run PageSpeed Insights and prioritize LCP, INP and CLS; optimize critical images, JS bundles and fonts.
- [ ] Verify image source URLs are accessible; provide meaningful alt text, intrinsic size, modern formats and responsive sizes.
- [ ] Use correct language <html lang='en'>, semantic headings and accessible link/button labels.

P0 | Search Console and Analytics

- [ ] Create/verify Search Console Domain property for yalaleopardsafaritours.com using DNS TXT verification.
- [ ] Submit XML sitemap, check inspection for homepage and 4 park pages, review indexing status.
- [ ] Create/verify GA4 property, Web data stream, Sri Lanka reporting time zone, consistent currency and owner access.
- [ ] Install exactly one primary Google tag via GTM or direct gtag integration; avoid duplicates.
- [ ] Validate GA4 page_view for direct loads and client-side navigation, without duplicate hits.
- [ ] Implement real conversion events for confirmed enquiries, checkout starts and successful bookings.
- [ ] Check GA4 DebugView/Realtime, link GA4 to Search Console and configure key events.

P1 | Page copy, intent and trust

- [ ] Assign primary keywords per supplied workbook (relevance > volume > difficulty); keep phrases exact where natural.
- [ ] Apply finalized title, description and H1 for all 18 listed URLs; validate against visible copy.
- [ ] Give each major page a single clear H1 and logical H2/H3 structure.
- [ ] Add naturally relevant keyword variants in headings, descriptions, image alt text and internal links without stuffing.
- [ ] Add pricing/package details, duration, included vs excluded, fees, pickup coverage and booking CTA accurately.
- [ ] Publish useful park-specific details: wildlife, gates, travel time, safari duration, best season, practical tips.
- [ ] Fix any dummy FAQ payment text, placeholder testimonials/review badges, inconsistent brand names or inaccurate claims.
- [ ] Link from home to 4 park pages, from safaris overview to each park and related park articles.
- [ ] Implement breadcrumbs on deeper pages and ensure breadcrumb labels match the URL hierarchy.
- [ ] Give every blog post a unique slug, H1, title, description, canonical, author/date, and contextual park links.

P1 | Structured data and local SEO

- [ ] Add accurate Organization/TravelAgency or LocalBusiness JSON-LD with real identifiers and verified contact details.
- [ ] Add BreadcrumbList where breadcrumbs exist and Service schema on service pages only if visible content supports it.
- [ ] Use BlogPosting on original articles; test structured data in Rich Results Test and Schema Validator.
- [ ] Do not add fabricated ratings, awards, review stars, aggregateRating or unsupported FAQ rich result expectations.
- [ ] Claim/optimize Google Business Profile if eligible; align name, address, phone, site and service details.
- [ ] Link verified social profiles, booking contacts and customer support clearly.

P1/P2 | Content, reporting and ongoing maintenance

- [ ] Research and publish entrance fee/price guide for Yala and Udawalawe; verify prices with official sources and date them.
- [ ] Publish park comparison articles based on user intent, avoiding duplicate target keywords and cannibalization.
- [ ] Add a content calendar with owner, URL target, primary keyword, helpful intent and review date.
- [ ] Capture baseline and report weekly Search Console clicks, impressions, CTR, positions and index coverage.
- [ ] Report monthly GA4 organic sessions, leads, checkout begins, purchase value, and park page conversions.
- [ ] Audit crawl errors, redirect chains, duplicate metadata and stale URLs monthly.
- [ ] Keep sitemap and metadata generation maintained automatically as routes/posts are added.

3. Exact keyword and metadata implementation matrix

Copy the exact title and meta description per route. The keyword is the primary targeting phrase, not necessarily the only phrase on the page. Search volume = estimated monthly volume, SD = SEO difficulty. A dash means no reliable measurement in the supplied workbook. Confirm descriptions against real services and final published copy.

Page	URL	Primary keyword	Volume	SD	SEO title	Meta description	Suggested H1
Home	https://yalaleopardsafaritours.com/	safari in sri lanka	1600	15	Safari in Sri Lanka | Yala, Udawalawe & Bundala Tours	Plan a safari in Sri Lanka with private jeep tours in Yala, Udawalawe, Bundala and Lunugamvehera. Compare wildlife	Safari in Sri Lanka – Explore 4 Wildlife Parks

						parks, packages and booking options.	
About	https://yalaleopardsafaritours.com/about	No measured match	—	—	About Yala Leopard Safari Tours | Meet Our Local Team	Meet the team behind Yala Leopard Safari Tours. Learn about our family-run history, experienced local safari drivers and responsible wildlife experiences.	About Yala Leopard Safari Tours
Safaris	https://yalaleopardsafaritours.com/safaris	safari tours sri lanka	70	14	Safari Tours Sri Lanka | Compare 4 National Parks	Looking for safari tours Sri Lanka is known for? Compare Yala, Udawalawe, Bundala	Safari Tours in Sri Lanka – Compare Our Parks

						and Lunugamvehera, with private jeep packages and tour durations.	
Gallery	https://yalaleopardsafaritours.com/gallery	yala national park photos	480	30	Yala National Park Photos | Wildlife Safari Gallery	View Yala National Park photos featuring leopards, elephants and safari landscapes, plus wildlife images from Udawalawe and Bundala National Parks.	Yala National Park Photos & Wildlife Gallery
Reviews	https://yalaleopardsafaritours.com/reviews	No measured match	—	—	Yala Leopard Safari Tours Reviews | Guest Experiences	Read guest experiences and feedback about Yala Leopard Safari	Reviews of Yala Leopard Safari Tours

						Tours, including private jeep safaris, local drivers and wildlife trips in southern Sri Lanka.	
Blog	https://yalaleopardsafaritours.com/blog	No measured match	—	—	Yala Safari Blog | Sri Lanka Wildlife & Travel Guides	Explore travel guides for Yala, Udawalawe and Bundala, including safari planning, entrance fees, wildlife, park comparisons and Sri Lanka travel tips.	Safari Blog & Wildlife Travel Guides
FAQ	https://yalaleopardsafaritours.com/faq	No measured match	—	—	Yala Safari FAQs | Booking, Prices &	Get answers about booking Yala safaris,	Yala Safari Frequently Asked Questions

					Park Tickets	jeep packages, park entry tickets, pickup locations, safari timings, payments, cancellations and wildlife.	
Contact	https://yalaleopardsafaritours.com/contact	yala safari contact number	50	7	Yala Safari Contact Number & Booking Enquiries	Need a Yala safari contact number? Reach our local team in Tissamaharama for safari availability, jeep tour enquiries and transport assistance.	Contact Yala Leopard Safari Tours
Taxi & Car Rental	https://yalaleopardsafaritours.com/taxi-car-rental	yala taxi	170	20	Yala Taxi Service & Car Rental with Driver | Sri Lanka	Request a Yala taxi service or private car and van with driver for	Yala Taxi Service & Private Car Rental

						hotel pickups, Hambantota, Tissamaharama, airport transfers and travel across Sri Lanka.	
Hambantota Port to Yala	https://yalaleopardsafaritours.com/hambantota-port-to-yala	hambantota port to yala safari	—	—	Hambantota Port to Yala Safari | Cruise Excursions	Plan a Hambantota port to Yala safari with cruise port pickup, a 4x4 jeep wildlife experience and return transfer to Hambantota. Request your booking.	Hambantota Port to Yala Safari
Yala National Park	https://yalaleopardsafaritours.com/safaris/yala	safari in yala	4400	30	Safari in Yala | Jeep Tour Packages & Prices	Book a safari in Yala with experienced local 4x4 jeep	Safari in Yala – Jeep Packages & Prices

						drivers. Compare half-day, 7-hour and full-day Yala safari packages, prices and pickup options.	
Udawalawe National Park	https://yaleopardsafaritours.com/safaris/udawalawe	udawalawe safari	6600	19	Udawalawe Safari | Jeep Tours, Packages & Prices	Book an Udawalawe safari to see wild elephants in Sri Lanka. Compare private jeep tours, safari prices, tour durations and local pickup arrangements.	Udawalawe Safari – Private Jeep Tours & Prices
Bundala National Park	https://yaleopardsafaritours.com/safaris/bundala	bundala safari	260	21	Bundala Safari | Bundala National	Plan a Bundala safari in Bundala National	Bundala Safari – Birdwatching &

					Park Jeep Tours	Park. Explore birdwatching, wetlands, private jeep tour packages and booking options with local drivers.	Jeep Packages
Lunugamvehera National Park	https://yalaleopardsafaritours.com/safaris/lunugamvehera	lunugamvehera safari	—	—	Lunugamvehera Safari | National Park Jeep Tours	Explore a Lunugamvehera safari with a private jeep and local driver. Compare wildlife tour packages and opportunities to see elephants and birdlife.	Lunugamvehera Safari – Private Jeep Tours
Privacy Policy	https://yalaleopardsafaritours.com/legal	Not needed	—	—	Privacy Policy | Yala Leopard	Read how Yala Leopard Safari Tours	Privacy Policy

	/privacy-policy				Safari Tours	collects, processes and protects personal information when you browse the website or enquire about a safari.	
Cookie Policy	https://yaleopardsafaritours.com/legal/cookie-policy	Not needed	—	—	Cookie Policy | Yala Leopard Safari Tours	Understand how cookies and similar technologies are used on the Yala Leopard Safari Tours website and how you can manage your preferences.	Cookie Policy
Terms & Conditions	https://yaleopardsafaritours.	Not needed	—	—	Terms & Conditions | Yala	Read the terms for Yala	Terms & Conditions

	com/legal/terms-and-conditions				Leopard Safari Tours	Leopard Safari Tours safari packages, transport enquiries, bookings, guest responsibilities and other services.	
Refund & Cancellation Policy	https://yalaleopardsafaritours.com/legal/refund-cancellation-policy	Not needed	—	—	Refund & Cancellation Policy | Yala Leopard Safari Tours	Review the refund, cancellation and booking change rules for safari tours and transport services booked with Yala Leopard Safari Tours.	Refund & Cancellation Policy

4. Technical developer guide

4.1 Confirm rendering model (important for vibe-coded apps)

1. Identify whether the app uses Next.js SSR/SSG, React + Vite CSR, Astro or another framework. Do not assume its architecture based on how it was built.

2. Open each page directly in an incognito window with JavaScript enabled, then inspect View Page Source (not only browser DevTools after hydration). Check that title, description, canonical, meaningful text and crawlable links are provided in the initial HTML where practical.
3. For client-side-only React, use reliable SSR/SSG or route-level prerendering when important SEO content would otherwise exist only after running JavaScript. Google's renderer supports JavaScript but can delay processing.
4. Test a nested route when opened directly (for example /safaris/udawalawe), and an invalid URL. The server should not return HTTP 200 for a real missing page.
5. Never leave staging copies indexable. Avoid implementing fake bot-only content; search users and crawlers must receive equivalent page content.

Example SEO head for /safaris/yala:

```
<title>Safari in Yala | Jeep Tour Packages & Prices</title>
<meta name="description" content="Book a safari in Yala with experienced local 4x4 jeep drivers. Compare half-day, 7-hour and full-day Yala safari packages, prices and pickup options.">
<link rel="canonical" href="https://yalaleopardsafaritours.com/safaris/yala">
<meta name="robots" content="index,follow">
<meta property="og:type" content="website">
<meta property="og:title" content="Safari in Yala | Jeep Tour Packages & Prices">
<meta property="og:description" content="Book a private Yala safari with local jeep drivers.">
<meta property="og:url" content="https://yalaleopardsafaritours.com/safaris/yala">
<meta property="og:image" content="FULL_PUBLIC_IMAGE_URL">
<meta name="twitter:card" content="summary_large_image">
```

Implementation rule: set page metadata on the server/head manager per route and during SPA navigation; do not duplicate title, description, robots, canonical, GA4 tags or schema instances.

4.2 XML sitemap, robots, canonicals, redirects

Publish https://yalaleopardsafaritours.com/sitemap.xml and https://yalaleopardsafaritours.com/robots.txt; these endpoints must return actual XML/plain text with HTTP 200. The sitemap contains every public canonical page including published blog articles. Populate lastmod only from real content updates. Exclude search, checkout, confirmation, logged-in, staging, broken and noindex URLs.

```
User-agent: *
Allow: /

Sitemap: https://yalaleopardsafaritours.com/sitemap.xml
```

Do not place Disallow rules on pages that must be crawled to see a noindex directive. robots.txt is not a secure privacy control. Noindex private transactional screens; authentication-protect genuinely private screens. Redirect host/protocol/old URLs to one preferred canonical (HTTPS, no-www by default). Avoid redirect loops or chains.

4.3 HTTP and mobile QA

- HTTP 200: intended public pages; 301/308: old or alternate URLs; 404/410: truly unavailable URLs; 5xx: none during normal use.
- Canonical points to the final, accessible page and is present only once. URLs in sitemap, canonicals, breadcrumbs and internal links agree.
- Test real mobile devices for hero rendering, button tap targets, forms, pricing calculator, calendar, guest count, payments and thank-you state.
- Core Web Vitals targets: LCP ≤ 2.5 s, INP ≤ 200 ms and CLS ≤ 0.1 at 75th percentile. Run mobile and desktop PageSpeed Insights.
- Use responsive WebP/AVIF images, size attributes, image lazy load for below-the-fold assets, and prioritize visible hero image loading.
- Prevent unexpected shifts and unnecessary JS; compress server assets and verify caching; avoid loading oversized gallery images eagerly.

5. Google Search Console setup — step by step

1. Go to Google Search Console using a client-owned Google account. Create Domain property `yalaleopardsafaritours.com`; if one already exists, use it rather than create a duplicate.
2. Copy Google's TXT verification value. Add it to authoritative DNS for the root domain (Cloudflare/registrar as applicable). Do not overwrite other TXT records. Return to Search Console and verify; keep verification record published.
3. Submit sitemap URL `https://yalaleopardsafaritours.com/sitemap.xml` under Indexing → Sitemaps. Submission is discovery help, not a guarantee of indexing.
4. Use URL Inspection → Test Live URL for Home, Safaris, Yala, Udawalawe, Bundala, Lunugamvehera and important service pages. Inspect screenshots/rendered HTML, user-declared and Google-selected canonicals and any blocked resources.
5. Request indexing for changed priority pages only after fixes. Review Pages/indexing reports and sitemap processing. Investigate duplicates, crawled-currently-not-indexed and server errors, rather than mass-requesting indexing.
6. Add the SEO agency as a user at appropriate permission level while keeping client as verified owner. Link GA4 to Search Console after the properties are verified.

6. GA4 / Google Tag Manager / conversion tracking

1. Open https://analytics.google.com/ with the client-owned Google account. Create or reuse a GA4 property; set reporting timezone to Asia/Colombo and a consistent transaction currency. Create Web data stream for the website and copy the Measurement ID (G-...).

2. Decide ONE installation method: direct Google tag (gtag.js), or Google Tag Manager. If GTM is chosen, add its web container to the app, and configure GA4 Google tag inside GTM. Do not run both methods for the same stream.
3. Verify page_view for each direct page load and client-side route change using GA4 DebugView and Realtime. Ensure SPA routing does not double-count navigation.
4. Configure consent and cookie privacy controls appropriate to the audiences served and verify denied/granted behavior. Do not send names, emails, phones or other personal information into Analytics.
5. Set up the events below, then mark successful lead and purchase outcomes as GA4 key events where business appropriate.
6. If checkout redirects to a separate payment provider/domain, review unwanted referrals and cross-domain requirements. Complete purchase only after payment confirmation from a trustworthy server-side/source-of-truth state.
7. Link GA4 with Search Console and use UTM parameters for campaigns. Record the Measurement ID, GTM container ID (if used), property owner and access list in a secure project handover.

Event	Trigger	Implementation / evidence	Interpretation
page_view	Initial visit + client-side route navigation	Google tag; test no duplicates	Diagnostic
whatsapp_click	Actual WhatsApp link click	Custom event with link_location/page_path; no personal data	Contact intent
phone_click	Click a tel: link	Custom event	Contact intent
generate_lead	Successful server-confirmed contact or booking enquiry	Only after success response; use lead_type (non-PII)	Key event
view_item	Safari/package details genuinely viewed	Optional for structured package catalogue	Engagement
select_item	Safari package selected	Optional; send item ID/name	Funnel

begin_checkout	Guest actually opens booking checkout	Recommended event; send currency and value when available	Funnel
add_payment_info	Payment details added (if applicable)	Recommended event	Funnel
purchase	Confirmed paid booking from payment provider/server	transaction_id, value, currency, items; fire once	Key event
refund	Confirmed refunded transaction	Tie to original transaction ID, real value/currency	Financial

Example (fire after a successful lead only):

```
// Call after the server confirms that the form submission succeeded:
gtag('event', 'generate_lead', {
  lead_type: 'safari_enquiry',
  page_location: window.location.href
});

// Do NOT include guest names, phone numbers or email addresses.
// For purchase, use server-confirmed transaction_id, value, currency and items.
// Guard against duplicate purchase events on refresh/back-navigation.
```

7. Structured data

- Home: use valid Organization or TravelAgency/LocalBusiness data only with verified brand identity, actual address/contact, URL, business logo and sameAs social profiles.
- Services/parks: use Service structured data where appropriate; use BreadcrumbList on deeper routes with visible breadcrumbs.
- Blog: use BlogPosting with factual headline, author, publication/modification date, image and canonical URL.
- FAQ: write useful visible FAQ content; do not promise FAQ rich results because eligibility is restricted by Google.
- Reviews: do not fabricate aggregateRating, star reviews, reviews or awards; self-serving LocalBusiness review markup does not qualify for star snippets.
- Validate with https://validator.schema.org/ and https://search.google.com/test/rich-results ; schema validity is not a ranking or rich-result guarantee.

```
{
  "@context": "https://schema.org",
  "@type": "TravelAgency",
```

```
  "name": "Yala Leopard Safari Tours",
  "url": "https://yalaleopardsafaritours.com/",
  "telephone": "REPLACE_WITH_VERIFIED_PUBLIC_NUMBER",
  "address": {
    "@type": "PostalAddress",
    "addressLocality": "Tissamaharama",
    "addressCountry": "LK"
  }
}
```

Replace placeholders with verified facts before publishing; add only properties truly applicable to the business.

8. Content and on-page execution

8.1 Page templates

Page type	Required sections
Home	Clear safari proposition, 4 parks comparison/cards, package discovery CTA, verified trust proof, quick FAQs, links to key services and useful guides.
Safaris overview	Comparison table for 4 parks, wildlife differentiators, package durations, pickup availability, transparent price/fees guidance and links to each park.
Individual park pages	1 H1, park overview, who it suits, wildlife, package options, inclusions/exclusions, ticket/jeep pricing clarifications, timing, pickups, FAQs, booking CTA, related posts.
Hambantota port	Cruise schedule/return buffer disclaimer, pickup meeting point, transfer and safari inclusions, travel time as verified, itinerary and payment/cancellation conditions.
Taxi & car rental	Vehicle types, whether rate is per-km/fixed, what is included, pickup/dropoff areas, booking enquiry fields and real price/availability disclaimers.
Gallery	Original optimized photos with descriptive alt text, real species/park captions and links back

	to related safari pages.
Reviews	Real testimonials with appropriate permission/source; no sample review badges or invented ratings.
Blog article	One intent/keyword per article; accurate answer at top, descriptive headings, current factual sources where needed, internal links, author/date and related bookings.
FAQ/legal/contact	Truthful operational information matching booking/checkout and customer-support processes; clear public contact details and policy accuracy.

8.2 Supporting article opportunities from the keyword workbook

Content opportunity	Exact query evidence	Monthly volume / SD	Recommended role
Yala tickets and cost	yala national park entrance fees	590 / 16	Dedicated researched guide linking to /safaris/yala
Yala park entrances	yala national park main entrance	4400 / 9	Accurate park-access explainer with routing and source checks
Yala booking cost	yala safari cost	1000 / 28	Park-page pricing FAQ plus supporting transparent pricing guide
Udawalawe ticket prices	udawalawe national park ticket price	320 / 8	Ticket-price guide linked to /safaris/udawalawe
Udawalawe package pricing	safari udawalawe price	480 / 10	Commercial on-page package section / comparison

Bundala photos	bundala national park photos	70 / 5	Gallery subpage or article with original imagery
Bundala tickets	bundala national park ticket price	70 / 6	Accurate visitor fee guide; link to safari booking
Lunugamvehera park guide	lunugamvehera national park	Not measured	Research demand first; publish helpful park overview only

Blog titles and page intent should avoid competing with existing park booking pages. Example: Yala booking page targets safari-in-Yala packages; the park entrance-fee guide targets informational costs, linking users back to booking. Verify government fee changes and seasonal park notices before publishing.

9. Final QA and evidence-based acceptance criteria

Area	Pass condition	Evidence to attach / record
URL/indexability	18 core pages correct status, canonical, content and robots; blog URLs likewise	URL test sheet with 200/404/canonical/indexability
Metadata	Unique title and description/H1 per page match approved workbook	Head-tag screenshots or crawl export
Sitemap/robots	200 + valid file format, canonical coverage, no blocked important pages	Endpoint response and GSC submission result
Search Console	Ownership verified and priority pages inspected	Domain property screenshot and URL inspection results
Analytics	Realtime, route pageviews, conversions working without duplicates	DebugView screenshots plus test scenario/results

Bookings	Successful form/booking flows and thank-you tracking; purchase matches paid order	Documented test transaction in safe/test mode
Structured data	No critical validation issues; truthful visible content	Validator test link/screenshot
Mobile/performance	No functional failures; CWV measurements and known issues documented	Mobile QA and PSI baseline
Trust/content	Brand, contact, reviews, prices and legal text verified	SEO/content approval sign-off
Handover	Ownership/access, tag IDs, repository deployment notes, QA evidence and pending items shared	Owner sign-off and issue list

10. Suggested sequence and monitoring

Phase	Work	Deliverable
Day 1	Verify framework + access, baseline crawl/rendering audit and keyword map approval	Prioritized issues and metadata approval
Days 2–3	Rendering/indexability, metadata for 18 routes, sitemap/robots, canonical/redirects	Technically crawlable and tagged site
Days 3–4	GSC property + DNS, GA4/GTM setup, pageview and conversion events	Validated Search Console and GA4
Days 4–5	Schema, internal links, headings, page content, mobile and booking QA	Validated full launch checklist
Weekly thereafter	Check GSC Pages/Performance and GA4	Short weekly health log

	organic traffic/leads, fix new issues	
Monthly thereafter	Park/keyword landing-page performance, article results, leads/bookings, CWV, priorities	Monthly SEO report with actions

11. Official implementation references

- Google Search Central: developer SEO guide
- Google: JavaScript SEO fundamentals
- Google Search Console
- Google Analytics
- GA4 recommended events
- PageSpeed Insights
- Rich Results Test
- Schema Markup Validator

⚠ **Verification note:** The Confluence page was empty before this plan was added. No website changes, Google account connections, domain DNS verification or live production audits are represented as completed. This is the implementation specification. The web inspection endpoints for the live site could not be independently accessed during this update; verify production before ticking tasks.