

Goal-Directed Behavior

How agents maintain focus on objectives across many reasoning steps — and what happens when they don't

8 min

Duration

B3 – Apply

Bloom's

L2 – Intermediate

Level

TH-000008

Prerequisite

AI-AG-IN-TH-000009

Prof. Sashikumaar Ganesan · IISc Bangalore · AhamX Bodhi

SECTION 1 — WHAT

Maintaining Focus Across Steps

An agent must remember its goal from step 1 to step 15 — this is harder than it sounds

What Goal-Directed Behavior Means

Maintaining focus on the original objective across many reasoning steps

Three components of goal-directed behavior:

Goal Persistence

The agent remembers the ORIGINAL task from start to finish. Even at step 15, it still knows: 'I was asked to summarize Q3 earnings.' The goal doesn't fade as context grows.

Progress Tracking

The agent knows WHERE it is in the plan. 'I've completed steps 1–3 (data gathering). Now I'm on step 4 (analysis). Steps 5–6 remain.' Clear visibility into what's done and what's left.


Goal Adaptation

When constraints change mid-execution, the agent modifies its approach WITHOUT losing the original objective. Budget reduced? Fewer sources. Deadline moved? Shorter report. Goal stays; method adapts.

Goal Persistence: The 'Working Memory' Challenge

The context window grows — but the goal should stay front and center

As the agent runs, the context window fills with tool results, observations, and reasoning traces. The original goal — stated in the first message — gets pushed further back in the context.



Progress Tracking: Knowing What's Done and What Remains

The agent needs a checklist, not just a memory

Good: Explicit Progress Tracking

Goal: Write market research report

- ✓ Step 1: Search market size → ₹2.1T
- ✓ Step 2: Search companies → TCS, Infosys...
- ✓ Step 3: Search trends → 8% CAGR
- Step 4: Analyze landscape (IN PROGRESS)
- Step 5: Write report sections
- Step 6: Compile final PDF

Progress: 3/6 complete (50%)

Bad: No Progress Tracking

Agent at step 10:

"I've been doing a lot of research. I think I have some data. Let me search for more information about the Indian IT sector..."

- Agent doesn't know it already searched for this 5 steps ago
- Repeating work without realizing
- No clear path to completion

Goal Adaptation: Changing Method, Not Objective

When constraints change, adapt the approach — not the goal

Constraint Change	Wrong (Changes Goal)	Right (Adapts Method)
Budget reduced from ₹5L to ₹3L	Drop the research (change goal)	Fewer sources, shorter report (change method)
Deadline moved from Friday to Wednesday	Submit incomplete work	Prioritize key sections, skip optional analysis
Key data source is unavailable	Give up on that section	Use alternative source, note limitation
User adds new requirement mid-task	Start over from scratch	Integrate into existing plan, adjust remaining steps

SECTION 2 — GOAL DRIFT

The #1 Long-Running Agent Problem

Why agents lose focus — and four strategies to prevent it

Goal Drift Causes: Why Agents Lose Focus

Four root causes, each requiring a different fix

Context Overflow

As the context fills with tool results, the original goal (stated at the start) gets pushed to the edge of the model's attention window. Later steps 'forget' the early goal.

Fix: Re-inject goal text every 5 steps

Attention Decay

Transformer attention naturally weights recent tokens more heavily. A goal stated 3,000 tokens ago gets less attention than the most recent observation.

Fix: Place goal in system prompt (always first)

Tangential Observations

A search result mentions something interesting but irrelevant. The agent follows the tangent instead of staying on task. 'Q3 earnings' search returns Q4 preview → agent starts researching Q4.

Fix: Scope boundaries: 'DO NOT research Q4'

Ambiguous Original Goal

The goal was vague enough that the agent's interpretation gradually shifts. 'Research the market' could mean market size, competitors, trends, or all three.

Fix: Make goals specific + decompose upfront

Good Focus: 15-Step Agent Staying On Track

What a focused agent trace looks like (annotated)

Goal: "Summarize Q3 2025 earnings for TCS"

Steps 1–3: Search TCS Q3 earnings, revenue, profit data

✓ **On-task**

Steps 4: Search TCS Q3 segment breakdown

✓ **On-task (detail)**

Steps 5: [Goal reminder injected]: 'Focus: Q3 earnings only'

✓ **Reinforcement**

Steps 6–8: Analyze revenue trends, compare with Q2

✓ **On-task**

Steps 9: Search finds Q4 preview → agent ignores it

✓ **Resisted tangent**

Steps 10: [Goal reminder]: 'Q3 only. Do not research Q4.'

✓ **Reinforcement**

Steps 11–14: Write summary sections: revenue, profit, outlook

✓ **On-task**

Steps 15: Compile final summary → DONE

✓ **Goal met**

Drift at Step 12: Root Cause Analysis

What a drifting agent trace looks like — and where it went wrong

Same goal: "Summarize Q3 2025 earnings for TCS"

Steps 1–8: Search and analyze Q3 data (same as good trace)

✓ On-task

Steps 9: Search finds: 'TCS Q4 guidance raised to 12%'

→ Tangent trigger

Steps 10: Thought: 'Q4 guidance is interesting, let me research more'

✗ DRIFT STARTS

Steps 11: Search 'TCS Q4 2026 earnings forecast'

✗ Off-task

Steps 12: Search 'Indian IT sector Q4 outlook'

✗ Scope expanded

Steps 13–15: Agent writes Q3/Q4 comparison report

✗ Wrong deliverable

Root cause: No goal reminder was injected at step 10. The tangent at step 9 was not rejected.

Goal Drift Detection: Automatic Alignment Checks

How to catch drift before it wastes execution budget

Add this check after every N steps (recommended: every 3–5 steps):

Alignment Check Prompt (injected every 5 steps):

"PAUSE. Before continuing, verify alignment:

Original goal: {original_goal}

Steps completed so far: {completed_steps}

Current action plan: {next_planned_steps}

Question: Is the current action plan still aligned with the original goal?

If YES: continue.

If NO: explain the drift and return to the original goal."

Cost: one extra Thought per check (~40 tokens, ~\$0.00003). Saves: potentially 5–10 wasted steps (~\$0.05).

Four Prevention Strategies

A practical toolkit for keeping agents on track

- | | | | | |
|---|---------------------------|---|------------|--------------------------------|
| 1 | Re-inject Goal | Add "Reminder: your original goal is: {goal}" every 5 steps | ~40 tokens | Keeps goal in recent attention |
| 2 | Scope Boundaries | Explicitly state what NOT to do: 'Do NOT research Q4 or other companies' | ~20 tokens | Prevents tangent following |
| 3 | Step Budget | Set max_iterations=15. Agent must finish within budget. | \$0 (code) | Prevents unbounded exploration |
| 4 | Progress Checklist | Maintain ☒ /→/o checklist in context. Agent sees what's done/remaining. | ~50 tokens | Clear path to completion |

Progress Tracking Mechanisms

Three ways to maintain visibility into agent progress

Mechanism	Implementation	Pros	Cons
Context Checklist	✅/→/○ list in every Thought	Simple, visible, low cost	Uses ~50 tokens of context
External State Store	Redis/DB tracks step completion	Persists across sessions	Requires external infrastructure
Structured Output	Agent emits {step, status, %} JSON	Machine-readable, easy to monitor	Requires output parsing

Recommendation: use context checklist for short tasks (< 10 steps), external state store for long tasks (> 10 steps).

Key Takeaways

The essential points from this concept

Three components of goal-directed behavior: persistence, progress tracking, and adaptation.

Goal drift is caused by: context overflow, attention decay, tangential observations, vague goals.

Prevention toolkit: re-inject goals, scope boundaries, step budgets, progress checklists.

Alignment checks every 5 steps cost ~40 tokens but save 5–10 wasted steps.

Track progress explicitly — context checklist for short tasks, external store for long ones.

Next: AI-AG-IN-TH-000020 — Cognitive Architectures: From Loops to State Graphs

AI-AG-IN-TH-000009 Complete

Goal-Directed Behavior

Concept 5 of 8

Advanced Certification in Agentic & Generative AI · IISc Bangalore

Prof. Sashikumaar Ganesan · AhamX Bodhi