



SOP Corpus — 15 Documents (SOP / REF / POL)

Each section below = one Markdown file in `corpus/`. The metadata block is the chunking header (Ch. 19 §19.2). All content is **original mock doctrine** written for simulation — not derived from any real military manual.

SOP series — `corpus/sop/`

SOP-01 — Patrol & Contact Reporting

```
id: SOP-01 | tags: [patrol, reporting, contact] | version: 1.0
```

1. Patrols report by exception plus a mandatory status call every 30 minutes ("Sector quiet" counts).
2. On any contact or suspicious observation, send a **SPOT report** within 2 minutes: **Size**, **Position** (grid), **Observation**, **Time**. Uncertainty is stated, never guessed away.
3. Severity is assigned by the operator per REF-02, not by the reporting unit.
4. Loss of scheduled status call → treat as comms-loss after 10 minutes (SOP-06).

SOP-02 — QRF Dispatch

```
id: SOP-02 | tags: [qrf, dispatch, response] | version: 1.0
```

1. QRF launches only on operator tasking; sensor trips alone never auto-dispatch (human-in-the-loop rule).
2. Dispatch decision targets: acknowledge ≤ 2 min, wheels-rolling ≤ 8 min for critical incidents.
3. One QRF element is always held in reserve; committing the last element requires commander approval (War-Room role, Ch. 15).
4. QRF en route reports at each phase line; arrival triggers incident state → `responding`.

SOP-03 — Casualty Evacuation (Medevac)

```
id: SOP-03 | tags: [medevac, casualty, medical] | version: 1.0
```

1. Casualty report uses the 5-line request: location (grid), number of casualties, precedence (urgent/priority/routine), equipment needed, site security status.
2. Urgent precedence targets pickup within 60 minutes ("golden hour" — also the Ch. 14 lives-saved proxy basis).
3. Nearest available medevac asset is tasked unless field hospital saturation dictates rerouting.
4. Every medevac movement is logged as events for after-action timing analysis.

SOP-04 — Convoy Escort Procedures

id: SOP-04 | tags: [convoy, escort, movement] | version: 1.0

1. Convoys move only on routes with a current threat assessment (< 12 h old).
2. Standard order of march: escort lead, cargo elements at 80 m spacing, escort trail; UAV overwatch when weather permits.
3. On threat report along the route: halt in dispersed formation, re-plan via mission service, commander approves the new route.
4. A convoy never outruns its slowest vehicle; breakdowns trigger SOP-02 assessment for security.

SOP-05 — Counter-UAS Response

id: SOP-05 | tags: [counter-uas, airspace, drone] | version: 1.0

1. Any unidentified track inside restricted airspace is an incident of severity **high** minimum.
2. Response ladder: track → classify (vision review, SOP requires human confirmation of CV output) → warn → intercept-observe. The simulation models observation and tracking only — no engagement mechanics exist in the platform.
3. Two confirmed incursions in 4 hours → raise airspace posture one level and double radar sweep reporting.
4. All detections retain model-version lineage for the debrief (Ch. 8).

SOP-06 — Comms-Loss Protocol

id: SOP-06 | tags: [communications, degraded-ops] | version: 1.0

1. 10 minutes without scheduled contact = comms-loss state; unit marker goes stale (dashed) on the map.
2. Lost unit executes last confirmed tasking, then moves to the nearest rally point and holds.
3. Operators dispatch no new tasking to a stale unit; a runner/UAV relay is tasked to re-establish contact after 20 minutes.
4. Comms restoration requires a full status report before the unit returns to available pool.

SOP-07 — Base Perimeter Defense

id: SOP-07 | tags: [perimeter, defense, posture] | version: 1.0

1. Perimeter posture levels: GREEN (routine), AMBER (heightened — double sentries), RED (stand-to — all personnel to positions).
2. Sensor trip on the perimeter fence auto-raises AMBER; only the commander deescalates.
3. Posture changes are logged events — the after-action report reconstructs the full posture timeline.
4. Perimeter gaps caused by responding units must be explicitly accepted by the operator (the UI shows uncovered arcs).

SOP-08 — HADR Deployment (Aid to Civil Authority)

id: SOP-08 | tags: [hadr, relief, civil-authority] | version: 1.0

1. Military elements deploy on formal request of civil authority; tasking authority remains civil, execution authority military.
2. Priority order: life-saving evacuation → medical → engineering (route/bridge) → supply distribution.
3. Rations/medkit burn rates are tracked per ward; forecast shortfalls are reported to civil authority every 4 hours.
4. All HADR events use the same reporting formats as operations (SOP-01, SOP-03) — one doctrine, two missions.

REF series — **corpus/ref/**

REF-01 — Unit Type Capabilities Sheet

id: REF-01 | tags: [units, capabilities] | version: 1.0

Type	Speed (base)	Endurance	Carries	Notes
ground_team	5 km/h	8 h	personal medkit	patrol/respond behaviors
vehicle	40 km/h	400 km	cargo/casualties	route-bound
drone	60 km/h	90 min battery	sensors only	weather-sensitive (×0.4–0.6)
sensor_post	static	continuous	—	seismic/IR trip reporting
observation_post	static	crewed 24/7	—	visual reports, 3 personnel
depot	static	—	fuel/medkit/rations/battery	resupply origin

REF-02 — Severity Classification Guide

id: REF-02 | tags: [severity, classification] | version: 1.0

- **Critical (◆):** immediate threat to life or mission — confirmed contact, urgent casualty, incursion over critical assets.
- **High (△):** probable threat requiring response this hour — suspected infiltration, ambush-risk assessment, medical overload.
- **Medium (■):** degrades operations — obstructions, breakdowns, non-urgent casualties.
- **Low (●):** routine — minor damage, resolved trips, administrative notices.
- Rule: when in doubt between two levels, assign the higher and let the operator downgrade.

REF-03 — Sector Map Legend

id: REF-03 | tags: [map, legend, symbology] | version: 1.0

- Units: colored circles (green friendly ground, blue air, yellow logistics); dashed outline = stale (>30 s).
- Incidents: severity shapes per REF-02 (◆△■●); pulsing halo = unacknowledged.
- Zones: hatched = restricted; solid border = sector boundary; shaded = weather cell.
- Routes: dashed grey = proposed/naive; solid accent = approved/optimized.

- All AI-derived overlays render in violet with the verify label — never in ground-truth colors.

REF-04 — Escalation Matrix

id: REF-04 | tags: [escalation, authority] | version: 1.0

Event	Operator may	Requires commander
Sensor trip	acknowledge, task UAV recon	—
Suspected infiltration	dispatch 1 QRF element	committing reserve QRF
Confirmed contact	all immediate response	cross-sector unit moves
Casualty (urgent)	task nearest medevac	airspace priority change
Airspace incursion	track + classify	posture level change
Depot below 20%	reallocate within sector	inter-depot transfer

POL series — corpus/pol/

POL-01 — Rules of Engagement (Simulated)

id: POL-01 | tags: [roe, simulated, boundaries] | version: 1.0

1. This platform simulates **detection, decision, movement, and support** — it contains no engagement or weapons-effect mechanics by design (Ch. 1 non-goals).
2. "Contact" incidents resolve through response presence, containment, and reporting timelines — the graded quantities are decision speed and resource allocation, not combat outcomes.
3. Any scenario file attempting to script weapons effects fails the Validation Gate.
4. This document exists so RAG answers about "what are our ROE" resolve honestly: *simulated decision-support boundaries, not real rules of engagement.*

POL-02 — Data Handling Policy

id: POL-02 | tags: [data, policy, synthetic] | version: 1.0

1. All operational data in DOIP is synthetic; no real unit designations, personnel names, or live positions may be imported.
2. Uploaded corpora and inventories must be unclassified and legally shareable; imports are audited (S15 audit log).
3. Exports carry the standard watermark: "Training & simulation platform. All data is synthetic. Not for operational military use."

4. **Retention:** runs and events persist until manually purged by admin; purges are themselves audit events.

POL-03 — After-Action Report Template

id: POL-03 | tags: [aar, template, debrief] | version: 1.0

1. **Header:** run id, scenario, seed, duration, participants and roles.
2. **Timeline:** auto-generated event sequence with severity markers and inject annotations (Ch. 16 transparency rule).
3. **Metrics:** p95 response time, incidents resolved within target, resource burn vs plan, comms-loss minutes.
4. **Decisions review:** each major tasking — what was known at decision time (event citations), alternatives available, outcome.
5. **Lessons:** max 5, each tied to a metric or event; wishlist items go to the capability gap register (Ch. 14), not the lessons list.
6. **Assessment sentence:** one line, explicitly marked as inference, mirroring the sitrep discipline.