

Cisco Packet Tracer

Edit Options View Tools Extensions Window Help

Logical Physical x: 1001, y: 140

PC2

Physical Config Desktop Programming Attributes

Command Prompt

```
Default Gateway.....: 15.0.0.1

Bluetooth Connection:

Connection-specific DNS Suffix...:
Link-local IPv6 Address.....: ::
IPv6 Address.....: ::
IPv4 Address.....: 0.0.0.0
Subnet Mask.....: 0.0.0.0
Default Gateway.....: 0.0.0.0

C:\>ping 10.0.0.10

Pinging 10.0.0.10 with 32 bytes of data:

Reply from 10.0.0.10: bytes=32 time<1ms TTL=124
Reply from 10.0.0.10: bytes=32 time=11ms TTL=124
Reply from 10.0.0.10: bytes=32 time=11ms TTL=124
Reply from 10.0.0.10: bytes=32 time=10ms TTL=124

Ping statistics for 10.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 11ms, Average = 8ms

C:\>ping 162.14.0.10

Pinging 162.14.0.10 with 32 bytes of data:

Reply from 162.14.0.10: bytes=32 time<1ms TTL=124
Reply from 162.14.0.10: bytes=32 time=12ms TTL=124
Reply from 162.14.0.10: bytes=32 time=1ms TTL=124
Reply from 162.14.0.10: bytes=32 time=12ms TTL=124

Ping statistics for 162.14.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 12ms, Average = 6ms




C:\>S
```



PC-PT
PC0




Root




Realtime Sim

Type	Color	Time(sec)	Periodic	Num	Edit	Delete
------	-------	-----------	----------	-----	------	--------









Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x 314, y: 373

PC-PT PC0

Time: 26:37:23

PC0

Physical Config Desktop Programming Attributes

Command Prompt

```
C:\>
C:\>
C:\>
C:\>
C:\>
C:\>ipconfig

FastEthernet0 Connection: (default port)

    Connection-specific DNS Suffix...:
    Link-local IPv6 Address . . . . .: FE80::20C:86FF:FE6E:EAE3
    IPv6 Address . . . . .: ::
    IPv4 Address . . . . .: 10.0.0.10
    Subnet Mask . . . . .: 255.0.0.0
    Default Gateway . . . . .: ::
                                10.0.0.1

Bluetooth Connection:

    Connection-specific DNS Suffix...:
    Link-local IPv6 Address . . . . .: ::
    IPv6 Address . . . . .: ::
    IPv4 Address . . . . .: 0.0.0.0
    Subnet Mask . . . . .: 0.0.0.0
    Default Gateway . . . . .: ::
                                0.0.0.0

C:\>ping 15.0.0.10

Pinging 15.0.0.10 with 32 bytes of data:

Reply from 15.0.0.10: bytes=32 time=12ms TTL=124
Reply from 15.0.0.10: bytes=32 time=12ms TTL=124
Reply from 15.0.0.10: bytes=32 time=11ms TTL=124
Reply from 15.0.0.10: bytes=32 time=29ms TTL=124

Ping statistics for 15.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 11ms, Maximum = 29ms, Average = 16ms

C:\>
```

Root

Realtime

Type	Color	Time(sec)	Periodic	Num	Edit	Di
------	-------	-----------	----------	-----	------	----