2520080012


Cloud Infrastructure and services:


Launching an instance:

Steps


- Log in to the AWS Management Console.
- Search for EC2 and open the EC2 Dashboard.
- Click Launch Instance.
- Enter the instance name
- Choose an instance type (e.g., t2.micro).
- Create a key pair (RSA, .pem) and download it.
- Configure network settings and enable SSH (Port 22).
- Configure storage using the default settings.
- Review the configuration and click Launch Instance.
- Go to Instances and verify that the instance state is Running.
- Select the instance and click Connect.
- Open the terminal and execute Linux commands.

2520080012



Search
[Alt+S]
Europe (Stockholm)
saranya-aluru (439697540527)
saranya-aluru
Give your coding agent current AWS knowledge and safe resource access
Agent Toolkit for AWS provides up-to-date documentation, tested procedures, and IAM guardrails configured through a single setup prompt in your IDE.
Get setup prompt
Free | Works with Kiro, Claude Code, Codex and more
Console Home Info
Reset to default layout
+ Add widgets
Recently visited Info
All services
EC2
Welcome to AWS
Getting started with AWS
Learn the fundamentals and find valuable information to get the most out of AWS.
Training and certification
Learn from AWS experts and advance your skills
AWS Health Info
Open issues
0
Past 7 days
Scheduled changes
0
Upcoming and past 7 days
Other notifications
1
Past 7 days
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
Europe (Stockholm)
saranya-aluru (439697540527)
saranya-aluru
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Compute
Amazon Elastic Compute Cloud (EC2)
Create, manage, and monitor virtual servers in the cloud.
Amazon Elastic Compute Cloud (Amazon EC2) offers the broadest and deepest compute platform, with over 600 instance types and a choice of the latest processors, storage, networking, operating systems, and purchase models to help you best match the needs of your workload.
Launch a virtual server
Launch instance
View dashboard
Additional actions

2520080012





Create key pair




After that launch instance


2520080012


Search [Alt+S]
Europe (Stockholm)
saranya-aluru (439697540527)
saranya-aluru
EC2 > Instances > Launch an instance
Success
Successfully initiated launch of instance (i-055ade6201c1c9bca)
Launch log
Next Steps
What would you like to do next with this instance, for example "create alarm" or "create backup"
1 2 3 4 5 6
Create billing usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.
Create billing alerts
Connect to your instance
Once your instance is running, log into it from your local computer.
Connect to instance
Learn more
Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
Connect an RDS database
Create a new RDS database
Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots
Create EBS snapshot policy
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search [Alt+S]
Europe (Stockholm)
saranya-aluru (439697540527)
saranya-aluru
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
Instances (1/2) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
mylinuxkey
i-055ade6201c1c9bca
Running
t3.micro
Initializing
eu-north-1b
Name
i-00391f67cd3bc49c3
Running
t3.micro
3/3 checks passec
eu-north-1b
i-055ade6201c1c9bca (mylinuxkey)
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Instance summary Info
Instance ID
i-055ade6201c1c9bca
Public IPv4 address
16.171.138.66 | open address
Private IPv4 addresses
172.31.40.130
IPv6 address
Instance state
Public DNS
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


2520080012






STOPPING INSTANCE:

2520080012







Click stop instance


Windows instance:


2520080012



Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
windowsinstance
Recents
Quick Start
Amazon Linux
macOS
Ubuntu
Windows
Red Hat
SUSE Linux
Browse more AMIs
Including AMIs from AWS, Marketplace and the Community
Amazon Machine Image (AMI)
Microsoft Windows Server 2025 Base
Free tier eligible
Number
1
Software
Microsoft
ami-055eb
Virtual s
t3.micro
Firewall
New secu
Storage
1 volume
Canc
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc.


EC2 > Instances > Launch an instance
Add new volume
The selected AMI contains instance store volumes, however the instance does not allow any instance store volumes. None of the instance store volumes from the AMI will be accessible from the instance
Click refresh to view backup information
The tags that you assign determine whether the instance will be backed up by any Data Lifecycle Manager policies.
File systems
S3 Files - new
S3 Files is not supported on Windows instances.
EFS
EFS is not supported on Windows instances.
FSx
None
Advanced details Info
Summary
Number of instances Info
1
Software Image (AMI)
Microsoft Windows Server 2025 ...read more
ami-055eb33c79b889b43
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 30 GiB
Cancel
Launch instance
Preview code


2520080012



Search
[Alt+S]
Europe (Stockholm)
saranya-aluru (439697540527)
saranya-aluru
EC2 > Instances > Launch an instance
Create key pair
Key pair name
Key pairs allow you to connect to your instance securely.
my windows instance
The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.
Key pair type
RSA
RSA encrypted private and public key pair
ED25519
ED25519 encrypted private and public key pair (Not supported for Windows instances)
Private key file format
.pem
For use with OpenSSH
.ppk
For use with PuTTY
Cancel
Create key pair
Key pair (login) Info
Network settings Info
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
Europe (Stockholm)
saranya-aluru (439697540527)
saranya-aluru
EC2 > Instances > Launch an instance
Success
Successfully initiated launch of instance (i-0000d39c22756fec4)
Launch log
Next Steps
What would you like to do next with this instance, for example "create alarm" or "create backup"
1 2 3 4 5 6
Create billing usage alerts
To manage costs and avoid surprise bills, set up email notifications for
Connect to your instance
Once your instance is running, log into it from your local computer.
Connect an RDS database
Configure the connection between an EC2 instance and a database to allow
Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of



Search
[Alt+S]
Europe (Stockholm)
saranya-aluru (439697540527)
saranya-aluru
EC2 > Instances > i-0000d39c22756fec4 > Connect to instance
Connect to Windows instance Info
Connect to an instance to test, troubleshoot, deploy code, update software etc. You can use browser based methods or an RDP client.
Instance info
Instance
i-0000d39c22756fec4 (windowsVM)
State: Running
Status: 3/3 checks passed
VPC
vpc-0550f9badb428fa19
Subnet
subnet-07916568ae403c8c8
Security groups
sg-07fb41f37ad1077a0 (launch-wizard-3)
In web browser
RDP (Remote Desktop Protocol)
Choose how to connect
Maximum security
IAM authentication
SSM Session Manager
Uses IAM-based authentication. Connect without SSH keys, bastion hosts, or opening any inbound ports.
Remote desktop
SSM agent-based
Fleet Manager
Browser-based remote desktop session powered by Systems Manager. Supports copy-paste between your local machine and remote session.
Direct
Troubleshoot
EC2 Serial Console
Access your instance's serial port for troubleshooting boot, network, and OS issues. Works without network connectivity. Requires account-level enablement.
SSM agent info
Cancel
Connect with Fleet Manager Remote Desktop

2520080012


aws
Search
[Alt+S]
Europe (Stockholm)
saranya-aluru (439697540527)
saranya-aluru
EC2 > Instances > i-0000d39c22756fec4 > Connect to instance
Status: 3/3 checks passed
In web browser
RDP (Remote Desktop Protocol)
How to connect
1. Open or install a remote desktop client
2. Download the RDP shortcut file
3. Open the RDP client and run the shortcut file
4. Retrieve password
5. Enter username and password
6. Connect
RDP shortcut file
Download
Public DNS
ec2-16-170-226-7.eu-north-1.compute.amazonaws.com
Username
Administrator
Password
Get Windows password
If you've joined your instance to a directory, you can use your directory credentials to connect to your instance.



Remote Desktop Connection security warning
Caution: Unknown remote connection
This remote connection could harm the local or remote computer and may be used to steal passwords or files. We could not verify the publisher of this remote connection. Stop now unless you are certain you trust this connection. Contact your IT department if unsure. Learn more.
Publisher: Unknown publisher
Type: Remote Desktop Connection
Remote computer: ec2-16-170-226-7.eu-north-1.compute.amazonaws....
Allow the remote computer to access the following resources on my computer:
Smart cards or Windows Hello for Business
WebAuthn (passkeys and security keys)
Clipboard
Printers
Changes to these options apply only to this connection launch.
Connect
Cancel
JioHotstar - Watch...
All Micr
11/7/2026 12:33 PM
11/7/2026 12:31 PM


2520080012




LINUX UI:


2520080012


Search
[Alt+S]
Ask AWS assistant
EC2
Instances
Launch an instance
Name and tags Info
Name
Linux UI
Add additional tags
Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
Search our full catalog including 1000s of application and OS images
Recents
Quick Start
Amazon Linux
macOS
Ubuntu
Windows
Red Hat
SUSE Linux
Browse more AMIs
Including AMIs from AWS, Marketplace and the Community



Search
[Alt+S]
Ask AWS assistant
Europe (Stockholm)
EC2
Instances
Launch an instance
Instance type Info | Get advice
Instance type
t3.small
Free tier eligible
Family: t3 2 vCPU 2 GiB Memory Current generation: true
On-Demand Ubuntu Pro base pricing: 0.0251 USD per Hour
On-Demand SUSE base pricing: 0.0526 USD per Hour
On-Demand RHEL base pricing: 0.0504 USD per Hour
On-Demand Windows base pricing: 0.04 USD per Hour
On-Demand Linux base pricing: 0.0216 USD per Hour
All generations
Compare instance types
Additional costs apply for AMIs with pre-installed software
Key pair (login) Info
You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.
Key pair name - required
Linux GUI key
Create new key pair
Summary
Number of instances
1
Software Image (AMI)
Canonical, Ubuntu, 26.04
ami-021aaf3749be66813
Virtual server type (inst
t3.small
Firewall (security group
New security group
Storage (volumes)
1 volume(s) - 30 GiB
Cancel
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Search


2520080012


aws
Search
[Alt+S]
Ask AWS assistant
Europe (Stockholm)
saranya-aluru (439697540527)
saranya-aluru
EC2 > Instances > Launch an instance
VPC - required Info
vpc-0550f9badb428fa19
172.31.0.0/16
(default)
Subnet Info
No preference
Create new subnet
Availability Zone Info
No preference
Enable additional zones
Auto-assign public IP Info
Enable
Firewall (security groups) Info
A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.
Create security group
Select existing security group
Security group name - required
launch-wizard-4
This security group will be added to all network interfaces. The name can't be edited after the security group is created. Max length is 255 characters. Valid characters: a-z, A-Z, 0-9, spaces, and ._-:/()#,@[]+=&;{}!$*
Description - required Info
Summary
Number of instances Info
1
Software Image (AMI)
Canonical, Ubuntu, 26.04, amd6...read more
ami-021aaf3749be66813
Virtual server type (instance type)
t3.small
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 30 GiB
Cancel
Launch instance
Preview code



EC2 > Instances > Launch an instance
Inbound Security Group Rules
Security group rule 1 (TCP, 22, 103.125.161.178/32)
Remove
Type Info
ssh
Protocol Info
TCP
Port range Info
22
Source type Info
My IP
Name Info
Add CIDR, prefix list or security
103.125.161.178/32
Description - optional Info
e.g. SSH for admin desktop
Security group rule 2 (TCP, 3389, 103.125.161.178/32)
Remove
Type Info
rdp
Protocol Info
TCP
Port range Info
3389
Source type Info
My IP
Name Info
Add CIDR, prefix list or security
103.125.161.178/32
Description - optional Info
e.g. SSH for admin desktop


2520080012


Search
[Alt+S]
Ask AWS assistant
Europe (Stockholm
EC2
Instances
Launch an instance
Configure storage
Info
Advanced
1x
30
GiB
gp3
Root volume, 3000 IOPS, Not encrypted
Add new volume
The selected AMI contains instance store volumes, however the instance does not allow any instance store volumes. None of the instance store volumes from the AMI will be accessible from the instance
Click refresh to view backup information
The tags that you assign determine whether the instance will be backed up by any Data Lifecycle Manager policies.
File systems
S3 Files - new
EFS
FSx
None
Summary
Number of instances
1
Software Image (AMI)
Canonical, Ubuntu, 26.
ami-021aaf3749be66813
Virtual server type (in
t3.small
Firewall (security grou
New security group
Storage (volumes)
1 volume(s) - 30 GiB
Cancel


EC2
Instances
Launch an instance
Select
User data - optional
Info
Upload a file with your user data or enter it in the field.
Choose file
#!/bin/bash
apt update -y
DEBIAN_FRONTEND=noninteractive apt install -y xfce4 xfce4-goodies xrdp
echo "xfce4-session" > /home/ubuntu/.xsession
chown ubuntu:ubuntu /home/ubuntu/.xsession
adduser xrdp ssl-cert
echo "ubuntu:Password@123" | chpasswd
systemctl enable xrdp
systemctl restart xrdp
Summary
Number of instances
Info
1
Software Image (AMI)
Canonical, Ubuntu, 26.04, amd6...read more
ami-021aaf3749be66813
Virtual server type (instance type)
t3.small
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 30 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

2520080012


Search
[Alt+S]
Ask AWS assistant
Europe (Stockholm)
saranya-aluru (439697540527)
saranya-aluru
EC2 > Instances > Launch an instance
Success
Successfully initiated launch of instance (i-009207842bb43e8b7)
Launch log
Next Steps
What would you like to do next with this instance, for example "create alarm" or "create backup"
Create billing usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.
Create billing alerts
Connect to your instance
Once your instance is running, log into it from your local computer.
Connect to instance
Learn more
Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
Connect an RDS database
Create a new RDS database
Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots
Create EBS snapshot policy
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Free Cloud Computi
Instances | EC2 | eu-
Connect to instance
Launch AWS EC2 Ins
1 notification
Ask Gemini
eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#ConnectToInstance:instanceId=i-009207842bb43e8b7
Gmail
YouTube
ChatGPT
Dashboard | KLH LMS
Google Gemini
Netflix
WhatsApp
Prime Video: Watch...
JioHotstar - Watch...
All Bookmarks
Search
Europe (Stockholm)
saranya-aluru (439697540527)
saranya-aluru
EC2 > Instances > i-009207842bb43e8b7 > Connec
Remote Desktop Connection
Connecting to:
13.49.231.193
Cancel
Initiating remote connection...
Show Options
Connect
Help
Public subnet access
Managed SSH keys
EC2 Instance Connect
Use for instances with public IPs or accessible via standard routing. Requires network connectivity to your instance. Connect using temporary SSH keys managed by AWS.
Direct
Troubleshoot
EC2 Serial Console
Access your instance's serial port for troubleshooting boot, network, and OS issues. Works without network connectivity. Requires account-level enablement.
Copied IPv4 address
IPv4 address (13.49.231.193)
IPv6 address
Username
Enter the username defined in the AMI used to launch the instance. If you didn't define a custom username, use the default username, ec2-user. Read your AMI usage instructions to check if the AMI owner has changed the default AMI username.
ubuntu
Cancel
Connect assist
Connect
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Linux UI
i-009207842bb43e8b7
Running
t3.small
Initializing
eu-north-1c