






USING COMMAND TARGET AND VALUES





Playback base URL
Selenium IDE - functional testing*
Project: functional testing*
Tests
Search tests...
add to cart*
applying filter*
applying filter1*
brand search*
remove from cart*
search history*
https://www.amazon.in
Command
Target
Value
1 open /
2 set window size 1050x660
3 mouse over css=.cropped-image-map-size:nth-child(2) img
4 mouse out css=.cropped-image-map-size:nth-child(2) img
5 click css=.hud-profile-categories-container-1 > .a-link-normal
6 click css=.acs_tile--1 .acs_tile__image
Command
Target
Value
Description
Log
Reference
1. open on / OK 08:20:40
2. setWindowSize on 1050x660 OK 08:20:40
3. mouseOver on linkText=Amazon Pay OK 08:20:40
4. mouseOut on linkText=Amazon Pay OK 08:20:45
5. click on linkText=Today's Deals OK 08:20:46
6. Trying to find css=#\31 01_dealView_0 #dealImage .a-row:nth-child(2)... OK 08:20:46
'add to cart' completed successfully 08:20:51


Selenium IDE - functional testing*
Project: functional testing*
Tests
Search tests...
add to cart*
applying filter*
applying filter1*
brand search*
remove from cart*
search history*
https://www.amazon.in
Command
Target
Value
4 click linkText=Mobiles
5 mouse over linkText=Mobiles
6 click linkText=Honor 8X
7 close
Command set window size
Target 1050x660
Value
Description
Log
Reference
4. click on linkText=Mobiles OK 08:37:34
5. mouseOver on linkText=Mobiles OK 08:37:34
6. click on linkText=Honor 8X OK 08:37:39
7. close OK 08:37:40
'applying filter' completed successfully 08:37:40
Running 'applying filter1' 08:39:07


Selenium IDE - functional testing*
Project: functional testing*
Tests
Search tests...
add to cart*
applying filter*
applying filter1*
brand search*
remove from cart*
search history*
https://www.amazon.in
Command
Target
Value
3 click id=twotabsearchtextbox
4 type id=twotabsearchtextbox shoes
5 click css=#issDiv4 > .s-heavy:nth-child(2)
6 click css=#p_89\/Denill .a-icon
7 double click css=.a-hover-disable > label
Command open
Target /
Value
Description
Log
Reference
8. doubleClick on id=brandsRefinements OK 08:42:35
9. close OK 08:42:46
'brand search' completed successfully 08:42:47
Running 'search history' 08:44:10
1. open on / OK 08:44:11
2. setWindowSize on 1050x660 OK 08:44:11


Selenium IDE - functional testing*
Project: functional testing*
Tests
Search tests...
add to cart*
applying filter*
applying filter1*
brand search*
remove from cart*
search history*
https://www.amazon.in
Command
Target
Value
1 open /
2 set window size 1050x660
3 click id=nav-cart
4 click name=submit.delete.Ce4f3abd3-5b31-4863-b7b2-bed8d3af85a3
5 close
Command open
Target /
Value
Description
Log
Reference
4. Trying to find name=submit.delete.Ce4f3abd3-5b31-4863-b7b2-bed8d3af85a3... OK 08:50:04
Warning: Element found with secondary locator xpath=//div[4]/div[4]/div/div/div/div/div[2]/div/span[2]/span/input. To use it by default, update the test step to use it as the primary locator. 08:50:40
5. close OK 08:50:40
'remove from cart' completed successfully 08:50:40
Running 'add to cart' 08:51:56


Selenium IDE - functional testing*
Project: functional testing*
Tests
Search tests...
add to cart*
applying filter*
applying filter1*
brand search*
remove from cart*
search history*
https://www.amazon.in
Command
Target
Value
3 run script window.scrollTo(0,4646.66650390625)
4 run script window.scrollTo(0,4678)
5 click css=.a-carousel-card:nth-child(3) .p13n-sc-truncated
6 mouse over css=.a-popover-trigger > .a-icon-star
7 mouse out css=.a-popover-trigger > .a-icon-star
Command open
Target /
Value
Description
Log
Reference
7. mouseOut on css=.a-popover-trigger > .a-icon-star OK 08:44:27
8. click on id=buy-now-button OK 08:44:27
9. close OK 08:44:28
'search history' completed successfully 08:44:28