```html
<!DOCTYPE html>
<html>
<head>
<link rel="stylesheet" href="style.css">
<style>
body{
background: url(taxi.jpg);}
  </style>
</head>
<body>
<h1 style=" text-shadow: 2px 3px;
color: black;text-align: center;
 ">Taxi</h1>
<br/>
<br/>
<p style="color:black; text-align:center; font-size: 300%; text-shadow: 2px 2px red;">"ONE'S DESTINATION IS NEVER A PLACE, BUT A NEW WAY OF SEEING THINGS......."
</p>
<center><a href=#>BOOK NOW</a></center>
</body>
</html>
```

```
center
{
text-align: center;
 font-size: 200%;
}
a:link, a:visited {
  background-color: white;
  color: red;
  padding:
  text-align: center;
  text-decoration: none;
  display: inline-block;
```

Taxi

"ONE'S DESTINATION IS NEVER A PLACE, BUT A NEW WAY OF SEEING THINGS......."

BOOK NOW

Program no: 7

Create a html file by applying the different styles
using inline, external and internal style sheets.

```html
<html>
<head>
<link rel = "stylesheet" href = "style.css">
<style>
body {
background: url(tani.jpg); }
</style>
</head>
<body>
<h1 style = "text-shadow: 2px 3px;
color: black; text-align: center; "> Tani </h1>
<br/><br/>
<p style = "color: black; text-align: center; font-size:
    300%; text-shadow: 2px 2px red; "> "ONE'S
    DESTINATION IS NEVER A PLACE, BUT A NEW
    WAY OF SEEING THINGS......"
</p> <center> <a href = #> BOOK NOW </a> </center>
</body> </html>
```

Style.css

```css
center
{
text-align : center;
font-size : 200%;
}

a: link, a: visited {
background - color : white;
color : red;
padding:
text- align : center;
text - decoration : none;
display : inline- block;
```