

Supersonic - Resume HTML Template

Description

Supersonic is unique Resume HTML template for personal page, design agency, photographer etc., with clean and modern design. **Supersonic** will be a subtle and smart choice for owner to tell about themselves and show their best works. There is no doubt that **Supersonic** will make your work look more impressive and attractive to viewers. Designed on grid system, your site will look sharp on all screens.

Get Started

This guide is targeted at people, who have *at least* basic knowledge of html markup language. Furthermore css and javascript knowledge is advised.

node version: 6+

npm version: 3+

Gulp tasks & npm tasks

Install npm and jspm dependencies

npm install

Compiling options :

gulp watch # Watch files for changes and automatically runs gulp tasks when needed reloads page on localhost

gulp css # Compiles SCSS files into CSS

gulp templates # Compiles Jade files into html

!This template can't be installed into any of available CMS (Wordpress, Drupal, etc.).

First of all unzip the received archive into any folder. Next it is necessary to generate the favicons of the site, use this site realfavicongenerator.net, then choose the paragraph “ I cannot or I do not want to place favicon files at the root of my web site. Instead I will place them here” and specify the path /img/favicon and rewrite the generated code from the site.

```
<link rel="apple-touch-icon" sizes="180x180" href="/img/favicon/apple-touch-icon.png">
<link rel="icon" type="image/png" href="/img/favicon/favicon-32x32.png" sizes="32x32">
<link rel="icon" type="image/png" href="/img/favicon/favicon-16x16.png" sizes="16x16">
<link rel="manifest" href="/img/favicon/manifest.json">
<link rel="mask-icon" href="/img/favicon/safari-pinned-tab.svg" color="#5bbad5">
```

```
<link rel="shortcut icon" href="/img/favicon/favicon.ico">
<meta name="msapplication-config" content="/img/favicon/browserconfig.xml">
<meta name="theme-color" content="#ffffff">
```

Project Structure


- template
 - assets -- contains non compiled sass and jade files
 - jade -- contains jade files
 - layout -- contains layout components such as menu, preloader, file with included css files and file with included scripts
 - scss -- contains non compiled scss files
 - inc - contains style files to each page
 - dark.scss -- contains color variables, and color styles for all dark theme
 - light.scss -- contains color variables, and color styles for all light theme
 - main.scss -- contains all included styles from inc folder
 - css -- folder with compiled css files and external css libs
 - fonts -- contains fonts that can't be used with including them from google fonts
 - img -- all images that is used
 - js -- contains main.js file and some external libs
 - php contains all php files
 - subscribe.php -- custom php for subscribe
 - contact.php -- custom php for contact form
 - MailChimp -- post client

Light/Dark Versions


Light/Dark

To set up a dark version, you need to enable the dark.css file

```
<link href="css/dark.css" rel="stylesheet">
```



Thereafter, to set up the light version, enable light.css file
`<link href="css/light.css" rel="stylesheet">`



Don't forget to change text background

Preloader

The structure of the preloader:

```
<div class="showbox">
  <div class="loader">
    <svg viewBox="25 25 50 50" class="circular">
```

```

<circle cx="50" cy="50" r="20" fill="none" stroke-width="6" stroke-miterlimit="10"
class="path"></circle>
</svg>
</div>
</div>

```

You can change it by replacing `<div class="loader">` with your own preloader. If you don't want any preloader on your site, delete the block "showbox" with everything in it.

Menu

Menu blocks should be called after 'div' with the class "flex-wrapper" and must contain this html structure

```


<div class="container navigation hidden-xs">
  <nav>
    <ul class="menu text-uppercase">
      <li><a href="home.html" class="animations-link">home</a></li>
      <li><a href="about.html" class="active animations-link">about</a></li>
      <li><a href="portfolio_grid.html" class="animations-link">portfolio</a></li>
      <li><a href="reviews.html" class="animations-link">reviews</a></li>
      <li><a href="prices-style-1.html" class="animations-link">prices</a></li>
      <li><a href="contacts.html" class="animations-link">contact</a></li>
      <li><a href="blog.html" class="animations-link">blog</a></li>
    </ul>
    <ul class="social-links">
      <li><a href="#" class="fa fa-facebook"></a></li>
      <li><a href="#" class="fa fa-instagram"></a></li>
      <li><a href="#" class="fa fa-twitter"></a></li>
      <li><a href="#" class="fa fa-pinterest"></a></li>
    </ul>
  </nav>
</div>
<div class="menu-mobile visible-xs-block">
  <div class="menu-icon-wrapper">
    <div class="toggle-icon"><span class="bar"></span><span></span><span class="bar"></span></div>
  </div>
  <div class="menu-content">
    <div class="container main-content align-center">
      <div class="row">
        <div class="col-xs-8 col-xs-offset-2">
          <ul class="menu">
            <li><a href="home.html" class="animations-link">home</a></li>
            <li><a href="about.html" class="animations-link">about</a></li>
            <li><a href="portfolio_grid.html" class="animations-link">portfolio</a></li>
            <li><a href="reviews.html" class="animations-link">reviews</a></li>
            <li><a href="prices-style-1.html" class="animations-link">prices</a></li>
            <li><a href="contacts.html" class="animations-link">contact</a></li>
            <li><a href="blog.html" class="animations-link">blog</a></li>
          </ul>

```

```

<div class="line"></div>
<ul class="social-links">
  <li><a href="#" class="fa fa-facebook"></a></li>
  <li><a href="#" class="fa fa-instagram"></a></li>
  <li><a href="#" class="fa fa-twitter"></a></li>
  <li><a href="#" class="fa fa-pinterest"></a></li>
</ul>
</div>
</div>
</div>
</div>
</div>
</div>

```




For menus in both open blogs and open projects use following structure

```

<div class="container navigation">
  <div class="portfolio-open-nav">
    <a class="prev"><i class="fa fa-angle-left"></i>prev</a>
    <a class="next">next<i class="fa fa-angle-right"></i></a>
    <a href="blog_light.html" class="close"><span></span><span></span></a>
  </div>
</div>

```



Social Links

To use social links in menu add following structure

```

<ul class="menu">
  <li><a href="home.html" class="ansition-link">home</a></li>
  <li><a href="about.html" class="ansition-link">about</a></li>
  <li><a href="portfolio_grid.html" class="ansition-link"> portfolio</a></li>
  <li><a href="reviews.html" class="ansition-link">reviews</a></li>
  <li><a href="prices-style-1.html" class="ansition-link">prices</a></li>
  <li><a href="contacts.html" class="ansition-link">contact</a></li>
  <li><a href="blog.html" class="ansition-link">blog</a></li>
</ul>

```

For using social links in other places use this structure (insert your own links into 'href=').

```

<span class="share">
  <a href="#" class="fa fa-facebook"></a>
  <a href="#" class="fa fa-instagram"></a>

```

```
<a href="#" class="fa fa-twitter"></a>
<a href="#" class="fa fa-pinterest"></a>
</span>
```

For more icons you can visit <http://fontawesome.io/>

Pages

All main page info must be inside this block:

```
<div class="flex-wrapper">
  <div class="main-content align-center">
    <div class="...">...</div>
  </div>
</div>
```

Also it is needed to add class `.animsition` to your body and use class `.animsition-link` for all links so the pages will change with fade animation..animsition-link

Home Page


To change the Home title you have to find two data attributes for setting text of title on desktop and mobile resolution. To change text at desktop you need edit `data-text-desktop=""`, for mobile resolution change `data-text-mobile=""`. After that you need set `data-bg=""` to background color of your current page. Also you can change font by changing `data-fontfamily=""`. If you changed text you should move heading and subheading on home page width css.

Editing animated background

If you want use our default images just check that data attribute on `.text_bg` blocks has correct path to images depending what theme you chose. For dark version it should be `(data-background="../img/main_bg/text_bg_1.png")`
`(data-background="../img/main_bg/text_bg_2.png")` ... etc



for light version you should change one folder, so they should look like this
(data-background="../../img/main_bg_light/text_bg_1.png")



As you can see you can change images to your own, the most important thing is that size of images should be the same and the order goes from the farthest to closest in perspective image.

About Page


To add About page you should add body class 'about-page'

```
<div class="container">
  <div class="row hideaway-content">
    <div class="col-md-8"></div>
```

```

<div class="col-md-4">
  <h1 class="about-header text-1-opacity"><span>About&nbsp;</span>Myself</h1>
  <div class="contact-info">
    <p><span class="info text-uppercase">age</span><span class="info-description"> 24 years
old</span></p>
    <p><span class="info text-uppercase">address</span><span class="info-description"> Los
Angeles, CA, United States</span></p>
    <p><span class="info text-uppercase">e-mail</span><span class="info-description">
sam.jackson@gmail.com</span></p>
    <p><span class="info text-uppercase">phone</span><span class="info-description"> +794 85 3375
23</span></p>
  </div>
  <p>Lorem ipsum dolor sit amet, sed dico discere prodesset an. Sed ipsum verear vocibus an, et vim
proprae platonem. Dicit adversarium in ius, ne usu quis invenire senserit. Natum definitionem mel
ut.</p>
  <p>Mea wisi periculis hendrerit ei. Vix laudem offendit dolor isp theophrastus te. Ut eam phaedrum
molestiae, pro at autem</p>
  <p class="download-resume"><i aria-hidden="true" class="fa fa-file-text"></i><a href="#">Download
resume</a></p>
</div>
</div>
<div class="row about-toggle-button">
  <div class="btn-path">
    <div class="line"></div>
    <div id="aboutGraph" class="circle-btn"></div>
  </div>
</div>
<div class="showing-content">
  <div class="about-graph-buttons"><a href="#" class="skills">Skills</a><a href="#"
class="education">Education & Experience</a></div>
  <div class="about-graph-container"></div>
</div>
</div>

```



Graph

For changing graph values use included json files; for changing first graph use graph-data.json. Just change following lines in file for each point.

!Notice json files won't be read locally unless you start gulp, they will be read on server

```
[
  {
    "name": "Wordpress",
    "value": 10
  },
  {
    etc
  }
]
```



To change second graph use second-graph-data.json. For example:

```
[
  {
    "name": "1",
    "value": 20,
    "year": "2005",
    "title": "Test Title",
    "subtitle": "Test Sub-Title",
    "text": "Discover the world's top universities for art & design, with the QS World University Rankings by Subject 2015."
  },
]
```

```
{
  etc
}
```



Also if you have changed color of circles don't forget to change data attributes
`data-circle-shadow="..." data-circle-shadow-hover="..."` to circle color

Portfolio Page

There are three types of portfolio in our theme.


To initialize portfolio slider use this structure

```
<div class="container-fluid">
  <div class="row">
    <div class="portfolio-carousel">
      <div class="item">
        <div class="description">
          <h5>MITA – Digital Advantage</h5>
          <p> Lorem ipsum dolor sit amet, ex probatus mea honestatis cum. Mea perpetua liberavisse vero voluptatibus in, pro at congue philosophia. Ea mea vero natum mazim, alterum fabulas apeirian ex vim.</p><a href="portfolio-open.html" class="btn btn-primary text-uppercase">view all project</a>
        </div>
      </div>
      <div class="item">
        <div class="description">
          <h5>MITA – Digital Advantage</h5>
          <p> Lorem ipsum dolor sit amet, ex probatus mea honestatis cum. Mea perpetua liberavisse vero voluptatibus in, pro at congue philosophia. Ea mea vero natum mazim, alterum fabulas apeirian ex vim.</p><a href="portfolio-open.html" class="btn btn-primary text-uppercase">view all project</a>
        </div>
      </div>
    </div>
  </div>
</div>
```

```

</div>
<div class="item">
  <div class="description">
    <h5>MITA – Digital Advantage</h5>
    <p>Lorem ipsum dolor sit amet, ex probatus mea honestatis cum. Mea perpetua liberavisse vero voluptatibus in, pro at congue philosophia. Ea mea vero natum mazim, alterum fabulas apeirian ex vim.</p><a href="portfolio-open.html" class="btn btn-primary text-uppercase">view all project</a>
  </div>
</div>
</div>
<div id="portfolio-pagination" class="hidden-xs"><span></span><span></span></div>
</div>
</div>

```




For adding grid portfolio use this structure. To have a filter you need add to button `data-filter="*"` with .filter-name and then add this class to item.

```

<div class="container">
  <div class="row overflow-hidden">
    <div class="col-sm-12">
      <div class="filter-wrapper">
        <div class="portfolio-filter filter">
          <button data-filter="*" class="grid-btn active">Wordpress</button>
          <button data-filter=".photoshop" class="grid-btn">Photoshop</button>
          <button data-filter=".drupal" class="grid-btn">Drupal</button>
          <button data-filter=".php" class="grid-btn">PHP&MySQL</button>
          <button data-filter=".js" class="grid-btn">JavaScript</button>
          <button data-filter=".css" class="grid-btn">HTML&CSS</button>
        </div>
      </div>
      <div class="portfolio-list grid list-unstyled">
        <div class="grid-sizer"></div>
        <div class="gutter-sizer"></div>
        <div class="portfolio-item">

```


```
<div class="content">
  <span><a href="portfolio-open.html">Round Stairs</a></span>
  
  <a href="portfolio-open.html"></a>
</div>
</div>
<div class="portfolio-item photoshop php css">
  <div class="content">
    <span><a href="portfolio-open.html">Papers</a></span>
    
    <a href="portfolio-open.html"></a>
  </div>
</div>
<div class="portfolio-item js css">
  <div class="content">
    <span><a href="portfolio-open.html">Stairs</a></span>
    
    <a href="portfolio-open.html"></a>
  </div>
</div>
<div class="portfolio-item drupal php">
  <div class="content">
    <span><a href="portfolio-open.html">Chair</a></span>
    
    <a href="portfolio-open.html"></a>
  </div>
</div>
<div class="portfolio-item photoshop js css">
  <div class="content">
    <span><a href="portfolio-open.html">Car</a></span>
    <a href="portfolio-open.html"></a>
  </div>
</div>
<div class="portfolio-item drupal css">
  <div class="content">
    <span><a href="portfolio-open.html">Clothes</a></span>
    <a href="portfolio-open.html"></a>
  </div>
</div>
</div>
</div>
</div>
</div>
```



If you like the masonry layout you can use this code. To do filtering you need add to button `data-filter="*"` with .filter-name and then add this class to item. Also to have a double width item use class .width-2, for adding item with double height use class .height-2, by using both classes you will add item twice bigger than regular.

```
<div class="container-fluid">
<div class="row">
<div class="col-sm-12">
<div class="container">
<div class="filter-wrapper">
<div class="portfolio-filter filter">
<button data-filter="*" class="grid-btn active">Wordpress</button>
<button data-filter=".photoshop" class="grid-btn">Photoshop</button>
<button data-filter=".drupal" class="grid-btn">Drupal</button>
<button data-filter=".php" class="grid-btn">PHP&MySQL</button>
<button data-filter=".js" class="grid-btn">JavaScript</button>
<button data-filter=".css" class="grid-btn">HTML&CSS</button>
<div class="masonry-scroll-btn hidden-sm hidden-xs"><span class="prev"><</span><span
class="next">>>/span></div>
</div>
</div>
</div>
<div class="masonry-wrapper">
<div class="masonry-scroll scroll hidden-scroll">
<div class="portfolio-list-masonry list-unstyled">
<div class="grid-sizer"></div>
<div data-background="img/portfolio/masonry/masonry_1.jpg" class="portfolio-item drupal js
css"><a href="portfolio-open.html" class="animsition-link"></a></div>
<div data-background="img/portfolio/masonry/masonry_1_1.jpg" class="portfolio-item php
css"><a href="portfolio-open.html" class="animsition-link"></a></div>
<div data-background="img/portfolio/masonry/masonry_1_6.jpg" class="portfolio-item height-2
width-2 php css"><a href="portfolio-open.html" class="animsition-link"></a></div>
```

[illegible]



Portfolio open


This is a product page with popup and product description; to add this page use following html structure

```
<div class="container-fluid">
<div class="row">
<div class="container">
<div class="row">
<div class="col-md-7 col-md-offset-1 visible-lg visible-md">
<div class="open-project-lightbox"><a href="img/portfolio/open/open_portfolio_1.png"><span
class="plus"><span></span><span></span></span></a><a
href="img/portfolio/open/open_portfolio_2.png"><span
class="plus"><span></span><span></span></span></a></div>
</div>
<div class="col-md-3 col-md-offset-0 col-sm-8 col-sm-offset-1 project-description">
<h5 class="text-1-opacity">MITA – Digital Advantage</h5>
<p>Lorem ipsum dolor sit amet, ex probatus honestatis cum. Mea perpetua liberavisse
voluptatibus in, pro at congue philosophia. Ea mea vero natum mazim, alterum fabulas apeirian ex vim.
Vix epicurei suavitate patrioque ne. Noluisse intellegat scriptorem te mei, in habeo constituam duo. Eum
oratio tacimates eloquentiam ut. Modo luptatum ad sea.</p>
<div class="project-info">
<p><span class="info text-uppercase">client</span><span class="info-description"> Mita
Company</span></p>
<p><span class="info text-uppercase">services</span><span class="info-description">
design</span></p>
<p><span class="info text-uppercase">year</span><span class="info-description">
2016</span></p>
```

```

<p><span class="info text-uppercase">website</span><span class="info-description">
www.mitacompany.com</span></p>
<p><span class="info text-uppercase">share</span><span class="info-description"><a href="#"
class="fa fa-facebook"></a><a href="#" class="fa fa-instagram"></a><a href="#" class="fa
fa-twitter"></a><a href="#" class="fa fa-pinterest"></a></span></p>
</div>
</div>
</div>
</div>

```



And don't forget to add open portfolio menu instead of default.

Reviews Page

For setting up reviews page use next code structure

```

<div class="container">
<div class="row">
<div class="col-md-12">
<h1 class="brand-color text-center reviews-header">Reviews</h1>
</div>
</div>
<div class="row">
<div class="col-md-8 col-md-offset-2">
<div class="carousel">
<div class="slide">
<div class="content">
<div class="blockquote">
<h4 class="text-1-opacity text-center margin-0">Mary Hopkins</h4>
<p class="subheading text-uppercase text-center">mito company</p>
<p class="text-center text-1-opacity">"Discover the world's top universities for art & design, with
the QS World University Rankings by Subject 2015. The rankings highlight the world's top universities in
36 individual subjects, based on"</p>


```



```

</div>
</div>
</div>
<div class="slide">
  <div class="content">
    <div class="blockquote">
      <h4 class="text-1-opacity text-center margin-0">Mary Hopkins</h4>
      <p class="subheading text-uppercase text-center">mito company</p>
      <p class="text-center text-1-opacity">"Discover the world's top universities for art & design, with
the QS World University Rankings by Subject 2015. The rankings highlight the world's top universities in
36 individual subjects, based on"</p>
    </div>
  </div>
</div>
</div>
<div class="slide">
  <div class="content">
    <div class="blockquote">
      <h4 class="text-1-opacity text-center margin-0">Mary Hopkins</h4>
      <p class="subheading text-uppercase text-center">mito company</p>
      <p class="text-center text-1-opacity">"Discover the world's top universities for art & design, with
the QS World University Rankings by Subject 2015. The rankings highlight the world's top universities in
36 individual subjects, based on"</p>
    </div>
  </div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>

```



Contact Page

To set up the contact form, open the file /php/contact.php and change the variable \$to into your own email

```
<form action="#" method="get" id="contact-form">
<div class="form-group name">
  <input type="text" name="name" id="input-name" class="form-control">
  <label for="input-name">Your name</label>
</div>
<div class="form-group email">
  <input type="text" name="email" id="email" class="form-control">
  <label for="email">Your e-mail</label>
</div>
<div class="form-group text-area message">
  <textarea rows="3" name="msg" id="message" class="scroll form-control"></textarea>
  <label for="message">Message</label>
</div>
<button type="submit" class="btn btn-primary submit-btn">send message</button>
</form>
```

How to Find Me		Get in Touch	
ADDRESS	Los Angeles, CA, United States	Your name	
PHONE	+794 85 3375 23	Your e-mail	
WEB SITE	yourwebsitename.com	Message	
E-MAIL	sam.jackson@gmail.com		

SEND MESSAGE

HOME ABOUT PORTFOLIO REVIEWS PRICES **CONTACT** BLOG

f @ t e

Prices

There are two types of price pages in our template


To add price page with the usage of the first style, use this html structure

```
<div class="container overflow-hidden gradient-sides">
```

```

<div id="price-scroll" class="col-md-10 col-md-offset-1 overflow-auto-sm">
  <div class="price-style-1">
    <div class="space-between">
      <div class="price-header">
        <h4>Basic Plan</h4>
        <h2>50 $</h2>
        <p class="text-uppercase">per month</p>
        <div class="underline"></div>
      </div>
      <div class="price-header active">
        <h4>Standard Plan</h4>
        <h2>100 $</h2>
        <p class="text-uppercase">per month</p>
        <div class="underline"></div>
      </div>
      <div class="price-header">
        <h4>Premium Plan</h4>
        <h2>200 $</h2>
        <p class="text-uppercase">per month</p>
        <div class="underline"></div>
      </div>
    </div>
    <div class="line"></div>
    <div class="space-between">
      <div class="price-info">
        <p><span>3 &#160;</span>Design Version</p>
        <p>15 Users</p>
        <p><span>3.000 &#160;</span>Entries per Month</p>
        <p>Long Term Supporting</p>
        <p><span>500 MB &#160;</span>Storage</p><a class="btn btn-primary">get started</a>
      </div>
      <div class="price-info active">
        <p><span>3 &#160;</span>Design Version</p>
        <p>15 Users</p>
        <p><span>3.000 &#160;</span>Entries per Month</p>
        <p>Long Term Supporting</p>
        <p><span>500 MB &#160;</span>Storage</p><a class="btn btn-primary">get started</a>
      </div>
      <div class="price-info">
        <p><span>3 &#160;</span>Design Version</p>
        <p>15 Users</p>
        <p><span>3.000 &#160;</span>Entries per Month</p>
        <p>Long Term Supporting</p>
        <p><span>500 MB &#160;</span>Storage</p><a class="btn btn-primary">get started</a>
      </div>
    </div>
  </div>
</div>

```



For table price use following structure

```

<div class="container">
  <div class="prices-table">
    <div class="overflow-hidden gradient-sides-sm">
      <div class="overflow-auto-sm">
        <div class="table-headers space-between">
          <div class="price-header"></div>
          <div class="price-header">
            <h4>Basic Plan</h4>
            <h2>50 $</h2>
            <p class="text-uppercase">per month</p>
            <div class="underline"></div>
          </div>
          <div class="price-header active">
            <h4>Standard Plan</h4>
            <h2>100 $</h2>
            <p class="text-uppercase">per month</p>
            <div class="underline"></div>
          </div>
          <div class="price-header">
            <h4>Premium Plan</h4>
            <h2>200 $</h2>
            <p class="text-uppercase">per month</p>
            <div class="underline"></div>
          </div>
        </div>
        <div class="line"></div>
      </div>
    </div>
    <div class="table-info">
      <div class="table-row">

```

```
<p>3 Design Version</p>
<p><span class="circle"></span></p>
<p><span class="circle"></span></p>
<p><span class="circle"></span></p>
</div>
<div class="table-row">
<p>Fully Responsive Design</p>
<p><span class="circle"></span></p>
<p><span class="circle"></span></p>
<p><span class="circle"></span></p>
</div>
<div class="table-row">
<p>15 Users</p>
<p><span class="circle"></span></p>
<p><span class="circle"></span></p>
<p><span class="circle"></span></p>
</div>
<div class="table-row">
<p>500 MB Storage</p>
<p><span class="circle"></span></p>
<p><span class="circle"></span></p>
<p><span class="circle"></span></p>
</div>
<div class="table-row">
<p>3.000 Entries per Month</p>
<p></p>
<p><span class="circle"></span></p>
<p><span class="circle"></span></p>
</div>
<div class="table-row">
<p>Long Term Supporting</p>
<p></p>
<p><span class="circle"></span></p>
<p><span class="circle"></span></p>
</div>
<div class="table-row">
<p>Layered PSD Included</p>
<p></p>
<p></p>
<p><span class="circle"></span></p>
</div>
<div class="table-row">
<p>Clean and well codes</p>
<p></p>
<p></p>
<p><span class="circle"></span></p>
</div>
<div class="table-row">
<p>Retina Ready</p>
<p></p>
<p></p>
```

```

    <p><span class="circle"></span></p>
  </div>
  <div class="table-row">
    <p>Google Fonts</p>
    <p></p>
    <p></p>
    <p><span class="circle"></span></p>
  </div>
</div>
<div class="btn-price-wrapper">
  <div></div>
  <div><a class="btn btn-primary text-uppercase">get started</a></div>
  <div><a class="btn btn-primary text-uppercase">get started</a></div>
  <div><a class="btn btn-primary text-uppercase">get started</a></div>
</div>
</div>
</div>

```

Use with class “circle” to mark with will be active for each price.

	Basic Plan	Standard Plan	Premium Plan
	50 \$ PER MONTH	100 \$ PER MONTH	200 \$ PER MONTH
3 Design Version	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Fully Responsive Design	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
15 Users	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
500 MB Storage	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
3,000 Entries per Month		<input checked="" type="radio"/>	<input type="radio"/>
Long Term Supporting		<input checked="" type="radio"/>	<input type="radio"/>
Layered PSD Included			<input type="radio"/>
Clean and well codes			<input type="radio"/>
Retina Ready			<input type="radio"/>
Google Fonts			<input type="radio"/>

GET STARTED

HOME ABOUT PORTFOLIO REVIEWS PRICES CONTACT BLOG

f @ t

Blog

Blog page is used with this structure

```

<div class="container-fluid sidebar">
  <div class="container padding-0">
    <div class="row">
      <div class="col-md-2 col-md-offset-0 col-sm-2 col-sm-offset-1">
        <div class="categories-wrapper">
          <h6 class="brand-color text-uppercase">Categories</h6>
          <div class="categories">

```

```

<button>Design</button>
<button>Typohraphy</button>
<button>Travelling</button>
<button>Basrball</button>
<button>Development</button>
<button>Fishing</button>
<button>Music</button>
<button>Art</button>
</div>
</div>
</div>
<div class="col-md-6 hidden-xs hidden-sm">
<div class="recent-wrapper">
<h6 class="brand-color text-uppercase">Recent Posts</h6>
<div class="row">
<div class="col-md-4"><a href="blog_open_light.html" class="reacent">
<p>Stay at the village and forget all your past</p></a></div>
<div class="col-md-4"><a href="blog_open_light.html" class="reacent">
<p>Mountains are seen on the horizon</p></a></div>
<div class="col-md-4"><a href="blog_open_light.html" class="reacent">
<p>There are so many kind of maps that is easy to confuse.</p></a></div>
</div>
</div>
</div>
<div class="col-md-4 col-md-offset-0 col-sm-5 col-sm-offset-1">
<div class="input-wrapper">
<h6 class="brand-color text-uppercase search-header">search</h6>
<div class="search">
<div class="form-group">
<input type="text" name="name" class="form-control">
<label for="input">What are you looking for?</label>
<button class="btn-search"></button>
</div>
<button class="btn btn-default btn-sm">search</button>
</div>
<h6 class="brand-color text-uppercase subscribe-header">subscribe</h6>
<form action="#" id="subscribe" class="subscribe">
<div class="form-group">
<input type="text" name="email" class="form-control">
<label for="email">Your e-mail</label>
</div>
<button type="submit" class="btn btn-default btn-sm">subscribe</button>
</form>
</div>
</div>
</div>
<div class="row">
<div class="col-md-4 col-md-offset-4 col-sm-6 col-sm-offset-2">

```


```
<div class="btn-path sidebar-open">
  <div class="line"></div>
  <div class="circle-btn"></div>
</div>
</div>
</div>
</div>
</div>
<div class="main-content align-center">
  <div class="container">
    <div class="preview-wrapper scroll-on-top">
      <div class="post-preview"><a href="blog_open_light.html"></a><a
href="blog_open_light.html">
        <h4>One interesting thing</h4></a>
        <p>Lorem ipsum dolor sit amet, eros habemus ex pri, civibus Et probatus constituto ad has, ei
        minim dolor sit. Meliore eum mrepudiandae no quo, ne est malis tantas sapientem.
        <div class="meta-data">
          <div class="activity"><span><i class="fa fa-eye"></i>&nbsp;&nbsp;&nbsp;1,257</span><span><i
class="fa fa-comment"></i>&nbsp;&nbsp;&nbsp;42</span><span><i class="fa
fa-heart"></i>&nbsp;&nbsp;&nbsp;318</span></div><a href="blog_open_light.html"
class="text-uppercase">read more<i class="fa fa-angle-right"></i></a>
        </div>
      </p>
    </div>
    <div class="post-preview"><a href="blog_open_light.html"></a><a
href="blog_open_light.html">
      <h4>One interesting thing</h4></a>
      <p>Lorem ipsum dolor sit amet, eros habemus ex pri, civibus Et probatus constituto ad has, ei
      minim dolor sit. Meliore eum mrepudiandae no quo, ne est malis tantas sapientem.
      <div class="meta-data">
        <div class="activity"><span><i class="fa fa-eye"></i>&nbsp;&nbsp;&nbsp;1,257</span><span><i
class="fa fa-comment"></i>&nbsp;&nbsp;&nbsp;42</span><span><i class="fa
fa-heart"></i>&nbsp;&nbsp;&nbsp;318</span></div><a href="blog_open_light.html"
class="text-uppercase">read more<i class="fa fa-angle-right"></i></a>
        </div>
      </p>
    </div>
    <div class="post-preview"><a href="blog_open_light.html"></a><a
href="blog_open_light.html">
      <h4>One interesting thing</h4></a>
      <p>Lorem ipsum dolor sit amet, eros habemus ex pri, civibus Et probatus constituto ad has, ei
      minim dolor sit. Meliore eum mrepudiandae no quo, ne est malis tantas sapientem.
      <div class="meta-data">
        <div class="activity"><span><i class="fa fa-eye"></i>&nbsp;&nbsp;&nbsp;1,257</span><span><i
class="fa fa-comment"></i>&nbsp;&nbsp;&nbsp;42</span><span><i class="fa
fa-heart"></i>&nbsp;&nbsp;&nbsp;318</span></div><a href="blog_open_light.html"
class="text-uppercase">read more<i class="fa fa-angle-right"></i></a>
        </div>
      </p>
    </div>
```



```
<div class="post-preview"><a href="blog_open_light.html"></a><a
href="blog_open_light.html">
  <h4>One interesting thing</h4></a>
  <p>Lorem ipsum dolor sit amet, eros habemus ex pri, civibus Et probatus constituto ad has, ei
minim dolor sit. Meliore eum mrepudiandae no quo, ne est malis tantas sapientem.
  <div class="meta-data">
    <div class="activity"><span><i class="fa fa-eye"></i>&nbsp;&nbsp;&nbsp;1,257</span><span><i
class="fa fa-comment"></i>&nbsp;&nbsp;&nbsp;42</span><span><i class="fa
fa-heart"></i>&nbsp;&nbsp;&nbsp;318</span></div><a href="blog_open_light.html"
class="text-uppercase">read more<i class="fa fa-angle-right"></i></a>
  </div>
</p>
</div>

<div class="post-preview"><a href="blog_open_light.html"></a><a
href="blog_open_light.html">
  <h4>One interesting thing</h4></a>
  <p>Lorem ipsum dolor sit amet, eros habemus ex pri, civibus Et probatus constituto ad has, ei
minim dolor sit. Meliore eum mrepudiandae no quo, ne est malis tantas sapientem.
  <div class="meta-data">
    <div class="activity"><span><i class="fa fa-eye"></i>&nbsp;&nbsp;&nbsp;1,257</span><span><i
class="fa fa-comment"></i>&nbsp;&nbsp;&nbsp;42</span><span><i class="fa
fa-heart"></i>&nbsp;&nbsp;&nbsp;318</span></div><a href="blog_open_light.html"
class="text-uppercase">read more<i class="fa fa-angle-right"></i></a>
  </div>
</p>
</div>

<div class="post-preview"><a href="blog_open_light.html"></a><a
href="blog_open_light.html">
  <h4>One interesting thing</h4></a>
  <p>Lorem ipsum dolor sit amet, eros habemus ex pri, civibus Et probatus constituto ad has, ei
minim dolor sit. Meliore eum mrepudiandae no quo, ne est malis tantas sapientem.
  <div class="meta-data">
    <div class="activity"><span><i class="fa fa-eye"></i>&nbsp;&nbsp;&nbsp;1,257</span><span><i
class="fa fa-comment"></i>&nbsp;&nbsp;&nbsp;42</span><span><i class="fa
fa-heart"></i>&nbsp;&nbsp;&nbsp;318</span></div><a href="blog_open_light.html"
class="text-uppercase">read more<i class="fa fa-angle-right"></i></a>
  </div>
</p>
</div>
</div>
```



Open post


Post is used by following structure

```
<div class="container-fluid">
  <div class="row">
    <div class="container">
      <div class="row">
        <div class="col-md-7 col-md-offset-1 visible-lg visible-md">
          <div class="open-project-lightbox"><a href="img/portfolio/open/open_portfolio_1.png"><span
class="plus"><span></span><span></span><span></span></a><a
href="img/portfolio/open/open_portfolio_2.png"><span
class="plus"><span></span><span></span><span></span></a></div>
        </div>
        <div class="col-md-3 col-md-offset-0 col-sm-8 col-sm-offset-1 project-description">
          <h5 class="text-1-opacity">MITA – Digital Advantage</h5>
          <p>Lorem ipsum dolor sit amet, ex probatus honestatis cum. Mea perpetua liberavisse
voluptatibus in, pro at congue philosophia. Ea mea vero natum mazim, alterum fabulas apeirian ex vim.
Vix epicurei suavitate patrioque ne. Noluisse intellegat scriptorem te mei, in habeo constituam duo. Eum
oratio tacimates eloquentiam ut. Modo luptatum ad sea.</p>
          <div class="project-info">
            <p><span class="info text-uppercase">client</span><span class="info-description"> Mita
Company</span></p>
            <p><span class="info text-uppercase">services</span><span class="info-description">
design</span></p>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
```

```

<p><span class="info text-uppercase">year</span><span class="info-description">
2016</span></p>
<p><span class="info text-uppercase">website</span><span class="info-description">
www.mitacompany.com</span></p>
<p><span class="info text-uppercase">share</span><span class="info-description"><a href="#"
class="fa fa-facebook"></a><a href="#" class="fa fa-instagram"></a><a href="#" class="fa
fa-twitter"></a><a href="#" class="fa fa-pinterest"></a></span></p>
</div>
</div>
</div>
</div>
</div>
</div>

```



And don't forget to add open portfolio menu instead of default.

Credits

[jQuery](#) — Fast, small, and feature-rich JavaScript library.
[Animate.css](#) — A cross-browser library of CSS animations.
[Font Awesome](#) — The iconic font and CSS toolkit.
[Bootstrap](#) — Framework for developing responsive, mobile first projects on the web.
[Magnific Popup](#) — a responsive lightbox & dialog script.
[Animistion](#) — a simple and easy jquery plugin for css animated page transitions.
[Isotope](#) — Filter & sort magical layouts
[Owl carousel 2](#) — Touch enabled jQuery plugin that lets you create a beautiful responsive carousel slider.