API Reference

Mensora-API

API Version: 1.0

Here you can find all of the endpoints of our Application, Mensora-IoT Solutions.

CONTACT

INDEX

1. **5**

1.1 GET / 5

2. USER **6**

2.1 GET /user 6
2.2 POST /user/create 6
2.3 PUT /user/{id}/update 6
2.4 PUT /user/me/{id} 6
2.5 DELETE /user/{id}/delete 7
2.6 POST /user/login 7
2.7 POST /user/register 7

3. NETWORK **8**

3.1 GET /network/discover 8
3.2 POST /network/probe 8

4. SHELLY **9**

4.1 POST /shelly/off 9
4.2 POST /shelly/on 9
4.3 POST /shelly/ping 9
4.4 POST /shelly/timer/on 9
4.5 POST /shelly/timer/off 9
4.6 POST /shelly/timer/onInterval 10
4.7 POST /shelly/timer/offInterval 10
4.8 POST /shelly/timer/list 10
4.9 POST /shelly/timer/delete 10
4.10 POST /shelly/consumption 10
4.11 GET /shelly/discover/cloud 10
4.12 GET /shelly/test/cloud 11
4.13 POST /shelly/cloud/on 11
4.14 POST /shelly/cloud/off 11
4.15 GET /shelly/discover/lan 11
4.16 GET /shelly/eco/enable/{ip} 11
4.17 GET /shelly/eco/disable/{ip} 12
4.18 POST /shelly/reboot 12
4.19 GET /shelly/eco/status/{ip} 12
4.20 GET /shelly/sys/status/{ip} 12
4.21 POST /shelly/eco/test/{ip} 13

5. CONTROL **14**

5.1 GET /control/overview 14
5.2 POST /control/devices/all/{user_id} 14
5.3 POST /control/scenary/all/{user_id} 14
5.4 GET /control/scenary/devices/{scenaryId} 14
5.5 POST /control/devices/sync-states 15
5.6 POST /control/system 15
5.7 POST /control/devices 15
5.8 POST /control/devices/bulk 15
5.9 POST /control/devices/probe 16
5.10 DELETE /control/devices/{deviceId} 16
5.11 PATCH /control/devices/{deviceId} 16
5.12 PATCH /control/devices/{deviceId}/state 16
5.13 POST /control/automations 17
5.14 POST /control/automation-targets 17
5.15 POST /control/automation-target-timer 17
5.16 PATCH /control/automations/{id}/state 17
5.17 DELETE /control/automations/{id} 18
5.18 GET /control/devices/available 18
5.19 POST /control/scenaries 18
5.20 PATCH /control/scenaries/{scenaryId}/state 18
5.21 DELETE /control/scenaries/{scenaryId} 19

5.22 POST /control/scenaries/{scenaryId}/devices 19
5.23 DELETE /control/scenaries/{scenaryId}/devices/{deviceId} 19
5.24 GET /control/history 19
5.25 GET /control/sync-consumption/status 20
5.26 POST /control/sync-consumption/start 20
5.27 POST /control/sync-consumption/stop 20
5.28 GET /control/devices/shelly/{deviceId}/status 20

6. AUTH **21**
6.1 POST /auth/login 21
6.2 POST /auth/logout 21
6.3 GET /auth/me 21

7. DOCS **22**
7.1 GET /docs/pdf 22

Security and Authentication

SECURITY SCHEMES

KEY	TYPE	DESCRIPTION

API

1.

1.1 GET /

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200:

RESPONSE MODEL - application/json

```
string
```

---

2. USER

2.1 GET /user

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: Users returned successfully

STATUS CODE - 500: Internal server error

2.2 POST /user/create

REQUEST

No request parameters

RESPONSE

STATUS CODE - 201: User created successfully

STATUS CODE - 500: Internal server error

2.3 PUT /user/{id}/update

REQUEST

REQUEST BODY - application/json

```
undefined
```

RESPONSE

STATUS CODE - 200:

RESPONSE MODEL - application/json

```
{
}
```

STATUS CODE - 201: User updated successfully

STATUS CODE - 500: Internal server error

2.4 PUT /user/me/{id}

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	number	

RESPONSE

STATUS CODE - 200:

RESPONSE MODEL - application/json

```
undefined
```

STATUS CODE - 201: User created successfully

STATUS CODE - 500: Internal server error

2.5 DELETE /user/{id}/delete

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200:

RESPONSE MODEL - application/json

```
{
}
```

STATUS CODE - 201: User deleted successfully

STATUS CODE - 500: Internal server error

2.6 POST /user/login

REQUEST

No request parameters

RESPONSE

STATUS CODE - 201: User logged in successfully

STATUS CODE - 500: Internal server error

2.7 POST /user/register

REQUEST

No request parameters

RESPONSE

STATUS CODE - 201: User registered successfully

STATUS CODE - 500: Internal server error

---

3. NETWORK

3.1 GET /network/discover

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200:

RESPONSE MODEL - application/json

```
[{
```

Array of object:

```
}]
```

3.2 POST /network/probe

REQUEST

No request parameters

RESPONSE

STATUS CODE - 201:

RESPONSE MODEL - application/json

```
{
}
```

4. SHELLY

4.1 POST /shelly/off

REQUEST

No request parameters

RESPONSE

STATUS CODE - 201: Shelly turned off successfully

STATUS CODE - 500: Internal server error

4.2 POST /shelly/on

REQUEST

No request parameters

RESPONSE

STATUS CODE - 201: Shelly turned on successfully

STATUS CODE - 500: Internal server error

4.3 POST /shelly/ping

REQUEST

No request parameters

RESPONSE

STATUS CODE - 201: Shelly pinged successfully

STATUS CODE - 500: Internal server error

4.4 POST /shelly/timer/on

REQUEST

No request parameters

RESPONSE

STATUS CODE - 201: OnTimer created successfully

STATUS CODE - 500: Internal server error

4.5 POST /shelly/timer/off

REQUEST

No request parameters

RESPONSE

STATUS CODE - 201: OffTimer created successfully

STATUS CODE - 500: Internal server error

4.6 POST /shelly/timer/onInterval

REQUEST

No request parameters

RESPONSE

STATUS CODE - 201: OnTimerInterval created successfully

STATUS CODE - 500: Internal server error

4.7 POST /shelly/timer/offInterval

REQUEST

No request parameters

RESPONSE

STATUS CODE - 201: OffTimerInterval created successfully

STATUS CODE - 500: Internal server error

4.8 POST /shelly/timer/list

REQUEST

No request parameters

RESPONSE

STATUS CODE - 201: Timers listed successfully

STATUS CODE - 500: Internal server error

4.9 POST /shelly/timer/delete

REQUEST

No request parameters

RESPONSE

STATUS CODE - 201: Timer deleted successfully

STATUS CODE - 500: Internal server error

4.10 POST /shelly/consumption

REQUEST

No request parameters

RESPONSE

STATUS CODE - 201: Consumption returned successfully

STATUS CODE - 500: Internal server error

4.11 GET /shelly/discover/cloud

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: Shelly devices returned successfully

STATUS CODE - 500: Internal server error

4.12 GET /shelly/test/cloud

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: Connection test successful

STATUS CODE - 500: Internal server error

4.13 POST /shelly/cloud/on

REQUEST

No request parameters

RESPONSE

STATUS CODE - 201: Cloud turned on successfully

STATUS CODE - 500: Internal server error

4.14 POST /shelly/cloud/off

REQUEST

No request parameters

RESPONSE

STATUS CODE - 201: Cloud turned off successfully

STATUS CODE - 500: Internal server error

4.15 GET /shelly/discover/lan

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: Shelly devices successfully discovered in LAN!

STATUS CODE - 500: Internal server error

4.16 GET /shelly/eco/enable/{ip}

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*ip	string	

RESPONSE

STATUS CODE - 200: Eco Mode successfully enabled

STATUS CODE - 500: Internal server error

4.17 GET /shelly/eco/disable/{ip}

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*ip	string	

RESPONSE

STATUS CODE - 200: Eco Mode successfully disabled

STATUS CODE - 500: Internal server error

4.18 POST /shelly/reboot

REQUEST

No request parameters

RESPONSE

STATUS CODE - 201: Shelly device successfully rebooted

STATUS CODE - 500: Internal server error

4.19 GET /shelly/eco/status/{ip}

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*ip	string	

RESPONSE

STATUS CODE - 200: Eco Mode status successfully returned

STATUS CODE - 500: Internal server error

4.20 GET /shelly/sys/status/{ip}

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*ip	string	

RESPONSE

STATUS CODE - 200: System status successfully returned

STATUS CODE - 500: Internal server error

4.21 POST /shelly/eco/test/{ip}

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*ip	string	

RESPONSE

STATUS CODE - 201: Eco mode successfully tested

STATUS CODE - 500: Internal server error

5. CONTROL

5.1 GET /control/overview

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*user_id	string	

RESPONSE

STATUS CODE - 200: Overview returned successfully

STATUS CODE - 500: Internal server error

5.2 POST /control/devices/all/{user_id}

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*user_id	string	

RESPONSE

STATUS CODE - 200: Devices returned successfully

STATUS CODE - 201:

RESPONSE MODEL - application/json

```
[undefined]
```

STATUS CODE - 500: Internal server error

5.3 POST /control/scenary/all/{user_id}

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*user_id	string	

RESPONSE

STATUS CODE - 200: Scenaries returned successfully

STATUS CODE - 201:

RESPONSE MODEL - application/json

```
[undefined]
```

STATUS CODE - 500: Internal server error

5.4 GET /control/scenary/devices/{scenaryId}

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*scenaryId	string	

RESPONSE

STATUS CODE - 200: Devices returned successfully

STATUS CODE - 500: Internal server error

5.5 POST /control/devices/sync-states

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: States of device returned successfully

STATUS CODE - 201:

STATUS CODE - 500: Internal server error

5.6 POST /control/system

REQUEST

REQUEST BODY - application/json
undefined

RESPONSE

STATUS CODE - 200: States of system returned successfully

STATUS CODE - 201:

STATUS CODE - 500: Internal server error

5.7 POST /control/devices

REQUEST

REQUEST BODY - application/json
undefined

RESPONSE

STATUS CODE - 201: Device created successfully

STATUS CODE - 500: Internal server error

5.8 POST /control/devices/bulk

REQUEST

No request parameters

RESPONSE

STATUS CODE - 201: Device created successfully

STATUS CODE - 500: Internal server error

5.9 POST /control/devices/probe

REQUEST

No request parameters

RESPONSE

STATUS CODE - 201: Device created successfully

STATUS CODE - 500: Internal server error

5.10 DELETE /control/devices/{deviceId}

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*deviceId	string	

RESPONSE

STATUS CODE - 200:

STATUS CODE - 201: Device deleted successfully

STATUS CODE - 500: Internal server error

5.11 PATCH /control/devices/{deviceId}

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*deviceId	number	

REQUEST BODY - application/json

undefined

RESPONSE

STATUS CODE - 200:

RESPONSE MODEL - application/json

undefined

STATUS CODE - 201: Device updated successfully

STATUS CODE - 500: Internal server error

5.12 PATCH /control/devices/{deviceId}/state

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*deviceId	string	

RESPONSE

STATUS CODE - 200:

STATUS CODE - 201: Device state updated successfully

STATUS CODE - 500: Internal server error

5.13 POST /control/automations

REQUEST

REQUEST BODY - application/json

```
undefined
```

RESPONSE

STATUS CODE - 201: Automation created successfully

STATUS CODE - 500: Internal server error

5.14 POST /control/automation-targets

REQUEST

REQUEST BODY - application/json

```
undefined
```

RESPONSE

STATUS CODE - 201: Automation-Target created successfully

STATUS CODE - 500: Internal server error

5.15 POST /control/automation-target-timer

REQUEST

REQUEST BODY - application/json

```
undefined
```

RESPONSE

STATUS CODE - 201: Automation-Target-Timer created successfully

STATUS CODE - 500: Internal server error

5.16 PATCH /control/automations/{id}/state

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	number	

RESPONSE

STATUS CODE - 200:

RESPONSE MODEL - application/json

```
undefined
```

STATUS CODE - 201: Automation updated successfully

STATUS CODE - 500: Internal server error

5.17 DELETE /control/automations/{id}

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	string	

RESPONSE

STATUS CODE - 200:

STATUS CODE - 201: Automation deleted successfully

STATUS CODE - 500: Internal server error

5.18 GET /control/devices/available

REQUEST

No request parameters

RESPONSE

STATUS CODE - 201: Available devices returned successfully

STATUS CODE - 500: Internal server error

5.19 POST /control/scenaries

REQUEST

REQUEST BODY - application/json

```
undefined
```

RESPONSE

STATUS CODE - 201: Scenary created successfully

STATUS CODE - 500: Internal server error

5.20 PATCH /control/scenaries/{scenaryId}/state

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*scenaryId	number	

REQUEST BODY - application/json

```
undefined
```

RESPONSE

STATUS CODE - 200:

STATUS CODE - 201: Scenary updated successfully

STATUS CODE - 500: Internal server error

5.21 DELETE /control/scenaries/{scenaryId}

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*scenaryId	string	

RESPONSE

STATUS CODE - 200:

STATUS CODE - 201: Scenary deleted successfully

STATUS CODE - 500: Internal server error

5.22 POST /control/scenaries/{scenaryId}/devices

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*scenaryId	string	

RESPONSE

STATUS CODE - 201: Device added to Scenary successfully

STATUS CODE - 500: Internal server error

5.23 DELETE /control/scenaries/{scenaryId}/devices/{deviceId}

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*scenaryId	string	
*deviceId	string	

RESPONSE

STATUS CODE - 200:

STATUS CODE - 201: Device removed from Scenary successfully

STATUS CODE - 500: Internal server error

5.24 GET /control/history

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200:

RESPONSE MODEL - application/json

```
[undefined]
```

STATUS CODE - 201: History returned successfully

STATUS CODE - 500: Internal server error

5.25 GET /control/sync-consumption/status

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200:

STATUS CODE - 201: Consumption status returned successfully

STATUS CODE - 500: Internal server error

5.26 POST /control/sync-consumption/start

REQUEST

No request parameters

RESPONSE

STATUS CODE - 201: Consumption syncing started successfully

STATUS CODE - 500: Internal server error

5.27 POST /control/sync-consumption/stop

REQUEST

No request parameters

RESPONSE

STATUS CODE - 201: Consumption syncing stopped successfully

STATUS CODE - 500: Internal server error

5.28 GET /control/devices/shelly/{deviceId}/status

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*deviceId	string	

RESPONSE

STATUS CODE - 200: Status returned successfully

STATUS CODE - 500: Internal server error

6. AUTH

6.1 POST /auth/login

REQUEST

No request parameters

RESPONSE

STATUS CODE - 201: login successful

STATUS CODE - 500: Internal server error

6.2 POST /auth/logout

REQUEST

No request parameters

RESPONSE

STATUS CODE - 201: logout successful

STATUS CODE - 500: Internal server error

6.3 GET /auth/me

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200:

RESPONSE MODEL - application/json

```
{
}
```

7. DOCS

7.1 GET /docs/pdf

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200:

RESPONSE MODEL - application/json


```
{
}
```
