24/10/2026

Selenium test

1) write the possible css selector and xpath for the following

```
<span>
<div>
<ol>
<li id = "choice" class = "opt">fruits</li>
</ol>
</div>
</span>
```

CSS Selector :-

By . id = ("choice")

By . class name = ("opt")

By . CSS Selector = ("# choice")

By . CSS Selector = (". opt")

~~By . CSS Selector = ("li # id")~~

By . CSS Selector = ("li # choice")

~~By . CSS Selector = ("li # opt")~~

By . CSS Selector = ("li . opt")

Xpath :-

By . Xpath = ("//*id[@ id = 'choice']")

By . xpath = ("//*id[@ id = 'opt']")

By . xPath = ("//*li id [@ id = 'choice]")

By . xPath = ("//*li id [@ id = 'opt']")

2. Write possible css selectors and xpath for the following:

```
<div>
<div>
<input type="button" class="btn" id="ok"/>
</div>
</div>
```

CSS Selectors :-

By.id("ok")

By.class name("btn")

~~By.css selector("#ok")~~

By.css selector("#ok")

By.css selector("#input #ok")

By.css Selector("#input[type='button']")

By.css Selector("input.btn").

X Path :-

~~By.xpath("//id.~~

By.xPath("//*id(@'btn')]

By.xpath["//Input[@id.'ok']]

By.xPath["//input[type @.'button']]

By.xPath("//*[@id='ok']"]

By.xpath("//input[@ class='btn']")

3. write a selenium program for log in page (use css selector to find elements)

Eg: https://www.irctc.com.

```
import . org.openqa.webdriver;
import. org.openqa.chromeDriver;
import. org.findelement;

Public class cssselectorr
    Public static (static o
    Public static void main (string [] args){

    webDriver . driver = new chrome( );

    driver. get = (" https://www.irctc.com");

    driver. manage (). window. () maximaze();

    Enter username driver. findelement();

By. css selector (" input [place holder = 'user name"]).
                send. keys (" user name");
```