Status	Finished
Started	Friday, 30 October 2026, 4:27 PM
Completed	Friday, 30 October 2026, 4:31 PM
Duration	4 mins 22 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following is a Python tuple?

a. ("Wonder")

b. [1,2,3,4]

c. (1,4,5,6,7) ✓

d. {1,3,8,9,41}

Question **2**

Correct

Mark 1.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. SynatxError: Different types cannot be used with sets

b. {40, 10, '10', 50, 20, 60, 30} ✓

c. {40, '10', 50, 20, 60, 30}

d. {40, 10, 50, 20, 60, 30}

Question **3**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. False
False

b. True
False

c. True ✓
True

d. False
True

Question **4**

Correct

Mark 1.00 out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

a. A new set will be created with the unique elements of set1 and set2.

b. Elements of set1 will get appended to set2

c. A new set will be created with the elements of both set1 and set2 ✓

d. Elements of set2 will get appended to set1

Question **5**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

a. (1,2,3)(4,5,6)

b. (1,2,3,4,5,6) ✓

c. Error

d. (1,2,3,3,2,1)

Question **6**

Correct

Mark 1.00 out of 1.00

What will be the output of the below Python code?

t1=(55,12,78,64,25)

t1.pop(12)

print(tuple1)

a. Error ✓

b. (55,78,64,25)

c. (12)

d. 12

Question **7**

Correct

Mark 1.00 out of 1.00

Write the Output of the following Code?

t = (15,83,83,52,60,45,52,85,100)

print(min(t)+max(t)+t.count(52))

- a. Error
- b. 100
- c. 117 ✓
- d. 2

Question **8**

Correct

Mark 1.00 out of 1.00

Select all the correct options to remove “ECE” from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

- a. sampleSet.discard("ECE") ✓
- b. remove.sampleSet("ECE")
- c. sampleSet.delete("ECE")
- d. del.sampleSet("ECE")

Question **9**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (1,2,3,(4,5))
t2 = (3,2,1,(4,5))
print(t1>t2)
```

- a. False ✓
- b. True
- c. Error
- d. Error

Question **10**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

my_t1 = (1, 2, 3, 4)

my_t1.append((5, 6, 7))

print(len(my_t1))

- a. Error ✓
- b. 1
- c. 5
- d. 2

Question **11**

Correct

Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

```

```

- a. <class 'str'> ✓
- b. <class 'int'>
- c. <class 'tuple'>
- d. str

Question **12**

Correct

Mark 1.00 out of 1.00

Choose the correct option.

- a. In Python, a tuple can contain only strings as its elements.
- b. In Python, a tuple can contain only integers as its elements.
- c. In Python, a tuple can contain either string or integer but not both at a time.
- d. In Python, a tuple can contain both integers and strings as its elements. ✓

Question **13**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

- a. (16,17,18,19) ✓
- b. Error
- c. (16,17,18)
- d. (25,19,18,17)

Question **14**

Correct

Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

- a. tupl.sort()
- b. tupl1=tupl+tupl ✓
- c. tupl[1]=2
- d. tupl.append(2)

Question **15**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

- a. {1,3,2}
- b. {1,3,4}
- c. {4} ✓
- d. {2}