

AsymmFlow Deployment Sign-Off Checklist

Date: 2026-04-08

Product: AsymmFlow / PH Trading ERP

Purpose: Final pre-deployment checklist for release sign-off, packaged-app validation, workflow verification, and rollback readiness.

Release Rule

- ☐ Do not approve deployment if any blocking item below is incomplete.
- ☐ Do not approve deployment if a UI flow appears successful but does not persist correctly in the database.
- ☐ Do not approve deployment if a record persists in the database but is unusable or misleading in the UI.
- ☐ Do not approve deployment if packaged-app startup creates a fresh unintended database or ignores the intended runtime database path.

Sign-Off Summary

â€¢ Release candidate commit:

â€¢ Installed app path:

â€¢ Runtime database path:

â€¢ Reviewer:

â€¢ Date:

â€¢ Final recommendation: Ready to deploy / Deploy with caution / Not ready to deploy

1. Automated Release Gates

- ☐ `go test ./...` passes on the current branch.
- ☐ `npm run build` passes on the current branch.
- ☐ `wails build` passes on the current branch.
- ☐ Build artifacts are generated from the same commit that is being signed off.
- ☐ No unexpected generated files are pending for commit other than local artifacts, reports, backups, and caches.

Evidence:

â€¢ Go test result:

â€¢ Frontend build result:

â€¢ Wails build result:

2. Database and Startup Integrity

- ☐ Packaged `.env` contains `DATABASE\_PATH=data/ph\_holdings.db`.
- ☐ The app binary/bundle is kept beside the packaged `.env` and `data/ph\_holdings.db`.
- ☐ Runtime DB path resolves to `~/local/share/AsymmFlow/ph\_holdings.db`.
- ☐ App startup uses the runtime DB instead of the packaged DB copy.
- ☐ No unintended new DB file is created on first launch.
- ☐ App relaunch after force quit reuses the same runtime DB cleanly.
- ☐ Packaged DB is sanitized for license activation but structurally matches the verified runtime/repo schema.
- ☐ Startup migration/foundation pass materializes:
 - ☐ Work / People / Notifications tables
 - ☐ Expenses tables
 - ☐ Payroll tables

- ☐ Phase 7 rollout support
- ☐ Deployment audit shows no missing critical tables.

Evidence:

â€¢ Packaged `.env` path pin:

â€¢ Runtime DB path observed:

â€¢ Packaged DB path observed:

â€¢ Startup log notes:

3. License, Device, and Session Behavior

- ☐ Installed app launches on the same Mac without an unexpected license prompt.
- ☐ Existing activated device remains recognized after rebuild/reinstall.
- ☐ Active role and sidebar permissions render correctly after login/startup.
- ☐ Current employee context resolves correctly from user or license.

Evidence:

â€¢ Active license key or role:

â€¢ Employee context resolution:

4. Data Quality and Master Data Readiness

- ☐ Customer duplicate review has been completed.
- ☐ Supplier duplicate review has been completed.
- ☐ No active customer uses a UUID-looking `customer\_id`.
- ☐ No visible hollow records are presented as operational records.
- ☐ Legacy quoted/RFQ offer shells are hidden from the default live operational list.
- ☐ Remaining duplicates, if any, are documented and explicitly accepted.

Known review items to confirm before final sign-off:

- ☐ Confirm post-cleanup customer master is acceptable.
- ☐ Confirm supplier duplicate pairs affecting reconciliation are acceptable.
- ☐ Confirm any retained legacy records are audit-only and not surfaced as live operational records.

Evidence:

â€¢ Customer cleanup report:

â€¢ Supplier cleanup notes:

â€¢ Accepted residual data issues:

5. Sales and Commercial Workflow Verification

- ☐ Opportunities load correctly and match expected pipeline counts.
- ☐ Costing sheets create, save, reload, and export correctly.
- ☐ Offers create, edit, and list correctly.
- ☐ Won offers convert or remain operationally usable with valid child records.
- ☐ Customer Orders create, edit, and load with valid order items.
- ☐ Upstream edits do not break downstream offer/order/invoice linkages.

Adversarial checks:

- ☐ Repeated click on Save / Convert / Create does not create duplicates.
- ☐ Partial data entry fails clearly instead of silently.

☐ Duplicate-looking data is not mistaken for live transactional data.

6. Operations and Fulfillment Verification

- ☐ Purchase Orders load and remain navigable.
- ☐ GRN / delivery-related views still function.
- ☐ Operations views do not have dead links or hollow drilldowns.
- ☐ Serial / fulfillment workflows still work or are explicitly deprecated and hidden.

Adversarial checks:

- ☐ Downstream documents remain valid after upstream edits.
- ☐ Modal close and reopen does not lose unsaved or recently-saved state unexpectedly.

7. Finance Workflow Verification

- ☐ Customer Invoices create and persist with valid `invoice\_items`.
- ☐ Payments Received can be viewed and recorded correctly.
- ☐ Payments Made can be viewed and recorded correctly.
- ☐ Expenses draft, submit, approve, post, and pay flows persist correctly.
- ☐ Payroll period, run, approve, post, and payout flows persist correctly.
- ☐ Cash flow and finance dashboards load without schema gaps.

Blocking finance data checks:

- ☐ Active invoices with no `invoice\_items` = 0
- ☐ Active orders with no `order\_items` = 0
- ☐ Active operational offers with no `offer\_items` = 0
- ☐ Active zero-total operational orders = 0

8. Work / People / Notifications Verification

- ☐ Team Board loads on first open without needing another Work sub-page to initialize it.
- ☐ Task assignment persists and reloads correctly.
- ☐ Assigned user displays correctly on cards and in detail modal.
- ☐ Task comments and activity history load correctly.
- ☐ People roster loads correctly.
- ☐ Notifications render and reflect real records.
- ☐ No dangling assignee IDs remain in active tasks.

RBAC checks:

- ☐ Assigned users can open task detail for their tasks.
- ☐ Team-wide task visibility policy is explicitly accepted.
- ☐ No role can access disallowed screens or actions.

9. Relationships / CRM Detail Verification

- ☐ Customer detail pages load without broken metrics or dead tabs.
- ☐ Supplier detail pages load without broken metrics or dead tabs.
- ☐ Dashboard tiles do not show misleading placeholder values such as unrated `0/5` badges.
- ☐ Contacts, notes, and related transactional summaries align with DB state.

10. Bank Reconciliation and OCR Verification

- ☐ Bank statement import works from the bank reconciliation page.
- ☐ Baseline import works with AI assist disabled.
- ☐ AI-assisted import works with feature flag enabled and bounded timeout.
- ☐ Statement rows preserve debit/credit polarity correctly.
- ☐ Charges and fees are not merged incorrectly.
- ☐ Statement totals and balances reconcile before persistence.
- ☐ Manual matching covers realistic operational cases.
- ☐ Split allocation or multi-candidate matching behavior is sufficient for real statements.

Feature flag validation:

- ☐ `ENABLE\_AIML\_BANK\_STATEMENT\_ASSIST` tested
- ☐ `BANK\_STATEMENT\_AI\_TIMEOUT\_MS` tuned to acceptable latency
- ☐ Import remains usable when AI assist times out or is unavailable

11. Deployment Workspace Verification

- ☐ Deployment workspace loads without errors.
- ☐ Deployment audit renders current missing-table and data-issue state.
- ☐ Rollout checklist is editable and persists.
- ☐ Support export / deployment support actions remain functional.

12. Packaged-App Manual Sign-Off

- ☐ Fully quit the app from the Dock.
- ☐ Launch the installed app from `/Applications/AsymmFlow.app`.
- ☐ Launch from the copied deployment folder, not from a detached binary.
- ☐ Verify startup completes without hang.
- ☐ Verify relaunch after force quit completes without hang.
- ☐ Verify first launch from a clean copied package uses the bundled DB path without creating an unintended sibling DB elsewhere.
- ☐ Open each required screen at least once:
 - ☐ Opportunities
 - ☐ Costing
 - ☐ Offers
 - ☐ Customer Orders
 - ☐ Operations
 - ☐ Customer Invoices
 - ☐ Payments Received
 - ☐ Payments Made
 - ☐ Expenses
 - ☐ Payroll
 - ☐ Work
 - ☐ People
 - ☐ Notifications
 - ☐ Relationships / CRM details
 - ☐ Deployment

13. Rollback and Recovery Preparedness

- ☐ Verified runtime DB backup exists before release.
- ☐ Verified repo DB / packaged DB provenance is documented.
- ☐ Rollback owner is named.
- ☐ Rollback command or restore method is documented.
- ☐ Support contact and escalation path are documented.

Rollback owner:

â€¢ Name:

â€¢ Contact:

â€¢ Restore source:

14. Final Decision

- ☐ All blocking items passed.
- ☐ Any partial items are documented with owner and deadline.
- ☐ Residual risks are accepted explicitly.
- ☐ Release recommendation is recorded.

Residual risks:

-

Decision notes:

-