


Use Case Wi-Fi Speaker

Waveshare 3.7inch 416 × 240 Pixels
Red/Yellow/Black/White E-Paper Display (G)



TP 4056



HW-105
(HX3001)



18650

IR Blaster
ULN2003



BT Mouse




BT



Wi-Fi



Alarm
System



ESP32-S3 N16R8-
5v@200/140 mA

SPI

ADC

RMT

USB OTG

DVP

5V@2A



2.4
Ghz



OV3660
3MP

Trigger Sources

- Motion detection

Trigger Sources


- Gesture Recognition using Hammer



OR


Trigger Sources


- Mouse pressing
- Mouse movement



2.4Ghz RF
Mouse


Solution






EcSys web interfaces

```
1791462006 Booting and last reset reason 9
1070513948 EcSys Operational
1 Booting and last reset reason 1
4 Booting and last reset reason 9
1070513804 EcSys Operational
1791462255 Booting and last reset reason 9
1 Booting and last reset reason 1
1070513948 EcSys Operational
1 Booting and last reset reason 1
1 Booting and last reset reason 1
1 Booting and last reset reason 1
1070514092 EcSys Operational
1 Booting and last reset reason 1
1070513948 EcSys Operational
1 Booting and last reset reason 1
1070514092 EcSys Operational
```



EcSys Storage SD Card Files

- [261008115155.avi](#) (520958 bytes)
- [261008222510.avi](#) (184320000 bytes)
- [261008222511.avi](#) (184320000 bytes)
- [261008222512.avi](#) (184320000 bytes)
- [261008222513.avi](#) (184320000 bytes)
- [261008115757.avi](#) (492908 bytes)
- [261008222514.avi](#) (184320000 bytes)
- [261008222515.avi](#) (184320000 bytes)
- [261008222516.avi](#) (184320000 bytes)
- [261008222517.avi](#) (184320000 bytes)
- [261008120213.avi](#) (494160 bytes)
- [261008222518.avi](#) (184320000 bytes)
- [261008222519.avi](#) (184320000 bytes)
- [261008120621.avi](#) (510302 bytes)
- [261008121449.avi](#) (510298 bytes)
- [261008125757.avi](#) (480288 bytes)
- [261008131140.avi](#) (494304 bytes)



Configurations		Views
SSID:	SSID of Wifi	View Events View Web Camera View Storage View Logs
Password:	Password for Wifi	
New Alarm Key:	New Alarm key	
Old Alarm Key:	Old Alarm key	
Night Mode:	20,21,22,23,0,1,2,3,4,5	
AC Hours:	11,13,15,20,22,0	
Beacon Timeout:	15	
Screen Refresh rate:	5 minutes	
Contacts:	9447312345	
Contacts:	94473954321	
AC:	Disabled	
Mouse Sensitivity:	Low	
Screen Flip Vertically:	No	
Motion Detection:	0%	
Reminder Hours:	8,9,12,13,20,21	
Submit		

Alarm Unit web interface

Configuration	
SSID:	SSID of Wifi
Password:	Password for Wifi
New Alarm Key:	New Alarm key
Old Alarm Key:	Old Alarm key
LED Off:	on/off
Submit	