Use Case Wi-Fi Speaker


BT Mouse

BT

Wi-Fi

Alarm System

Waveshare 3.7inch 416 × 240 Pixels
Red/Yellow/Black/White E-Paper Display (G)




OV3660
3MP


Trigger Sources
- **Motion detection**

Trigger Sources
- **Gesture Recognition using Hammer**



OR

Trigger Sources
- **Mouse pressing**
- **Mouse movement**



ESP32-S3 N16R8-
5v@200/140 mA

SPI

ADC

RMT

DVP

USB OTG

5V@2A




TP 4056


HW-105

(HX3001)


18650

IR Blaster
ULN2003







2.4
Ghz


2.4Ghz RF
Mouse

Solution



Gesture Trigger



Mouse Trigger



Camera


ESP32-S3
AP/STA
Tigger Sources
[Mouse: Manual]
[Camera: Motion Detection]

WiFi

ESP8266 12F
WIFI Alarm
STA


WiFi AP mode < 50mts

WiFi STA mode < 100mts


YES
Try connecting STA
NO
STA mode
Save Configuration
AP mode
Connect to Alarm Unit


EcSys web interfaces

```
1791462006 Booting and last reset reason 9
1070513948 EcSys Operational
1 Booting and last reset reason 1
4 Booting and last reset reason 9
1070513804 EcSys Operational
1791462255 Booting and last reset reason 9
1 Booting and last reset reason 1
1070513948 EcSys Operational
1 Booting and last reset reason 1
1 Booting and last reset reason 1
1 Booting and last reset reason 1
1070514092 EcSys Operational
1 Booting and last reset reason 1
1070513948 EcSys Operational
1 Booting and last reset reason 1
1070514092 EcSys Operational
```




EcSys Storage SD Card Files

- 261008115155.avi (520958 bytes)
- 261008222510.avi (184320000 bytes)
- 261008222511.avi (184320000 bytes)
- 261008222512.avi (184320000 bytes)
- 261008222513.avi (184320000 bytes)
- 261008115757.avi (492908 bytes)
- 261008222514.avi (184320000 bytes)
- 261008222515.avi (184320000 bytes)
- 261008222516.avi (184320000 bytes)
- 261008222517.avi (184320000 bytes)
- 261008120213.avi (494160 bytes)
- 261008222518.avi (184320000 bytes)
- 261008222519.avi (184320000 bytes)
- 261008120621.avi (510302 bytes)
- 261008121449.avi (510298 bytes)
- 261008125757.avi (480288 bytes)
- 261008131140.avi (494304 bytes)



Configurations		Views
SSID:	SSID of Wifi	
Password:	Password for Wifi	
New Alarm Key:	New Alarm key	
Old Alarm Key:	Old Alarm key	
Night Mode:	20,21,22,23,0,1,2,3,4,5	
AC Hours:	11,13,15,20,22,0	
Beacon Timeout:	15	
Screen Refresh rate:	5 minutes	View Events
Contacts:	9447312345	View Web Camera
Contacts:	94473954321	View Storage
AC:	Disabled	View Logs
Mouse Sensitivity:	Low	
Screen Flip Vertically:	No	
Motion Detection:	0%	
Reminder Hours:	8,9,12,13,20,21	
Submit		

Alarm Unit Web interface



Hammer Trigger



TP 4056





18650

20mA




HX4002B


















Hammer Trigger









深圳市多亿科技有限公司
SHENZHEN DUOYI TECHNOLOGY CO., LTD

Danny Weng Sales Department

多亿科技
DUOYI TECHNOLOGY

Mobile phone: +86-13556872654
Telephone :+86-0755-21032448
E-mail ID:sales2_dy@163.com
QQ ID: 40293927
Address: 1001-48, No. 1 Workshop, Kanghuai Industrial Park, No. 60, Ping'an Road, Dafu Community, Guanlan Street, Longhua District, Shenzhen