

```
MySQL 8.0 Command Line Client - Unicode
Enter password: *****
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 21
Server version: 8.0.30 MySQL Community Server - GPL

Copyright (c) 2000, 2022, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> create database ch;
Query OK, 1 row affected (0.00 sec)

mysql> create table ch.ticket(ticketno int(10) primary key,journeydate date,age int(10),sex varchar(10),source varchar(10),destination varchar(10),deptime varchar(20),busno int(10));
Query OK, 0 rows affected, 3 warnings (0.01 sec)

mysql> describe ch.ticket;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| ticketno | int | NO | PRI | NULL | |
| journeydate | date | YES | | NULL | |
| age | int | YES | | NULL | |
| sex | varchar(10) | YES | | NULL | |
| source | varchar(10) | YES | | NULL | |
| destination | varchar(10) | YES | | NULL | |
| deptime | varchar(20) | YES | | NULL | |
| busno | int | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
8 rows in set (0.00 sec)

mysql> insert into ch.ticket(ticketno,journeydate,age,sex,source,destination,deptime,busno) values(123,'2022-10-08',23,'male','paris','india','05-55-45',101);
Query OK, 1 row affected (0.01 sec)

mysql> select * from ch.ticket;
+-----+-----+-----+-----+-----+-----+-----+
| ticketno | journeydate | age | sex | source | destination | deptime | busno |
+-----+-----+-----+-----+-----+-----+-----+
| 123 | 2022-10-08 | 23 | male | paris | india | 05-55-45 | 101 |
+-----+-----+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)
```

```

mysql> insert into ch.ticket(ticketno,journeydate,age,sex,source,destination,deptime,busno) values(123,'2022-10-08',23,'male','paris','india','05-55-45',101);
ERROR 1062 (23000): Duplicate entry '123' for key 'ticket.PRIMARY'
mysql> insert into ch.ticket(ticketno,journeydate,age,sex,source,destination,deptime,busno) values(143,'2022-10-08',23,'female','london','india','04-55-45',141);
Query OK, 1 row affected (0.00 sec)

mysql> insert into ch.ticket(ticketno,journeydate,age,sex,source,destination,deptime,busno) values(125,'2022-10-08',23,'female','paris','india','05-55-45',101);
Query OK, 1 row affected (0.01 sec)

mysql> insert into ch.ticket(ticketno,journeydate,age,sex,source,destination,deptime,busno) values(423,'2022-10-09',53,'male','america','india','06-45-45',121);
Query OK, 1 row affected (0.01 sec)

mysql> insert into ch.ticket(ticketno,journeydate,age,sex,source,destination,deptime,busno) values(193,'2022-10-08',33,'male','paris','india','05-55-45',191);
Query OK, 1 row affected (0.01 sec)

mysql> select * from ch.ticket;
+-----+-----+-----+-----+-----+-----+-----+-----+
| ticketno | journeydate | age | sex | source | destination | deptime | busno |
+-----+-----+-----+-----+-----+-----+-----+-----+
| 123 | 2022-10-08 | 23 | male | paris | india | 05-55-45 | 101 |
| 125 | 2022-10-08 | 23 | female | paris | india | 05-55-45 | 101 |
| 143 | 2022-10-08 | 23 | female | london | india | 04-55-45 | 141 |
| 193 | 2022-10-08 | 33 | male | paris | india | 05-55-45 | 191 |
| 423 | 2022-10-09 | 53 | male | america | india | 06-45-45 | 121 |
+-----+-----+-----+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)

mysql> selec * from ch.ticket where sex='male';
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'selec * f
om ch.ticket where sex='male'' at line 1
mysql> display from ch.ticket where sex=male;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'display f
om ch.ticket where sex=male' at line 1
mysql> select sex=male from ch.ticket;
ERROR 1054 (42S22): Unknown column 'male' in 'field list'
mysql> select * from ch.ticket where sex='male';
+-----+-----+-----+-----+-----+-----+-----+-----+
| ticketno | journeydate | age | sex | source | destination | deptime | busno |
+-----+-----+-----+-----+-----+-----+-----+-----+
| 123 | 2022-10-08 | 23 | male | paris | india | 05-55-45 | 101 |
| 193 | 2022-10-08 | 33 | male | paris | india | 05-55-45 | 191 |
| 423 | 2022-10-09 | 53 | male | america | india | 06-45-45 | 121 |
+-----+-----+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> select * from ch.ticket where age=23;
+-----+-----+-----+-----+-----+-----+-----+-----+
| ticketno | journeydate | age | sex | source | destination | deptime | busno |
+-----+-----+-----+-----+-----+-----+-----+-----+
| 123 | 2022-10-08 | 23 | male | paris | india | 05-55-45 | 101 |
| 125 | 2022-10-08 | 23 | female | paris | india | 05-55-45 | 101 |
+-----+-----+-----+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)

```

```
mysql> select * from ch.ticket where age=23;
```

ticketno	journeydate	age	sex	source	destination	deptime	busno
123	2022-10-08	23	male	paris	india	05-55-45	101
125	2022-10-08	23	female	paris	india	05-55-45	101
143	2022-10-08	23	female	london	india	04-55-45	141

3 rows in set (0.00 sec)

```
mysql> select * from ch.ticket where source='paris';
```

ticketno	journeydate	age	sex	source	destination	deptime	busno
123	2022-10-08	23	male	paris	india	05-55-45	101
125	2022-10-08	23	female	paris	india	05-55-45	101
193	2022-10-08	33	male	paris	india	05-55-45	191

3 rows in set (0.00 sec)

```
mysql> select * from ch.ticket where deptime='05-55-45';
```

ticketno	journeydate	age	sex	source	destination	deptime	busno
123	2022-10-08	23	male	paris	india	05-55-45	101
125	2022-10-08	23	female	paris	india	05-55-45	101
193	2022-10-08	33	male	paris	india	05-55-45	191

3 rows in set (0.00 sec)

```
mysql> select * from ch.ticket where source='america';
```

ticketno	journeydate	age	sex	source	destination	deptime	busno
423	2022-10-09	53	male	america	india	06-45-45	121

1 row in set (0.00 sec)

```
mysql>
```