

SIMATS ENGINEERING (SAVEETHA SCHOOL OF ENGINEERING)
Department of Computer Science and Engineering

ASSESSMENT TOOL 1 – C Code Output Prediction

Course Code:	CSA0305	Course Title:	Data Structures
CO Assessed:	CO1 – Imitation (BL3, BL4)	Assessment:	Assessment Tool 1 – C Code Output Prediction
Weightage:	35% of CIA	Total Marks:	100
CO1 Statement:	Apply suitable data structures and ADTs for efficient problem solving by analyzing time and space complexity.		
Student Name:	H SARAVANA	Reg. No.:	192511397
Section / Batch:	CSE	Date:	10/07/2026

Code of Conduct

I _____ H SARAVANA / 192511397 _____ (Name / Reg No)
certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.
Signature of the Student: _____

Instructions

- This test contains 20 Debugging & Optimisation Task questions. Total: 100 Marks (20*5).
- When a student answer using Scenario-Based, in evaluation the answer should be with following five requirements: Identify the problem type and constraints, Select appropriate data structure, Design the Solution, Optimization and efficiency, Clarity of representation.
- No negative marking. Unanswered questions carry zero marks.

Section / Topic	Focus	Q Nos	Marks
Linked data structure	Basic data structure	1 - 2	20
Primitive and Non-Primitive Data Structure - Linear and Non-Linear Data Structure	Classifications of Linear data structure	3 - 4	20
Search Data Structure	Linear Search and Binary Search	5 -6	20
Recursion, Performance analysis	Recursion	7 - 8	20
Array Data Structures	Implementations Using Array data structure	9 - 10	20
GRAND TOTAL:			100 Marks

CO1_AT1_C CODE OUTPUT PREDICTION

← Back

QUESTIONS
Q1 ✓
C Code – Array Traversal
10 marks

Q2 ✓
C Code – Linear Search
10 marks

Q3 ✓
C Code – Binary Search Mid
10 marks

Q4 ✓
C Code – Pointer with Array
10 marks

Q5 ✓
C Code – Array Update
10 marks

Q6 ✓
C Code – Linked List Node

Q2 C Code – Linear Search

10 marks

```
#include <stdio.h>
int main() {
    int arr[] = {2,4,6,8,10};
    int key = 8;
    int i;
    for(i=0;i<5;i++){
        if(arr[i] == key){
            printf("%d",i);
            break;
        }
    }
}
```

Your Answer

3

CO1_AT1_C CODE OUTPUT PREDICTION
[← Back](#)
QUESTIONS
Q1 ✓
C Code – Array Traversal
10 marks

Q2 ✓
C Code – Linear Search
10 marks

Q3 ✓
C Code – Binary Search Mid
10 marks

Q4 ✓
C Code – Pointer with Array
10 marks

Q5 ✓
C Code – Array Update
10 marks

Q6 ✓
C Code – Binary Search Mid

Q3 C Code – Binary Search Mid

10 marks

```
#include<stdio.h>
int main(){
int low=0,high=7;
int mid;
mid=(low+high)/2;
printf("%d",mid);
}
```

Your Answer

3



CO1_AT1_C CODE OUTPUT PREDICTION

QUESTIONS

Q1

C Code – Array Traversal
10 marks



Q2

C Code – Linear Search
10 marks



Q3

C Code – Binary Search Mid
10 marks



Q4 C Code – Pointer with Array

```
#include<stdio.h>

int main(){
    int arr[]={10,20,30};
    int *p=arr;
    printf("%d",*(p+2));
}
```

Your Answer

CO1_AT1_C CODE OUTPUT PREDICTION[← Back](#)

QUESTIONS

Q1 ✓
C Code – Array Traversal
10 marks**Q2** ✓
C Code – Linear Search
10 marks**Q3** ✓
C Code – Binary Search Mid
10 marks**Q4** ✓
C Code – Pointer with Array
10 marks**Q5** ✓
C Code – Array Update
10 marks**Q4 C Code – Pointer with Array**

10 marks

```
#include<stdio.h>
int main(){
int arr[]={10,20,30};
int *p=arr;
printf("%d",*(p+2));
}
```

Your Answer

30

QUESTIONS

Q1

C Code – Array Traversal
10 marks

Q2

C Code – Linear Search
10 marks

Q3

C Code – Binary Search Mid
10 marks

Q4

C Code – Pointer with Array
10 marks

Q5

C Code – Array Update
10 marks

Q5 C Code – Array Update

10 marks

```
#include<stdio.h>

int main(){
    int arr[]={1,2,3};
    arr[1]=arr[0]+arr[2];
    printf("%d",arr[1]);
}
```

Your Answer

4

CO1_AT1_C CODE OUTPUT PREDICTION[← Back](#)**QUESTIONS****Q1** ✓
C Code – Array Traversal
10 marks**Q2** ✓
C Code – Linear Search
10 marks**Q3** ✓
C Code – Binary Search Mid
10 marks**Q4** ✓
C Code – Pointer with Array
10 marks**Q5** ✓
C Code – Array Update
10 marks**Q6 C Code - Linked List Node**

10 marks

```
#include<stdio.h>
struct Node{
int data;
struct Node *next;
};
int main(){
struct Node n1,n2;
n1.data=10;
n2.data=20;
n1.next=&n2;
n2.next=NULL;
printf("%d",n1.next->data);
}
```

CO1_AT1_C CODE OUTPUT PREDICTION[← Back](#)

QUESTIONS

Q1 ✓
C Code – Array Traversal
10 marks**Q2** ✓
C Code – Linear Search
10 marks**Q3** ✓
C Code – Binary Search Mid
10 marks**Q4** ✓
C Code – Pointer with Array
10 marks**Q5** ✓
C Code – Array Update
10 marks**Q6** ✓**Q7 C Code - Time Complexity Loop**

10 marks

```
for(i=0;i<n;i++)  
    printf("%d",i);  
The complexity is
```

Your Answer

O(n)

 Save Answer

QUESTIONS

Q1 ✓
C Code – Array Traversal
10 marks**Q2** ✓
C Code – Linear Search
10 marks**Q3** ✓
C Code – Binary Search Mid
10 marks**Q4** ✓
C Code – Pointer with Array
10 marks**Q5** ✓
C Code – Array Update
10 marks**Q6** ✓
C Code – Linked List Node
10 marks**Q8 C Code - Nested Loop**

10 marks

```
for(i=0;i<n;i++)  
for(j=0;j<n;j++)  
printf("%s");
```

Your Answer

 $O(n^2)$  Save Answer

CO1_AT1_C CODE OUTPUT PREDICTION

← Back

QUESTIONS
Q1 ✓
C Code – Array Traversal
10 marks

Q2 ✓
C Code – Linear Search
10 marks

Q3 ✓
C Code – Binary Search Mid
10 marks

Q4 ✓
C Code – Pointer with Array
10 marks

Q5 ✓
C Code – Array Update
10 marks

Q6 ✓
C Code – Linked List Node
10 marks

Q9 C Code - Binary Search Complexity

10 marks

```
while(low<=high){
    mid=(low+high)/2;
}
```

Your Answer

O(logn)

 Save Answer

CO1_AT1_C CODE OUTPUT PREDICTION
[← Back](#)
QUESTIONS
Q1 ✓
C Code – Array Traversal
10 marks

Q2 ✓
C Code – Linear Search
10 marks

Q3 ✓
C Code – Binary Search Mid
10 marks

Q4 ✓
C Code – Pointer with Array
10 marks

Q5 ✓
C Code – Array Update
10 marks

Q6 ✓
C Code – Linked List Node

Q10 C Code - Pointer Increment

10 marks

```
#include<stdio.h>
int main(){
int a[]={5,10,15};
int *p=a;
p++;
printf("%d",*p);
}
```

Your Answer

10