

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name: _____
 Signature: _____

Verified By:
 Name: _____
 Signature: _____

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature:

PAARISHIV HOMES

Shuttering and Bar Bending Work Checklist (SBC)

Name of work: _____ Date: _____
 Project Code: _____ MB Pg No: _____
 Structural Member : (Footing/Column/Earth Beam/Plinth Beam/Lintel/Beam/Slab)
 Name of Contractor: _____ MB Serial No: _____
 Location: _____

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Formwork material of approved quality (plywood/steel) used		
2	Formwork surface clean, free of rust, oil, and debris		
3	Formwork joints tight, no leakage of slurry		
4	Formwork aligned to line, level, plumb, and dimensions as per drawing		
5	Adequate bracing and supports provided to prevent bulging/displacement		
6	Shuttering coated with approved form oil/release agent before concreting		
7	Provision made for working platforms and safe access		
8	Formwork checked for embedded items (sleeves, inserts, pipes, conduits)		
9	Stability of shuttering checked before concreting		

Bar Bending Work Checklist

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Steel reinforcement of approved make and grade received with test certificate		
2	Bars free from rust, oil, mud, and dirt before use		
3	Cutting and bending of bars as per approved bar bending schedule		
4	Bar bends, hooks, and cranks as per IS specifications/drawings		
5	Correct bar diameter, spacing, and quantity verified with drawings		
6	Lapping length maintained as per IS codes/specifications		
7	Stirrups, ties, and spacers provided at correct intervals		
8	Cover blocks of correct thickness and grade provided		
9	Reinforcement placed as per drawing and fixed firmly to prevent displacement		
10	Chairs/spacers used for maintaining cover in slabs and beams		
11	No tack welding done unless approved in design		
12	Congestion of reinforcement avoided at beam-column junctions		
13	Embedded items and openings kept in position before concreting		
14	Wastage of nails and binding wire properly used		

Checked By:
 Name:
 Signature:

Verified By:
 Name:
 Signature: