

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		

16	Lintel levels, door & window openings checked		
17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature:

PAARISHIV HOMES

Brick Work Checklist (BWC)

Name of work:

Date:

Agreement number:

MB Pg No:

Name of Contractor:

MB Serial No:

Location:

Sl. No	Check Point	Status (OK/Not OK)	Remarks
1	Bricks: uniform size, no cracks, approved quality		
2	Bricks soaked 10–12 hrs, moist before use		
3	Cement & sand mix ratio as per drawing/spec		
4	Sand is clean, silt-free, medium grade		
5	Water is clean/potable		
6	Layout marked as per approved drawings		
7	Mortar mixed fresh, used within 30–45 mins		
8	First course laid true to line, level, and plumb		
9	Joint thickness ≤ 10 mm (horizontal & vertical)		
10	Proper bond maintained, no continuous vertical joints		
11	Queen closers at corners, no bats used		
12	Wall raised max 1 m height per day		
13	Joints raked 10–15 mm for plaster grip		
14	Verticality & alignment checked every 3–5 courses		
15	Cross walls properly toothed/ bonded		
16	Lintel levels, door & window openings checked		

17	Service openings provided as per drawing		
18	Holes left for scaffolding filled with CC		
19	Stable scaffolding in place – tied and braced		
20	Wall surface cleaned of loose mortar		
21	Curing started after 24 hrs, continued 7 days		
22	No chasing/grooving before curing complete		
23	Final check: line, level, plumb, dimensions verified		
24	Wastage of Mortar controlled/ Half Brick used properly.		

Checked By:

Verified By:

Name:

Name:

Signature:

Signature: