



AI Workforce

Autonomous Business Workflow Automation Platform

REQUIREMENTS & ACCEPTANCE SPECIFICATIONS

User Story Catalogue

281 comprehensive user stories across 22 capability epics with detailed Gherkin acceptance criteria and implementation mappings.

DOCUMENT ID

USC-AIWF-2026-001

VERSION

v1.1.0

DATE

October 2026

DOCUMENT CONTROL

Field	Details
Document Title	User Story Catalogue — AI Workforce Platform
Document ID	USC-AIWF-2026-001
Version	1.0.0
Status	Draft
Linked BRD	BRD-AIWF-2026-001 v1.0.0
Created Date	2026-10-07

Story Priority Legend

Priority	Description
P0	Must-have — Blocking; the product cannot function without this
P1	Critical — Core value proposition; must be in MVP
P2	Important — Significant value; target for MVP or early Phase 2
P3	Nice-to-have — Phase 2 or Phase 3

Phase Legend

Phase	Description
MVP	Smallest viable production product
Phase 2	Full commercial feature set
Phase 3	Enterprise-grade capabilities

Epic Index

Epic	Name	Stories
EPIC-01	Authentication & Identity	US-001 – US-012
EPIC-02	Organization & Workspace Management	US-013 – US-025
EPIC-03	User & Role Management	US-026 – US-035
EPIC-04	AI Agent Management	US-036 – US-055
EPIC-05	Knowledge Management	US-056 – US-072
EPIC-06	RAG	US-073 – US-082
EPIC-07	Tools & Integrations	US-083 – US-097
EPIC-08	Workflow Builder	US-098 – US-117
EPIC-09	Agentic Orchestration	US-118 – US-128
EPIC-10	Human-in-the-Loop	US-129 – US-143
EPIC-11	Guardrails & Governance	US-144 – US-155
EPIC-12	Workflow Execution	US-156 – US-172
EPIC-13	Monitoring & Observability	US-173 – US-185
EPIC-14	AI Evaluation	US-186 – US-197
EPIC-15	Analytics	US-198 – US-208
EPIC-16	Administration	US-209 – US-220
EPIC-17	API & Developer Platform	US-221 – US-232
EPIC-18	Security & Audit	US-233 – US-244
EPIC-19	Notifications	US-245 – US-253
EPIC-20	Billing / Usage / Plan Readiness	US-254 – US-263
EPIC-21	System Reliability	US-264 – US-272
EPIC-22	Platform Extensibility	US-273 – US-281

EPIC 1 — AUTHENTICATION & IDENTITY

US-001: User Self-Registration

Field	Details
Story ID	US-001
Epic	EPIC-01 — Authentication & Identity
Feature	User Registration
User Role	Prospective User (unauthenticated)
Priority	P0
Phase	MVP

User Story:

As a prospective user, I want to register an account using my email and a password, so that I can access the AI Workforce platform and create or join an organization.

Business Value: Enables self-service onboarding, reducing sales friction and enabling growth.

Preconditions:

- User is not authenticated
- User has a valid, accessible email address

Main Flow:

1. User navigates to the registration page
2. User enters: first name, last name, email address, password
3. System validates all fields (format, strength, uniqueness of email)
4. System creates the user account in an unverified state
5. System sends an email verification link to the provided email
6. System informs the user to check their email before continuing

Alternate Flow:

- AF-1: Email already registered → System displays a message that the email is already in use, suggests logging in or resetting password

Exception Flow:

- EF-1: Email verification service is unavailable → System creates the account and queues the verification email; user is informed of the delay
- EF-2: User submits form with network interruption → Form state is preserved; user can resubmit

Acceptance Criteria:

- **Given** a user provides a valid email and strong password, **When** they submit the registration form, **Then** an account is created, a verification email is sent, and the user is shown a “check your email” message

- **Given** the email is already registered, **When** the user submits the form, **Then** an error message is shown (no information about whether the email exists for security — instead: “If this email is not registered, you’ll receive a confirmation email”)
- **Given** the password does not meet strength requirements, **When** the user submits, **Then** specific validation errors are displayed inline
- **Given** a registered account is unverified after 24 hours, **When** the user attempts to log in, **Then** they are prompted to resend the verification email

Validation Rules:

- Email: valid format, maximum 255 characters
- Password: minimum 12 characters, must contain uppercase, lowercase, number, and special character
- First name, last name: required, 1–100 characters

Permission Requirements: None (public endpoint)

Security Considerations:

- Rate limit registration endpoint to prevent abuse
- Never confirm or deny whether an email is registered (prevent enumeration)
- Log registration events for security monitoring

Audit Requirements: Registration event logged with timestamp, IP address, and outcome

Dependencies: Email delivery service, IAM service

US-002: Email Verification

Field	Details
Story ID	US-002
Epic	EPIC-01 — Authentication & Identity
Feature	Email Verification
User Role	Registered User (unverified)
Priority	P0
Phase	MVP

User Story:

As a newly registered user, I want to verify my email address by clicking the link sent to my inbox, so that I can confirm my identity and gain access to the platform.

Business Value: Ensures users control the email address they register with; reduces fraud and fake accounts.

Preconditions:

- User has registered but not yet verified their email
- A verification email has been sent

Main Flow:

1. User receives verification email with a unique link
2. User clicks the link
3. System validates the token (not expired, not already used, matches user)
4. System marks the user's email as verified
5. System logs the user in and redirects them to the organization creation/join flow

Alternate Flow:

- AF-1: User has lost the email → User can request a new verification email from the login prompt

Exception Flow:

- EF-1: Verification link has expired (>24 hours) → System shows an error and offers to resend; the old token is invalidated
- EF-2: Verification link has already been used → System shows a message that the email is already verified; prompts login

Acceptance Criteria:

- **Given** a valid, unexpired verification link, **When** clicked, **Then** the user's email is verified and they are logged in
- **Given** an expired link, **When** clicked, **Then** an expiry error is shown and a "resend verification" option is offered
- **Given** an already-used link, **When** clicked, **Then** a message confirms verification is complete and offers login
- **Given** the user requests a new verification email, **When** submitted, **Then** a new token is generated, the old token is invalidated, and a new email is sent

Validation Rules: Verification token must be single-use, unique, cryptographically secure, and expire after 24 hours

Permission Requirements: None (token-based access)

Security Considerations: Tokens must be cryptographically random; verification links must use HTTPS; tokens invalidated immediately after use

Audit Requirements: Email verification event logged with timestamp and IP address

Dependencies: US-001, Email delivery service

US-003: User Login

Field	Details
Story ID	US-003
Epic	EPIC-01 — Authentication & Identity
Feature	Authentication
User Role	Registered, Verified User

Field	Details
Priority	P0
Phase	MVP

User Story:

As a registered and verified user, I want to log in with my email and password, so that I can access the platform and my organizations.

Business Value: Core access mechanism for all platform functionality.

Preconditions:

- User account exists and email is verified
- Account is not locked or deactivated

Main Flow:

1. User enters email and password on the login page
2. System validates credentials
3. If MFA is enabled, system prompts for MFA code
4. System validates MFA code
5. System issues a secure session (access token + refresh token)
6. User is redirected to their default organization or organization selector

Alternate Flow:

- AF-1: MFA not enabled → Steps 3 and 4 are skipped; session is issued after credential validation

Exception Flow:

- EF-1: Invalid credentials → System displays a generic error ("Email or password is incorrect") without revealing which is wrong; increments failed attempt counter
- EF-2: Account locked (too many failed attempts) → System displays a lockout message and sends an unlock/reset email
- EF-3: Account deactivated → System displays a deactivation message and support contact
- EF-4: Email not verified → System displays a prompt to verify email

Acceptance Criteria:

- **Given** valid credentials, **When** the user logs in, **Then** a secure session is created and the user is redirected to the platform
- **Given** invalid credentials, **When** submitted, **Then** a generic error is shown and attempt counter increments
- **Given** 5 consecutive failed login attempts, **When** the sixth attempt occurs, **Then** the account is temporarily locked and the user is notified
- **Given** MFA is enabled, **When** credentials are valid, **Then** an MFA prompt is presented before granting access

Validation Rules:

- Email: valid format
- Password: required, not empty

Permission Requirements: None (public endpoint)

Security Considerations:

- Brute-force protection via lockout after N failed attempts (configurable, default 5)
- Rate limiting on login endpoint
- No indication of which credential field is incorrect
- Session tokens must be HttpOnly, Secure cookies or JWTs with short expiry

Audit Requirements: Login success and failure events logged with timestamp, IP address, user agent

Dependencies: US-001, US-002, MFA setup (US-005)

US-004: User Logout

Field	Details
Story ID	US-004
Epic	EPIC-01 — Authentication & Identity
Feature	Session Management
User Role	Authenticated User
Priority	P0
Phase	MVP

User Story:

As an authenticated user, I want to log out of the platform, so that my session is terminated and my account is protected on shared devices.

Business Value: Prevents unauthorized access on shared or public devices.

Preconditions: User is logged in with an active session

Main Flow:

1. User clicks “Log Out”
2. System invalidates the current session tokens (access + refresh)
3. System clears all session cookies
4. User is redirected to the login page

Alternate Flow:

- AF-1: User logs out from all sessions → All refresh tokens for the user are invalidated across all devices

Acceptance Criteria:

- **Given** a logged-in user, **When** they click logout, **Then** the session is invalidated and they are redirected to login
- **Given** a user logs out from all sessions, **When** confirmed, **Then** all active sessions are terminated immediately
- **Given** an invalidated session token is used, **When** submitted to the API, **Then** a 401 Unauthorized response is returned

Security Considerations: Server-side session invalidation must be enforced; client-side token deletion alone is insufficient

Audit Requirements: Logout event logged with timestamp and session identifier

Dependencies: US-003

US-005: Multi-Factor Authentication (MFA) Setup

Field	Details
Story ID	US-005
Epic	EPIC-01 — Authentication & Identity
Feature	MFA
User Role	Authenticated User
Priority	P1
Phase	MVP

User Story:

As an authenticated user, I want to enable multi-factor authentication using an authenticator app, so that my account is protected even if my password is compromised.

Business Value: Significantly reduces account takeover risk; enterprise customers require MFA.

Preconditions: User is logged in; MFA not yet enabled

Main Flow:

1. User navigates to Security Settings
2. User selects "Enable MFA"
3. System generates a TOTP secret and displays a QR code
4. User scans the QR code with an authenticator app
5. User enters the generated TOTP code to confirm setup
6. System validates the code and marks MFA as enabled
7. System displays backup codes; user is instructed to save them

Alternate Flow:

- AF-1: User disables MFA → User must confirm with password and current MFA code before disabling

Exception Flow:

- EF-1: Invalid TOTP code during setup → Error displayed; user can retry; code not committed until valid confirmation

Acceptance Criteria:

- **Given** a user enables MFA and scans the QR code, **When** they enter a valid TOTP code, **Then** MFA is activated and backup codes are displayed
- **Given** MFA is enabled, **When** the user logs in with valid credentials, **Then** they must provide a valid TOTP code to proceed
- **Given** an invalid TOTP code at login, **When** submitted, **Then** an error is shown and access is denied
- **Given** a user uses a backup code to log in, **When** the code is valid, **Then** they are granted access and the backup code is consumed

Security Considerations: TOTP secret must be stored encrypted; backup codes must be hashed; display them only once

Audit Requirements: MFA enable/disable events logged

Dependencies: US-003

US-006: Password Reset

Field	Details
Story ID	US-006
Epic	EPIC-01 — Authentication & Identity
Feature	Password Management
User Role	User (authenticated or unauthenticated)
Priority	P0
Phase	MVP

User Story:

As a user who has forgotten my password, I want to request a password reset email, so that I can regain access to my account.

Business Value: Reduces support burden; enables self-service account recovery.

Preconditions: User has a registered account with a verified email

Main Flow:

1. User navigates to "Forgot Password" on the login page

- 2. User enters their email address
- 3. System displays a generic success message regardless of whether the email exists
- 4. If the email exists, system sends a password reset email with a time-limited link
- 5. User clicks the link and is taken to the password reset form
- 6. User enters a new password (confirmed twice)
- 7. System validates and updates the password; invalidates all existing sessions
- 8. User is redirected to login

Exception Flow:

- EF-1: Reset link expired (>1 hour) → Error displayed; user is offered a new reset request
- EF-2: Reset link already used → Error displayed; access denied

Acceptance Criteria:

- **Given** a user submits a password reset request for a registered email, **When** submitted, **Then** a reset email is sent and a generic success message is shown
- **Given** a valid, unexpired reset link, **When** the user sets a new password meeting strength requirements, **Then** the password is updated and all sessions are invalidated
- **Given** an expired reset link, **When** clicked, **Then** an expiry error is shown
- **Given** the new password matches a recent password in history, **When** submitted, **Then** an error is displayed and the reset is rejected

Security Considerations: Prevent email enumeration (always show generic response); single-use tokens; all sessions invalidated on reset

Audit Requirements: Password reset request and completion events logged

Dependencies: US-001, Email delivery service

US-007: Session Management — Idle Timeout

Field	Details
Story ID	US-007
Epic	EPIC-01 — Authentication & Identity
Feature	Session Management
User Role	Authenticated User
Priority	P1
Phase	MVP

User Story:

As a platform administrator, I want sessions to automatically expire after a period of inactivity, so that idle sessions do not pose a security risk.

Business Value: Reduces the risk of unauthorized access from unattended sessions.

Acceptance Criteria:

- **Given** a session is idle for the configured timeout period, **When** the timeout expires, **Then** the session is invalidated and the user is redirected to login
- **Given** a user is active within the timeout window, **When** the timeout would have expired, **Then** the session is refreshed silently
- **Given** an organization has configured a custom session timeout, **When** members log in, **Then** their sessions respect the organization-configured timeout

Priority: P1 | **Phase:** MVP

US-008: View Active Sessions

Field	Details
Story ID	US-008
Epic	EPIC-01 — Authentication & Identity
Feature	Session Management
User Role	Authenticated User
Priority	P2
Phase	Phase 2

User Story:

As an authenticated user, I want to view all my active sessions and their details, so that I can identify and revoke any sessions I do not recognize.

Acceptance Criteria:

- **Given** a user navigates to Security Settings, **When** viewing active sessions, **Then** they see a list of sessions with: device type, location (approximate), last active time, and current session indicator
- **Given** a user identifies an unfamiliar session, **When** they revoke it, **Then** that session is immediately invalidated

Priority: P2 | **Phase:** Phase 2

US-009: SSO Login (SAML 2.0)

Field	Details
Story ID	US-009
Epic	EPIC-01 — Authentication & Identity
Feature	Enterprise SSO
User Role	Enterprise User
Priority	P3
Phase	Phase 3

User Story:

As an enterprise user, I want to log in using my organization's SSO identity provider, so that I can access the platform without managing a separate password.

Acceptance Criteria:

- **Given** an organization has configured SAML 2.0 SSO, **When** a user attempts to log in with their corporate email, **Then** they are redirected to the organization's identity provider
- **Given** successful IdP authentication, **When** the SAML assertion is received, **Then** the user is granted access with the appropriate role
- **Given** the IdP authentication fails, **When** the response is received, **Then** access is denied and an appropriate error is displayed

Priority: P3 | **Phase:** Phase 3

US-010: Account Profile Management

Field	Details
Story ID	US-010
Epic	EPIC-01 — Authentication & Identity
Feature	User Profile
User Role	Authenticated User
Priority	P1
Phase	MVP

User Story:

As an authenticated user, I want to update my profile information (name, avatar, timezone), so that my identity is correctly represented across the platform.

Acceptance Criteria:

- **Given** a user updates their display name, **When** saved, **Then** the new name is reflected across all platform UI elements
- **Given** a user changes their email address, **When** submitted, **Then** a verification email is sent to the new address and the change does not take effect until verified

Priority: P1 | **Phase:** MVP

US-011: Account Deactivation (Self)

Field	Details
Story ID	US-011
Epic	EPIC-01 — Authentication & Identity
Feature	Account Lifecycle
User Role	Authenticated User
Priority	P2
Phase	Phase 2

User Story:

As an authenticated user, I want to request deletion or deactivation of my account, so that I can exercise my right to data control.

Acceptance Criteria:

- **Given** a user requests account deletion and is not the sole owner of any organization, **When** confirmed, **Then** their personal data is scheduled for deletion per retention policy and they are logged out
- **Given** a user is the sole owner of an organization, **When** they request deletion, **Then** they are blocked until they transfer or delete the organization

Priority: P2 | **Phase:** Phase 2

US-012: Account Lockout & Unlock

Field	Details
Story ID	US-012

Field	Details
Epic	EPIC-01 — Authentication & Identity
Feature	Security
User Role	Authenticated User / Admin
Priority	P1
Phase	MVP

User Story:

As a user whose account has been locked due to too many failed login attempts, I want to receive an email with an unlock or password reset link, so that I can regain access to my account securely.

Acceptance Criteria:

- **Given** an account is locked, **When** the user submits a login attempt, **Then** a lockout message is displayed and an unlock email is sent
- **Given** a valid unlock link, **When** clicked within the expiry window, **Then** the account is unlocked and the user is prompted to log in
- **Given** an admin manually unlocks a user account, **When** confirmed, **Then** the account lock is removed and the user can log in

Priority: P1 | Phase: MVP

EPIC 2 — ORGANIZATION & WORKSPACE MANAGEMENT

US-013: Create Organization

Field	Details
Story ID	US-013
Epic	EPIC-02 — Organization & Workspace Management
Feature	Organization Creation
User Role	Authenticated Verified User
Priority	P0
Phase	MVP

User Story:

As a verified user, I want to create a new organization on the platform, so that I can set up an isolated workspace for my company's AI operations.

Business Value: Organization creation is the gateway to all platform functionality; enables multi-tenant onboarding.

Preconditions:

- User is authenticated and email-verified
- User is not at the maximum organization creation limit (per plan)

Main Flow:

1. User selects "Create Organization"
2. User provides: organization name, description (optional), industry (optional)
3. System validates the organization name and generates a unique slug
4. System creates the organization and assigns the creating user as Owner
5. System creates default organization settings with sensible defaults
6. User is taken to the organization onboarding flow (optional guided setup)

Alternate Flow:

- AF-1: User joins an existing organization via invitation instead of creating → Directed to invitation acceptance flow

Exception Flow:

- EF-1: Organization name contains prohibited characters or is a reserved word → Validation error displayed inline

Acceptance Criteria:

- **Given** a user provides a valid organization name, **When** submitted, **Then** the organization is created, the user is assigned as Owner, and they enter the organization dashboard
- **Given** the organization name generates a duplicate slug, **When** detected, **Then** the system suggests alternatives or auto-appends a unique suffix
- **Given** a user has reached their plan's organization limit, **When** they attempt to create another, **Then** they are shown an upgrade prompt

Validation Rules:

- Organization name: 2–100 characters, required
- Slug: alphanumeric + hyphens, unique across platform, auto-generated from name

Permission Requirements: Authenticated user (any verified user can create an organization)

Security Considerations: Organization slug must be validated to prevent path traversal or injection in URLs

Audit Requirements: Organization creation logged with creator identity and timestamp

Dependencies: IAM, Org service

US-014: Update Organization Settings

Field	Details
Story ID	US-014
Epic	EPIC-02 — Organization & Workspace Management
Feature	Organization Settings
User Role	Organization Owner / Admin
Priority	P1
Phase	MVP

User Story:

As an organization admin, I want to update my organization's name, description, logo, and settings, so that the organization's profile accurately represents our company.

Acceptance Criteria:

- **Given** an admin updates the organization name, **When** saved, **Then** the new name is reflected across all UI surfaces for that organization
- **Given** an admin uploads a logo, **When** saved, **Then** the logo is displayed in the navigation and organization profile
- **Given** a non-admin user attempts to access organization settings, **When** navigating to the page, **Then** they receive a 403 Forbidden response

Permission Requirements: Organization Owner or Admin role

Audit Requirements: All organization settings changes logged with the actor's identity

Priority: P1 | **Phase:** MVP

US-015: Invite Member to Organization

Field	Details
Story ID	US-015
Epic	EPIC-02 — Organization & Workspace Management
Feature	Member Invitations
User Role	Organization Admin / Owner
Priority	P0
Phase	MVP

User Story:

As an organization admin, I want to invite a user to join the organization by email, so that they can access the platform resources and collaborate on AI workflows.

Business Value: Enables team collaboration; drives user growth; critical for multi-user organizations.

Preconditions:

- Admin is authenticated and has the Admin or Owner role
- The email to be invited is not already a member

Main Flow:

1. Admin navigates to Organization → Members → Invite Member
2. Admin enters the invitee's email address and selects a role
3. System validates the email and checks it is not already a member or pending invitee
4. System creates a pending invitation record
5. System sends an invitation email to the invitee with an acceptance link
6. Pending invitation is listed in the Members section

Alternate Flow:

- AF-1: The invitee's email is already registered on the platform → They accept the invitation and are added to the organization with the specified role; they do not need to register again
- AF-2: The invitee's email is not yet registered → They register first, then accept the invitation

Exception Flow:

- EF-1: Invitee email is already a pending invitation for this org → Admin is informed of the duplicate; can resend the existing invitation

Acceptance Criteria:

- **Given** an admin invites a valid email with a specified role, **When** submitted, **Then** an invitation email is sent and the invitation appears as "Pending" in the member list
- **Given** the invitee clicks the invitation link within the validity period, **When** they accept, **Then** they are added to the organization with the specified role and the invitation status changes to "Accepted"
- **Given** the invitation link has expired (>72 hours), **When** clicked, **Then** an expiry message is shown and the invitee is prompted to contact the admin for a new invitation
- **Given** an admin revokes a pending invitation, **When** confirmed, **Then** the invitation link is invalidated and the invitation is removed from the list

Validation Rules:

- Email: valid format, not already a member, not a duplicate pending invitation

Permission Requirements: Organization Admin or Owner

Security Considerations: Invitation tokens must be cryptographically random and single-use; expiry enforced server-side

Audit Requirements: Invitation sent, accepted, revoked, and expired events logged

Dependencies: US-013, Email delivery service, IAM service

US-016: Accept Organization Invitation

Field	Details
Story ID	US-016
Epic	EPIC-02 — Organization & Workspace Management
Feature	Member Invitations
User Role	Invited User
Priority	P0
Phase	MVP

User Story:

As an invited user, I want to accept an organization invitation and join the team, so that I can collaborate on the organization's AI workflows and resources.

Acceptance Criteria:

- **Given** a valid, unexpired invitation link, **When** clicked by the correct email's owner, **Then** the user is added to the organization and redirected to the organization dashboard
- **Given** the invitation was sent to email A but is clicked by a user logged in with email B, **When** the link is clicked, **Then** the user is shown an error that the invitation is for a different email address
- **Given** an already-accepted invitation link, **When** clicked, **Then** the user is informed it has already been used and is offered a login link

Priority: P0 | **Phase:** MVP

US-017: Remove Member from Organization

Field	Details
Story ID	US-017
Epic	EPIC-02 — Organization & Workspace Management
Feature	Member Management
User Role	Organization Admin / Owner
Priority	P1
Phase	MVP

User Story:

As an organization admin, I want to remove a member from the organization, so that they no longer have access to the organization's resources.

Acceptance Criteria:

- **Given** an admin removes a member, **When** confirmed, **Then** the member's access to the organization is revoked immediately, their active sessions for that organization are invalidated, and their data contributions remain
- **Given** an admin attempts to remove the organization Owner, **When** confirmed, **Then** the action is blocked with a message that ownership must be transferred first
- **Given** the removed member has pending approval requests, **When** they are removed, **Then** those approval requests are reassigned or escalated per policy

Permission Requirements: Organization Admin or Owner; cannot remove Owner

Audit Requirements: Member removal logged with admin identity and timestamp

Priority: P1 | **Phase:** MVP

US-018: Transfer Organization Ownership

Field	Details
Story ID	US-018
Epic	EPIC-02 — Organization & Workspace Management
Feature	Organization Lifecycle
User Role	Organization Owner
Priority	P2
Phase	MVP

User Story:

As an organization owner, I want to transfer ownership of the organization to another member, so that someone else can take administrative responsibility.

Acceptance Criteria:

- **Given** an owner initiates ownership transfer to an active member, **When** confirmed with re-authentication, **Then** the new member becomes Owner and the current owner is downgraded to Admin
- **Given** the transfer target is not an active member, **When** submitted, **Then** the transfer is blocked and an error is shown

Security Considerations: Ownership transfer requires re-authentication (password or MFA confirmation)

Audit Requirements: Ownership transfer logged with both parties' identities

Priority: P2 | Phase: MVP

US-019: Delete Organization

Field	Details
Story ID	US-019
Epic	EPIC-02 — Organization & Workspace Management
Feature	Organization Lifecycle
User Role	Organization Owner
Priority	P2
Phase	Phase 2

User Story:

As an organization owner, I want to permanently delete the organization and all associated data, so that data is removed when the organization no longer needs the platform.

Acceptance Criteria:

- **Given** an owner initiates organization deletion, **When** they confirm with the organization name and re-authenticate, **Then** the organization is marked for deletion, all members lose access, and data is scheduled for purge within 30 days
- **Given** the organization has active running workflow executions, **When** deletion is initiated, **Then** the admin is warned and must cancel those runs before proceeding

Security Considerations: Requires explicit text confirmation and re-authentication; irreversible action

Audit Requirements: Organization deletion event logged

Priority: P2 | Phase: Phase 2

US-020: Create Workspace within Organization

Field	Details
Story ID	US-020
Epic	EPIC-02 — Organization & Workspace Management
Feature	Workspace Management
User Role	Organization Admin / Owner
Priority	P3

Field	Details
Phase	Phase 2

User Story:

As an organization admin, I want to create workspaces within the organization to group teams or projects, so that different departments can operate independently within the same organization.

Acceptance Criteria:

- **Given** an admin creates a workspace with a name, **When** submitted, **Then** the workspace is created within the organization and can be assigned to members
- **Given** a member is assigned to a workspace, **When** they access the platform, **Then** they can only see resources within their assigned workspaces

Priority: P3 | **Phase:** Phase 2

US-021: View Organization Dashboard

Field	Details
Story ID	US-021
Epic	EPIC-02 — Organization & Workspace Management
Feature	Organization Overview
User Role	Any Organization Member
Priority	P1
Phase	MVP

User Story:

As an organization member, I want to see an overview dashboard when I enter the organization, so that I have a clear picture of recent activity, key metrics, and pending actions.

Acceptance Criteria:

- **Given** a member enters the organization, **When** the dashboard loads, **Then** they see: recent workflow executions (filtered by their permissions), pending approval requests (if they are an approver), key metrics (success rate, recent failures), and quick navigation links
- **Given** an Analyst user views the dashboard, **When** they navigate to the workflow builder, **Then** they see a read-only view and cannot edit

Priority: P1 | **Phase:** MVP

US-022 – US-025: Additional Organization Stories (Summary)

Story ID	Title	Phase	Priority
US-022	Switch Between Organizations	MVP	P1
US-023	View Organization Member List	MVP	P1
US-024	Configure Organization AI Model Settings	MVP	P1
US-025	Configure Organization Session Policy	Phase 2	P2

EPIC 3 — USER & ROLE MANAGEMENT

US-026: View Members and Roles

Field	Details
Story ID	US-026
Epic	EPIC-03 — User & Role Management
Feature	Role Management
User Role	Organization Admin / Owner
Priority	P1
Phase	MVP

User Story:

As an organization admin, I want to view all members and their assigned roles, so that I can understand who has what access and identify any misconfigurations.

Acceptance Criteria:

- **Given** an admin navigates to Members, **When** the page loads, **Then** they see a list of all active members, pending invitations, and their roles; the list is searchable and filterable by role
- **Given** a non-admin member navigates to Members, **When** the page loads, **Then** they see a read-only list of members without role management controls

Priority: P1 | **Phase:** MVP

US-027: Change Member Role

Field	Details
Story ID	US-027
Epic	EPIC-03 — User & Role Management
Feature	Role Assignment
User Role	Organization Admin / Owner
Priority	P1
Phase	MVP

User Story:

As an organization admin, I want to change a member's role within the organization, so that their access permissions reflect their current responsibilities.

Acceptance Criteria:

- **Given** an admin changes a member's role from Analyst to Workflow Manager, **When** saved, **Then** the member immediately gains Workflow Manager permissions and loses Analyst-only restrictions
- **Given** an admin attempts to change the Owner's role, **When** they try to reassign, **Then** the action is blocked; ownership transfer must be used instead
- **Given** a member's role is demoted, **When** the role change is saved, **Then** any active sessions are updated to reflect the new permissions at next token refresh

Audit Requirements: Role change event logged with old role, new role, admin identity, and timestamp

Priority: P1 | **Phase:** MVP

US-028 – US-035: Additional Role & User Stories (Summary)

Story ID	Title	Phase	Priority
US-028	Deactivate a Member Account	MVP	P1
US-029	Reactivate a Member Account	Phase 2	P2
US-030	Bulk Invite Members	Phase 2	P2
US-031	View My Role and Permissions	MVP	P1
US-032	Custom Role Definition	Phase 3	P3
US-033	Role-Based Feature Visibility	MVP	P0
US-034	Enforce MFA for Org Members (Admin Policy)	Phase 2	P2

Story ID	Title	Phase	Priority
US-035	View User Activity Audit Trail	MVP	P1

EPIC 4 — AI AGENT MANAGEMENT

US-036: Create AI Agent

Field	Details
Story ID	US-036
Epic	EPIC-04 — AI Agent Management
Feature	Agent Creation
User Role	Agent Builder / Workflow Manager / Admin
Priority	P0
Phase	MVP

User Story:

As an agent builder, I want to create a new AI agent with a name, purpose, and system instructions, so that I can configure an intelligent agent that will perform specific business tasks.

Business Value: Agent creation is the foundational capability of the platform's AI workforce.

Preconditions:

- User has Agent Builder, Workflow Manager, or Admin role
- At least one AI model is configured for the organization

Main Flow:

1. User navigates to Agents → Create Agent
2. User provides: name, description, purpose statement, system instructions
3. User selects the AI model provider and model
4. User configures model parameters (temperature, max tokens, etc.)
5. User selects which tools the agent is permitted to use
6. User selects which knowledge collections the agent can access
7. User configures memory strategy and execution budget
8. User sets the agent's risk profile
9. System validates the configuration
10. Agent is created in Draft state

Alternate Flow:

- AF-1: No AI models configured → User is prompted to configure an AI model in Organization Settings first

Exception Flow:

- EF-1: System instructions exceed the model’s context limit → Validation error displayed with instructions to shorten

Acceptance Criteria:

- **Given** a user provides valid agent configuration, **When** submitted, **Then** the agent is created in Draft state with all configurations saved
- **Given** the selected model is unavailable, **When** the configuration is submitted, **Then** a warning is shown but the agent is still created; availability will be checked at execution time
- **Given** no knowledge collections are selected, **When** saved, **Then** the agent is created without RAG access, which is clearly indicated in the configuration
- **Given** no tools are selected, **When** saved, **Then** the agent operates in text-only mode, clearly indicated

Validation Rules:

- Name: 2–100 characters, required
- System instructions: required, ≤ model’s context limit
- At least one AI model must be configured in the organization

Permission Requirements: Agent Builder, Workflow Manager, or Admin role

Security Considerations: System instructions must be validated against injection patterns; stored securely

Audit Requirements: Agent creation logged with creator identity, agent ID, and model selection

Dependencies: AI model configuration (US-024), Tool Registry (US-083), Knowledge Collections (US-056)

US-037: Configure Agent Tool Permissions

Field	Details
Story ID	US-037
Epic	EPIC-04 — AI Agent Management
Feature	Agent Configuration
User Role	Agent Builder / Admin
Priority	P0
Phase	MVP

User Story:

As an agent builder, I want to explicitly configure which tools an agent is permitted to invoke, so that the agent's capabilities are scoped and it cannot perform unauthorized actions.

Acceptance Criteria:

- **Given** an agent is configured with Tool A and Tool B only, **When** the agent attempts to call Tool C, **Then** the call is blocked by the orchestration engine and an error is added to the execution trace
- **Given** an admin adds a new tool to the registry, **When** the agent configuration is viewed, **Then** the new tool appears in the “available tools” list as unselected; no implicit access is granted

Permission Requirements: Agent Builder or Admin

Audit Requirements: Tool permission changes to an agent logged

Priority: P0 | Phase: MVP

US-038: Configure Agent Knowledge Access

Field	Details
Story ID	US-038
Epic	EPIC-04 — AI Agent Management
Feature	Agent Configuration
User Role	Agent Builder / Admin
Priority	P0
Phase	MVP

User Story:

As an agent builder, I want to specify which knowledge collections an agent can query, so that the agent accesses only the information relevant to its purpose and within data access boundaries.

Acceptance Criteria:

- **Given** an agent is granted access to Knowledge Collection A only, **When** executing, **Then** all RAG queries are limited to Collection A; queries against Collection B return no results
- **Given** a knowledge collection is deleted, **When** the agent configuration is viewed, **Then** the deleted collection is removed from the agent's access list and the agent's behavior is updated accordingly

Priority: P0 | Phase: MVP

US-039: Test Agent in Sandbox

Field	Details
Story ID	US-039
Epic	EPIC-04 — AI Agent Management
Feature	Agent Testing
User Role	Agent Builder / Workflow Manager / Admin
Priority	P1
Phase	MVP

User Story:

As an agent builder, I want to run a test execution of an agent using a sample input in a sandboxed environment, so that I can verify the agent's behavior, reasoning, and outputs before publishing it for production use.

Business Value: Enables safe iteration and quality assurance before deploying AI agents to production workflows.

Preconditions:

- Agent exists in Draft or Testing state
- User has Agent Builder or higher role

Main Flow:

1. User navigates to the agent detail page
2. User selects "Test Agent"
3. User enters a test input message or scenario
4. System transitions the agent to Testing state (if in Draft)
5. System executes the agent in sandbox mode (production tools may be mocked)
6. System displays: agent reasoning trace, tool calls attempted (mocked or real), knowledge retrieved, and final output
7. User reviews the test results

Alternate Flow:

- AF-1: User configures test to use real tools (opted in) → Tools execute against real endpoints in test mode

Exception Flow:

- EF-1: Agent exceeds execution budget during test → Test fails with budget exceeded error; trace shows where budget was exhausted

Acceptance Criteria:

- **Given** a user provides a test input, **When** the test executes, **Then** a full reasoning trace is displayed including: system prompt, user input, tool calls, knowledge retrievals, and final answer

- **Given** sandbox mode is active, **When** the agent calls a tool, **Then** the tool call is mocked by default and marked as [SANDBOXED] in the trace
- **Given** the test uses real tools (opted in), **When** the agent executes, **Then** real tool calls are made and results are actual; this is clearly indicated
- **Given** the agent produces an output, **When** the test completes, **Then** the user can rate the output quality and add notes

Permission Requirements: Agent Builder, Workflow Manager, or Admin

Audit Requirements: Test execution events logged (distinct from production runs)

Dependencies: US-036, Orchestration engine, Tool registry

US-040: Publish Agent

Field	Details
Story ID	US-040
Epic	EPIC-04 — AI Agent Management
Feature	Agent Lifecycle
User Role	Workflow Manager / Admin
Priority	P0
Phase	MVP

User Story:

As a workflow manager, I want to publish an agent after review and testing, so that it can be used in production workflows.

Acceptance Criteria:

- **Given** an agent is in Testing state and all validations pass, **When** published by an authorized user, **Then** the agent transitions to Published state and becomes selectable in the workflow builder
- **Given** an agent in Draft state is published without testing, **When** the publish action is triggered, **Then** the system warns that testing has not been completed but allows publishing if the user confirms
- **Given** a Member (non-manager) attempts to publish an agent, **When** they access the publish control, **Then** they see the option disabled or hidden based on their role

Permission Requirements: Workflow Manager or Admin (cannot be Agent Builder alone)

Audit Requirements: Agent publication event logged with publisher identity and timestamp

Priority: P0 | **Phase:** MVP

US-041: Deprecate / Archive Agent

Field	Details
Story ID	US-041
Epic	EPIC-04 — AI Agent Management
Feature	Agent Lifecycle
User Role	Workflow Manager / Admin
Priority	P1
Phase	MVP

User Story:

As a workflow manager, I want to deprecate an agent so that no new workflows use it while existing workflows continue, and later archive it when it is fully retired.

Acceptance Criteria:

- **Given** an agent is deprecated, **When** a user tries to add the agent to a new workflow, **Then** it does not appear in the selectable agent list and a “deprecated” badge is shown on the agent detail page
- **Given** a deprecated agent is used in an existing published workflow, **When** that workflow executes, **Then** the agent continues to function normally
- **Given** an agent is archived, **When** viewing the agent list, **Then** the archived agent is hidden by default but accessible via “show archived” filter

Priority: P1 | Phase: MVP

US-042 – US-055: Additional Agent Stories (Summary)

Story ID	Title	Phase	Priority
US-042	View Agent Execution History	MVP	P1
US-043	Update Agent Configuration	MVP	P1
US-044	Configure Agent Memory Strategy	MVP	P1
US-045	Set Agent Execution Budget	MVP	P0
US-046	Set Agent Risk Profile	MVP	P0
US-047	View Agent List	MVP	P1
US-048	Duplicate Agent Configuration	Phase 2	P2
US-049	Create Agent Version (versioning)	Phase 2	P2

Story ID	Title	Phase	Priority
US-050	View Agent Version History	Phase 2	P2
US-051	Roll Back to Previous Agent Version	Phase 2	P2
US-052	Configure Agent Output Format	MVP	P2
US-053	View Agent Detail Page	MVP	P1
US-054	Delete Agent (Draft only)	MVP	P2
US-055	Search and Filter Agent List	Phase 2	P2

EPIC 5 — KNOWLEDGE MANAGEMENT

US-056: Create Knowledge Collection

Field	Details
Story ID	US-056
Epic	EPIC-05 — Knowledge Management
Feature	Knowledge Organization
User Role	Agent Builder / Workflow Manager / Admin
Priority	P0
Phase	MVP

User Story:

As an agent builder, I want to create a named knowledge collection, so that I can organize related documents and control which agents can access them.

Acceptance Criteria:

- **Given** a user creates a knowledge collection with a name and description, **When** submitted, **Then** the collection is created and appears in the knowledge management section
- **Given** a collection is created, **When** an agent is configured, **Then** the collection appears as an option in the agent's knowledge access settings
- **Given** no access permissions are configured on a collection, **When** an agent attempts to query it, **Then** access is denied by default

Permission Requirements: Agent Builder, Workflow Manager, or Admin

Audit Requirements: Collection creation logged

Priority: P0 | Phase: MVP

US-057: Upload Document to Knowledge Collection

Field	Details
Story ID	US-057
Epic	EPIC-05 — Knowledge Management
Feature	Document Ingestion
User Role	Agent Builder / Workflow Manager / Admin
Priority	P0
Phase	MVP

User Story:

As an agent builder, I want to upload documents (PDF, DOCX, TXT, MD) to a knowledge collection, so that AI agents can retrieve relevant content from those documents during workflow execution.

Business Value: Documents represent the organization’s proprietary knowledge; uploading them enables grounded, accurate AI responses.

Preconditions:

- User has permission to manage the target knowledge collection
- File meets format and size requirements

Main Flow:

1. User navigates to the Knowledge Collection
2. User selects “Upload Document”
3. User selects one or more files from their device
4. System validates file format and size
5. System uploads the file to secure storage
6. System queues the document for the asynchronous ingestion pipeline
7. Document appears in the collection with status “Pending”
8. Ingestion pipeline processes the document (extract, chunk, embed, index)
9. Status updates to “Indexed” upon successful completion
10. User receives an in-app notification upon completion or failure

Alternate Flow:

- AF-1: User uploads multiple files simultaneously → Each file is processed independently; individual statuses are shown

Exception Flow:

- EF-1: File format is unsupported → Validation error shown; file is rejected before upload
- EF-2: File exceeds size limit → Validation error shown with the limit
- EF-3: Ingestion pipeline fails → Status set to "Failed" with error details; retry option offered

Acceptance Criteria:

- **Given** a user uploads a valid PDF, **When** the upload completes, **Then** the document appears with "Pending" status and begins ingestion
- **Given** ingestion completes successfully, **When** the status updates, **Then** the document status shows "Indexed" and the agent can retrieve content from it
- **Given** ingestion fails, **When** the failure is detected, **Then** the status shows "Failed" with a human-readable error message and a "Retry Ingestion" button
- **Given** a user uploads a file type not in the supported list, **When** they attempt to submit, **Then** validation blocks the upload and shows supported formats

Validation Rules:

- Supported formats: PDF, DOCX, TXT, MD, HTML
- Maximum file size: configurable per plan (default 50MB per file)
- File name: no special characters that could cause path traversal

Permission Requirements: Manage Knowledge Collection permission

Security Considerations: Files must be scanned for malware before ingestion; file names sanitized; no executable files permitted

Audit Requirements: Document upload, ingestion start, ingestion success/failure logged

Dependencies: US-056, File storage service, Ingestion pipeline

US-058: View Document Ingestion Status

Field	Details
Story ID	US-058
Epic	EPIC-05 — Knowledge Management
Feature	Document Ingestion
User Role	Agent Builder / Admin
Priority	P1
Phase	MVP

User Story:

As an agent builder, I want to view the ingestion status of all documents in a knowledge collection, so that I know which documents are ready for use and which need attention.

Acceptance Criteria:

- **Given** a user views a knowledge collection, **When** the page loads, **Then** each document shows its current status (Pending, Processing, Indexed, Failed) with last updated timestamp
- **Given** a document shows "Failed" status, **When** the user clicks on it, **Then** they see a description of the error and available remediation options (retry, delete, re-upload)

Priority: P1 | **Phase:** MVP

US-059: Retry Failed Document Ingestion

Field	Details
Story ID	US-059
Epic	EPIC-05 — Knowledge Management
Feature	Document Lifecycle
User Role	Agent Builder / Admin
Priority	P1
Phase	MVP

User Story:

As an agent builder, I want to retry ingestion of a failed document, so that I can recover without needing to re-upload the original file.

Acceptance Criteria:

- **Given** a document is in "Failed" state, **When** the user clicks "Retry Ingestion," **Then** the document is queued for ingestion and the status resets to "Pending"
- **Given** the retry also fails, **When** the second failure occurs, **Then** the status returns to "Failed" with updated error details

Priority: P1 | **Phase:** MVP

US-060: Delete Document from Knowledge Collection

Field	Details
Story ID	US-060
Epic	EPIC-05 — Knowledge Management
Feature	Document Lifecycle
User Role	Agent Builder / Admin

Field	Details
Priority	P1
Phase	MVP

User Story:

As an agent builder, I want to delete a document from a knowledge collection, so that outdated or incorrect information is not retrieved by AI agents.

Acceptance Criteria:

- **Given** a user deletes an indexed document, **When** confirmed, **Then** the document is de-indexed from the vector store before deletion is confirmed; a confirmation message is shown
- **Given** a document is de-indexed, **When** an agent subsequently queries the knowledge collection, **Then** the deleted document’s content is not returned in any retrieval results
- **Given** deletion fails during the de-indexing step, **When** the failure occurs, **Then** the document remains in its current state and the user is notified of the failure to de-index

Security Considerations: Deletion must be confirmed by the user; irreversible in terms of the file (unless backups exist)

Audit Requirements: Document deletion event logged with actor identity and document metadata

Priority: P1 | **Phase:** MVP

US-061 – US-072: Additional Knowledge Stories (Summary)

Story ID	Title	Phase	Priority
US-061	Add Knowledge from URL	Phase 2	P2
US-062	Add Knowledge from Plain Text	MVP	P2
US-063	Add Document Metadata and Tags	MVP	P2
US-064	Update Document (Re-upload New Version)	Phase 2	P2
US-065	Re-index Knowledge Collection	Phase 2	P2
US-066	Configure Knowledge Collection Access	MVP	P1
US-067	View Knowledge Collection List	MVP	P1
US-068	Search Documents within Collection	Phase 2	P2
US-069	View Document Preview and Chunks	Phase 2	P2
US-070	Delete Knowledge Collection	Phase 2	P2
US-071	Export Knowledge Collection Metadata	Phase 3	P3

Story ID	Title	Phase	Priority
US-072	Classify Knowledge Collection (Data Classification)	Phase 3	P3

EPIC 6 — RAG

US-073: Agent Retrieves Context During Execution

Field	Details
Story ID	US-073
Epic	EPIC-06 — RAG
Feature	RAG Retrieval
User Role	System (Agent)
Priority	P0
Phase	MVP

User Story:

As an AI agent executing a workflow task, I want to automatically retrieve relevant context from permitted knowledge collections, so that my responses are grounded in organizational knowledge rather than relying solely on model training data.

Business Value: Grounds AI responses in organizational knowledge; reduces hallucination; enables proprietary knowledge leverage.

Preconditions:

- Agent has access to at least one indexed knowledge collection
- A RAG node or RAG-enabled agent node is included in the workflow

Main Flow:

1. During agent execution, the agent formulates a retrieval query based on the task context
2. The RAG engine queries the permitted knowledge collections using semantic similarity
3. The engine returns the top-K most relevant chunks with their source attribution
4. Retrieved chunks are injected into the agent's context
5. The agent generates a response informed by the retrieved context
6. Retrieved chunks and their sources are logged in the execution trace

Acceptance Criteria:

- **Given** an agent executes with a query relevant to an indexed document, **When** RAG retrieval runs, **Then** relevant document chunks are returned and included in the agent's context
- **Given** the agent has no permission to access a knowledge collection, **When** a query is attempted against it, **Then** the collection is excluded from retrieval and the access attempt is logged
- **Given** no relevant content is found above the similarity threshold, **When** retrieval completes, **Then** the agent receives an empty retrieval result and proceeds without hallucinating retrieved content
- **Given** retrieval succeeds, **When** the execution trace is viewed, **Then** the retrieved chunks with document name, section, and similarity score are visible

Permission Requirements: Agent-level knowledge access permissions enforced by orchestration engine

Security Considerations: Retrieval must be strictly scoped to agent-permitted collections; no cross-tenant retrieval possible

Audit Requirements: RAG retrieval events logged per agent execution step

Dependencies: US-056, US-057, US-036, Vector store integration

US-074: Configure RAG Node in Workflow

Field	Details
Story ID	US-074
Epic	EPIC-06 — RAG
Feature	RAG Workflow Integration
User Role	Workflow Manager / Agent Builder
Priority	P1
Phase	MVP

User Story:

As a workflow manager, I want to add a RAG Retrieval node to a workflow, so that I can explicitly control when and how knowledge is retrieved and passed to downstream nodes.

Acceptance Criteria:

- **Given** a RAG node is added to a workflow, **When** configured, **Then** the user can specify: target knowledge collection(s), retrieval query (static or dynamic from workflow input), top-K, and similarity threshold
- **Given** a workflow with a RAG node executes, **When** the RAG node runs, **Then** the retrieved content is passed as output to the next node in the workflow graph

Priority: P1 | **Phase:** MVP

US-075: View Retrieved Citations in Execution Trace

Field	Details
Story ID	US-075
Epic	EPIC-06 — RAG
Feature	RAG Observability
User Role	Agent Builder / Analyst / Admin
Priority	P1
Phase	MVP

User Story:

As an analyst reviewing an agent's execution, I want to see exactly which document chunks were retrieved and used in the agent's response, so that I can verify the grounding and identify any knowledge gaps.

Acceptance Criteria:

- **Given** an agent execution trace is viewed, **When** navigating to the RAG step, **Then** the user sees: the retrieval query, retrieved chunks with similarity scores, source document names, page/section references, and whether each chunk was used in the final response
- **Given** the response cites a fact, **When** the user traces it, **Then** they can link it back to the specific chunk and source document

Priority: P1 | Phase: MVP

US-076 – US-082: Additional RAG Stories (Summary)

Story ID	Title	Phase	Priority
US-076	Configure Retrieval Parameters (Top-K, Threshold)	MVP	P1
US-077	Hybrid Retrieval (Semantic + Keyword)	Phase 2	P2
US-078	Test Knowledge Collection with a Query	MVP	P2
US-079	Evaluate RAG Retrieval Quality	Phase 2	P2
US-080	View RAG Usage Metrics per Collection	Phase 2	P2
US-081	Re-rank Retrieval Results	Phase 3	P3
US-082	Multi-Collection Retrieval with Priority	Phase 2	P2

EPIC 7 — TOOLS & INTEGRATIONS

US-083: View Tool Registry

Field	Details
Story ID	US-083
Epic	EPIC-07 — Tools & Integrations
Feature	Tool Registry
User Role	Agent Builder / Workflow Manager / Admin
Priority	P1
Phase	MVP

User Story:

As an agent builder, I want to browse the organization's tool registry, so that I can see which tools are available and select the right ones for my agent.

Acceptance Criteria:

- **Given** a user navigates to the Tool Registry, **When** the page loads, **Then** they see a list of all registered tools with: name, description, category, risk level, and availability status
- **Given** the user filters by category "Email," **When** the filter is applied, **Then** only email-category tools are shown

Priority: P1 | **Phase:** MVP

US-084: Configure HTTP/REST Tool

Field	Details
Story ID	US-084
Epic	EPIC-07 — Tools & Integrations
Feature	Built-in Tools
User Role	Admin
Priority	P0
Phase	MVP

User Story:

As an organization admin, I want to configure an HTTP/REST API tool with an endpoint URL, authentication, and request schema, so that AI agents can make calls to our external APIs as part of workflow execution.

Acceptance Criteria:

- **Given** an admin configures an HTTP tool with a URL, method, headers, and auth credentials, **When** saved, **Then** the tool appears in the registry and is selectable for agent assignment
- **Given** the configured endpoint returns an error during a test call, **When** the test is run, **Then** the error response is displayed and the tool is saved but marked as "health unknown"

Permission Requirements: Admin role

Audit Requirements: Tool configuration changes logged

Priority: P0 | Phase: MVP

US-085: Store API Credential Securely

Field	Details
Story ID	US-085
Epic	EPIC-07 — Tools & Integrations
Feature	Credential Management
User Role	Admin
Priority	P0
Phase	MVP

User Story:

As an organization admin, I want to store an API credential (API key, OAuth token, secret) in the platform's secure vault, so that AI agents can use these credentials in tool calls without the credentials being exposed to users.

Business Value: Enables secure, centralized credential management; eliminates hardcoded credentials in workflows.

Acceptance Criteria:

- **Given** an admin adds an API credential, **When** saved, **Then** the credential is encrypted and stored; only the last 4 characters of the key are shown in the UI
- **Given** a credential is stored, **When** a user tries to view the full value, **Then** the full value is never returned; they can only test or rotate it
- **Given** a credential is used by an agent tool call, **When** the execution trace is viewed, **Then** the credential value is masked in all logs

Permission Requirements: Admin role

Security Considerations: Credentials encrypted at rest; access to credentials for tool invocation is system-internal only; access logged

Audit Requirements: Credential creation, update, deletion, and usage events logged

Priority: P0 | **Phase:** MVP

US-086: Configure Tool Retry Policy

Field	Details
Story ID	US-086
Epic	EPIC-07 — Tools & Integrations
Feature	Tool Execution Policy
User Role	Admin
Priority	P1
Phase	MVP

User Story:

As an organization admin, I want to configure a retry policy for a tool (max retries, backoff strategy), so that transient failures in external API calls are handled automatically without failing the workflow.

Acceptance Criteria:

- **Given** a tool has a retry policy of max 3 attempts with exponential backoff, **When** the tool call returns a 429 or 503 error, **Then** the system retries up to 3 times with increasing delay before failing the step
- **Given** the tool call returns a 400 or 403 error (non-retryable), **When** the error occurs, **Then** the step fails immediately without retrying

Priority: P1 | **Phase:** MVP

US-087 – US-097: Additional Tool & Integration Stories (Summary)

Story ID	Title	Phase	Priority
US-087	Configure Email Tool	MVP	P1
US-088	Test Tool Configuration	MVP	P1
US-089	Assign Tool Risk Level	MVP	P0
US-090	View Tool Execution History	MVP	P1

Story ID	Title	Phase	Priority
US-091	Revoke API Credential	MVP	P1
US-092	Rotate API Credential	Phase 2	P2
US-093	Connect OAuth Integration (CRM, ticketing)	Phase 2	P2
US-094	Register Custom Tool via REST API Spec	Phase 2	P2
US-095	Configure Tool Rate Limits	Phase 2	P2
US-096	View Tool Health Status	Phase 2	P2
US-097	Deactivate Tool	MVP	P1

EPIC 8 — WORKFLOW BUILDER

US-098: Create New Workflow

Field	Details
Story ID	US-098
Epic	EPIC-08 — Workflow Builder
Feature	Workflow Creation
User Role	Workflow Manager / Admin
Priority	P0
Phase	MVP

User Story:

As a workflow manager, I want to create a new workflow with a name and description, so that I can begin building an automation for a business process.

Acceptance Criteria:

- **Given** a user provides a workflow name, **When** submitted, **Then** a new workflow is created in Draft state and the user is taken to the visual workflow builder
- **Given** a workflow name is not provided, **When** submitted, **Then** a validation error is shown

Priority: P0 | **Phase:** MVP

US-099: Add Node to Workflow Canvas

Field	Details
Story ID	US-099
Epic	EPIC-08 — Workflow Builder
Feature	Visual Workflow Builder
User Role	Workflow Manager / Admin
Priority	P0
Phase	MVP

User Story:

As a workflow manager, I want to drag and drop nodes onto the workflow canvas, so that I can visually construct the automation flow.

Business Value: Enables non-technical users to build complex AI automations without coding.

Acceptance Criteria:

- **Given** a user drags an “AI Agent Node” from the node palette, **When** dropped on the canvas, **Then** the node appears on the canvas and a configuration panel opens
- **Given** multiple nodes are on the canvas, **When** the user draws a connection from node A to node B, **Then** an edge is created representing the flow
- **Given** a node is double-clicked, **When** the action completes, **Then** the node’s configuration panel opens
- **Given** a node is deleted from the canvas, **When** confirmed, **Then** all edges connected to that node are also removed

Priority: P0 | **Phase:** MVP

US-100: Configure AI Agent Node

Field	Details
Story ID	US-100
Epic	EPIC-08 — Workflow Builder
Feature	Node Configuration
User Role	Workflow Manager / Admin
Priority	P0
Phase	MVP

User Story:

As a workflow manager, I want to configure an AI Agent Node by selecting a published agent and defining its input, so that the workflow knows which agent to invoke and what to send it.

Acceptance Criteria:

- **Given** an AI Agent Node is added to the canvas, **When** the configuration panel opens, **Then** the user can select from published agents, map workflow data to the agent's input, and configure output mapping
- **Given** a deprecated agent is not shown in the list, **When** the user searches, **Then** deprecated agents are hidden unless "show deprecated" is checked
- **Given** no published agents exist, **When** the user opens the AI Agent Node configuration, **Then** a message prompts them to publish an agent first

Priority: P0 | **Phase:** MVP

US-101: Configure Human Approval Node

Field	Details
Story ID	US-101
Epic	EPIC-08 — Workflow Builder
Feature	Node Configuration
User Role	Workflow Manager / Admin
Priority	P0
Phase	MVP

User Story:

As a workflow manager, I want to add a Human Approval Node and configure the approvers and timeout policy, so that the workflow pauses at the right point and routes to the right people for approval.

Acceptance Criteria:

- **Given** a Human Approval Node is configured, **When** the workflow reaches that node during execution, **Then** the workflow pauses, an approval request is created, and the configured approvers are notified
- **Given** no approver roles are configured on the node, **When** the workflow is published, **Then** a validation error is shown requiring at least one approver role or user to be configured

Priority: P0 | **Phase:** MVP

US-102: Configure Condition Node

Field	Details
Story ID	US-102
Epic	EPIC-08 — Workflow Builder
Feature	Node Configuration
User Role	Workflow Manager / Admin
Priority	P1
Phase	MVP

User Story:

As a workflow manager, I want to add a Condition Node with branching logic, so that the workflow can take different paths based on data or AI output values.

Acceptance Criteria:

- **Given** a Condition Node is configured with an expression (e.g., `{output.confidence} > 0.8`), **When** the workflow executes and the condition evaluates to true, **Then** the “true” branch is followed
- **Given** the condition evaluates to false, **When** execution continues, **Then** the “false” branch is followed
- **Given** the condition expression references a field that does not exist in the workflow data, **When** evaluated, **Then** the step fails with a descriptive error identifying the missing field

Priority: P1 | **Phase:** MVP

US-103: Configure Trigger for Workflow

Field	Details
Story ID	US-103
Epic	EPIC-08 — Workflow Builder
Feature	Workflow Triggers
User Role	Workflow Manager / Admin
Priority	P0
Phase	MVP

User Story:

As a workflow manager, I want to configure how a workflow is triggered (manually, on a schedule, or via webhook), so that the workflow starts at the right time and with the right inputs.

Acceptance Criteria:

- **Given** a Manual Trigger is selected, **When** the workflow is published, **Then** authorized users can start the workflow from the UI with optional input parameters
- **Given** a Scheduled Trigger is configured with a cron expression, **When** the schedule fires, **Then** the workflow is automatically started
- **Given** a Webhook Trigger is configured, **When** an external system sends a POST to the workflow’s webhook URL, **Then** the workflow is started with the webhook payload as input
- **Given** the workflow is Disabled, **When** the scheduled trigger fires, **Then** the execution is skipped and a log entry is created

Priority: P0 | Phase: MVP

US-104: Validate and Publish Workflow

Field	Details
Story ID	US-104
Epic	EPIC-08 — Workflow Builder
Feature	Workflow Lifecycle
User Role	Workflow Manager / Admin
Priority	P0
Phase	MVP

User Story:

As a workflow manager, I want the system to validate my workflow before I publish it, so that I can catch structural errors before the workflow goes live.

Acceptance Criteria:

- **Given** a workflow has an AI Agent Node referencing an unpublished agent, **When** the user attempts to publish, **Then** a validation error is shown listing the specific issue
- **Given** a workflow has an orphaned node (no incoming or outgoing connections), **When** validation runs, **Then** an error is highlighted on the orphaned node
- **Given** all validation checks pass, **When** the user publishes, **Then** the workflow transitions to Published state and is available for execution

Priority: P0 | Phase: MVP

US-105 – US-117: Additional Workflow Builder Stories (Summary)

Story ID	Title	Phase	Priority
US-105	Disable / Re-enable Workflow	MVP	P1
US-106	View Workflow List	MVP	P1
US-107	Undo / Redo in Workflow Builder	MVP	P1
US-108	Copy and Paste Nodes	Phase 2	P2
US-109	Delete Workflow (Draft only)	MVP	P2
US-110	Archive Workflow	Phase 2	P2
US-111	Configure Tool Node	MVP	P1
US-112	Configure Notification Node	MVP	P1
US-113	Configure Transform / Mapping Node	MVP	P2
US-114	Add Sub-Workflow Node	Phase 2	P2
US-115	Add Loop Node	Phase 2	P2
US-116	Workflow Version History	Phase 2	P2
US-117	Duplicate Workflow	Phase 2	P2

EPIC 9 — AGENTIC ORCHESTRATION

US-118: Agent Executes Multi-Step Reasoning

Field	Details
Story ID	US-118
Epic	EPIC-09 — Agentic Orchestration
Feature	Multi-Step Agent Execution
User Role	System (Orchestration Engine)
Priority	P0
Phase	MVP

User Story:

As the orchestration engine, I need to support an AI agent executing multiple reasoning steps (plan → tool call → observe → reason → respond), so that complex tasks requiring tool use and knowledge retrieval can be completed autonomously.

Acceptance Criteria:

- **Given** an agent is tasked with a complex query, **When** it determines a tool call is needed, **Then** the engine executes the permitted tool, returns the result to the agent, and continues reasoning
- **Given** an agent reaches its maximum step budget, **When** the limit is hit, **Then** execution stops with a budget exceeded error; partial trace is preserved
- **Given** an agent is in an infinite loop (same tool being called repeatedly with same args), **When** the loop is detected, **Then** execution is halted and an error is generated

Priority: P0 | Phase: MVP

US-119: Enforce Agent Tool Permission at Runtime

Field	Details
Story ID	US-119
Epic	EPIC-09 — Agentic Orchestration
Feature	Safe Autonomy
User Role	System (Orchestration Engine)
Priority	P0
Phase	MVP

User Story:

As the orchestration engine, I need to enforce tool permissions at runtime, so that an agent cannot invoke a tool it is not explicitly permitted to use, even if the AI model suggests it.

Acceptance Criteria:

- **Given** an agent is configured with tools [A, B] but the model decides to call tool C, **When** the tool call is intercepted, **Then** the call is blocked, an error is added to the trace, and the agent is informed of the constraint
- **Given** an agent calls a High-risk tool, **When** no approved Human Approval record exists for this execution step, **Then** the call is blocked and routed to the Human Approval queue

Priority: P0 | Phase: MVP

US-120: Risk-Based Action Classification

Field	Details
Story ID	US-120
Epic	EPIC-09 — Agentic Orchestration
Feature	Safe Autonomy
User Role	System (Orchestration Engine) / Admin
Priority	P0
Phase	MVP

User Story:

As the orchestration engine, I need to classify each intended agent action against the organization's risk policy before execution, so that high-risk or irreversible actions are never executed without appropriate authorization.

Acceptance Criteria:

- **Given** a tool is classified as "High" risk, **When** an agent plans to invoke it, **Then** the engine pauses execution, creates an approval request, and waits for approval before proceeding
- **Given** a tool is classified as "Low" risk, **When** an agent plans to invoke it, **Then** the engine executes the tool autonomously without requiring approval
- **Given** organization policy maps "Critical" risk to "Blocked," **When** an agent plans to invoke a Critical-risk tool, **Then** the invocation is blocked and the workflow fails with an appropriate error message

Priority: P0 | Phase: MVP

US-121 – US-128: Additional Orchestration Stories (Summary)

Story ID	Title	Phase	Priority
US-121	Enforce Agent Execution Budget	MVP	P0
US-122	Manage Agent Context Window	MVP	P1
US-123	Capture Agent Reasoning Trace	MVP	P0
US-124	Handle AI Model API Failure Gracefully	MVP	P0
US-125	Agent-to-Agent Handoff	Phase 2	P2
US-126	Agent Dry-Run Mode	Phase 2	P2
US-127	Detect and Handle Prompt Injection Attempt	Phase 2	P2
US-128	Handle AI Model Timeout and Retry	MVP	P1

EPIC 10 — HUMAN-IN-THE-LOOP

US-129: View Approval Queue

Field	Details
Story ID	US-129
Epic	EPIC-10 — Human-in-the-Loop
Feature	Approval Queue
User Role	Approver
Priority	P0
Phase	MVP

User Story:

As an approver, I want to view all pending approval requests assigned to me, so that I can review and act on them promptly to keep workflows moving.

Business Value: Enables human oversight of AI actions; critical for safe production deployment of AI agents.

Preconditions:

- User has the Approver role (or Admin/Workflow Manager with approval rights)
- At least one approval request is pending for this user

Main Flow:

1. User navigates to Approvals → My Queue
2. System displays all pending approval requests assigned to the user, sorted by creation time
3. User can see for each request: workflow name, agent name, the action awaiting approval, context summary, time remaining before timeout
4. User clicks into a specific request to view full details

Acceptance Criteria:

- **Given** an approver navigates to the approval queue, **When** the page loads, **Then** they see all pending requests assigned to them with key context information
- **Given** a request’s timeout is approaching (< 1 hour), **When** displayed in the queue, **Then** it is visually highlighted as urgent
- **Given** a request has timed out, **When** it appears in the queue, **Then** it is marked as “Timed Out” and no longer actionable

Permission Requirements: Approver, Workflow Manager, or Admin role

Priority: P0 | Phase: MVP

US-130: Approve an Action Request

Field	Details
Story ID	US-130
Epic	EPIC-10 — Human-in-the-Loop
Feature	Approval Actions
User Role	Approver
Priority	P0
Phase	MVP

User Story:

As an approver, I want to approve a pending action request, so that the paused workflow can resume and the AI agent can proceed with the approved action.

Acceptance Criteria:

- **Given** an approver reviews a pending request and clicks “Approve,” **When** confirmed, **Then** the approval is recorded, the workflow resumes from the paused state, and the approver receives a confirmation
- **Given** the workflow has been cancelled externally before approval, **When** the approver attempts to approve, **Then** they see a message that the workflow is no longer active and the approval is void
- **Given** an approver provides an optional comment with approval, **When** the workflow continues, **Then** the comment is recorded in the approval record and visible in the audit log

Audit Requirements: Approval decision logged with approver identity, comment, and timestamp

Priority: P0 | Phase: MVP

US-131: Reject an Action Request

Field	Details
Story ID	US-131
Epic	EPIC-10 — Human-in-the-Loop
Feature	Approval Actions
User Role	Approver
Priority	P0

Field	Details
Phase	MVP

User Story:

As an approver, I want to reject a pending action request with a reason, so that the AI agent does not proceed with an action I have determined to be inappropriate.

Acceptance Criteria:

- **Given** an approver rejects a request with a reason, **When** confirmed, **Then** the workflow is notified of the rejection, the current execution path fails, and a configured failure handler (if any) is triggered
- **Given** the rejection reason field is left empty, **When** submitted, **Then** a validation prompt asks for a reason (configurable whether required or optional per organization)

Audit Requirements: Rejection logged with reason, approver identity, and timestamp

Priority: P0 | **Phase:** MVP

US-132: Delegate Approval Request

Field	Details
Story ID	US-132
Epic	EPIC-10 — Human-in-the-Loop
Feature	Approval Delegation
User Role	Approver
Priority	P2
Phase	Phase 2

User Story:

As an approver, I want to delegate an approval request to another authorized user, so that requests are not blocked when I am unavailable.

Acceptance Criteria:

- **Given** an approver delegates a request to another authorized approver, **When** delegated, **Then** the request appears in the delegate's queue, is removed from the original approver's queue, and the delegation is logged
- **Given** the delegate is not authorized to approve this type of request, **When** delegation is attempted, **Then** the delegation is blocked and an error is shown

Audit Requirements: Delegation event logged with delegating approver, delegate, and timestamp

Priority: P2 | Phase: Phase 2

US-133: Approval Timeout and Auto-Rejection

Field	Details
Story ID	US-133
Epic	EPIC-10 — Human-in-the-Loop
Feature	Approval Escalation
User Role	System
Priority	P1
Phase	MVP

User Story:

As the platform, I need to automatically escalate or reject approval requests that are not acted on within the configured timeout, so that workflows are not indefinitely blocked by inactive approvers.

Acceptance Criteria:

- **Given** an approval request has been pending for the configured timeout duration, **When** the timeout fires, **Then** the request is escalated to the next configured escalation level if defined, or auto-rejected
- **Given** all escalation levels are exhausted without action, **When** the final timeout fires, **Then** the approval is auto-rejected, the workflow fails the step, and the relevant admins are notified

Priority: P1 | Phase: MVP

US-134 – US-143: Additional HITL Stories (Summary)

Story ID	Title	Phase	Priority
US-134	Request Changes on Approval (Send Back)	Phase 2	P2
US-135	Configure Approval Policy	MVP	P1
US-136	View Approval History	MVP	P1
US-137	View Approval Request Detail with Full Context	MVP	P0
US-138	Approval Notification (Email)	MVP	P0
US-139	Approval Notification (In-App)	MVP	P0
US-140	View Organization-Wide Approval Metrics	Phase 2	P2

Story ID	Title	Phase	Priority
US-141	Configure Multi-Approver Requirements	Phase 2	P2
US-142	Approval Queue Filtering and Sorting	Phase 2	P2
US-143	Approval Escalation Chain Configuration	Phase 2	P2

EPIC 11 — GUARDRAILS & GOVERNANCE

US-144: Configure Organization AI Policy

Field	Details
Story ID	US-144
Epic	EPIC-11 — Guardrails & Governance
Feature	AI Behavior Policy
User Role	Organization Admin / Owner
Priority	P1
Phase	MVP

User Story:

As an organization admin, I want to configure platform-level AI behavior policies, so that all AI agents operating in the organization adhere to our company's acceptable use standards.

Acceptance Criteria:

- **Given** an admin configures a prohibited topic list, **When** an agent receives a request touching a prohibited topic, **Then** the agent refuses the request with a configured message and the event is logged
- **Given** an admin requires PII masking in logs, **When** execution logs are stored, **Then** detected PII patterns are masked before storage

Priority: P1 | Phase: MVP

US-145: Risk Level to Approval Policy Mapping

Field	Details
Story ID	US-145
Epic	EPIC-11 — Guardrails & Governance

Field	Details
Feature	Risk Policy
User Role	Organization Admin
Priority	P0
Phase	MVP

User Story:

As an organization admin, I want to configure which risk levels require human approval before an AI agent can act, so that the organization's risk tolerance is systematically enforced across all workflows.

Acceptance Criteria:

- **Given** the policy maps “High” risk to “Approval Required,” **When** an agent attempts a High-risk tool call, **Then** the call is paused and routed to the approval queue
- **Given** the policy maps “Low” risk to “Autonomous,” **When** an agent attempts a Low-risk tool call, **Then** the call executes without approval

Priority: P0 | Phase: MVP

US-146 – US-155: Additional Guardrails Stories (Summary)

Story ID	Title	Phase	Priority
US-146	Configure PII Detection and Masking	Phase 2	P2
US-147	Configure Prompt Injection Detection	Phase 2	P2
US-148	Set Tool-Level Risk Classification	MVP	P0
US-149	View Governance Policy Summary	MVP	P1
US-150	Configure Data Retention Policy	Phase 2	P2
US-151	Configure Log Masking Rules	Phase 2	P2
US-152	View Security Events and Anomalies	Phase 2	P2
US-153	Configure Output Filtering Rules	Phase 2	P2
US-154	Enforce Cost Budget Limits	Phase 2	P2
US-155	Configure Data Classification for Knowledge	Phase 3	P3

EPIC 12 — WORKFLOW EXECUTION

US-156: Manually Trigger Workflow Execution

Field	Details
Story ID	US-156
Epic	EPIC-12 — Workflow Execution
Feature	Workflow Execution
User Role	Workflow Manager / Member / Admin
Priority	P0
Phase	MVP

User Story:

As a workflow manager, I want to manually trigger a published workflow with optional input parameters, so that I can start a business process on demand.

Business Value: Enables on-demand execution of AI-powered business workflows.

Preconditions:

- Workflow is in Published state
- User has permission to execute workflows
- Organization has available execution capacity (not at plan limit)

Main Flow:

1. User navigates to the workflow detail page
2. User clicks "Run Now"
3. If the trigger requires input parameters, a form is displayed
4. User fills in required inputs and submits
5. System validates the inputs
6. System creates a workflow Run record with status "Queued"
7. The execution engine picks up the run and processes it
8. User is redirected to the run detail page to monitor execution

Exception Flow:

- EF-1: Organization is at concurrent run limit → User is informed; they can wait or upgrade
- EF-2: Required input parameter is missing → Validation error shown before submission

Acceptance Criteria:

- **Given** a user triggers a published workflow, **When** submitted with valid inputs, **Then** a Run is created in “Queued” state and the user is taken to the run monitoring page
- **Given** the organization has reached its plan’s concurrent run limit, **When** a user attempts to trigger, **Then** an error is shown explaining the limit
- **Given** the workflow trigger requires an input parameter, **When** the user omits it, **Then** a validation error is shown before the run is created

Permission Requirements: Member (manual trigger), Workflow Manager (all trigger types), Admin

Audit Requirements: Workflow execution triggered event logged with triggering user, workflow ID, and input (masked if sensitive)

Dependencies: US-103, US-104, Execution engine

US-157: View Workflow Execution Run List

Field	Details
Story ID	US-157
Epic	EPIC-12 — Workflow Execution
Feature	Execution History
User Role	Workflow Manager / Analyst / Admin
Priority	P1
Phase	MVP

User Story:

As a workflow manager, I want to view the execution history of a workflow, so that I can see recent runs, their statuses, and quickly identify any failures.

Acceptance Criteria:

- **Given** a user navigates to a workflow’s execution history, **When** the page loads, **Then** they see a paginated list of runs with: run ID, status, trigger type, start time, end time, and duration
- **Given** the user filters by “Failed” status, **When** the filter is applied, **Then** only failed runs are shown
- **Given** an Analyst user views the execution list, **When** they click into a run, **Then** they can see full run details but cannot retry or cancel

Priority: P1 | **Phase:** MVP

US-158: View Workflow Run Detail and Step Trace

Field	Details
Story ID	US-158
Epic	EPIC-12 — Workflow Execution
Feature	Execution Monitoring
User Role	Workflow Manager / Analyst / Admin
Priority	P0
Phase	MVP

User Story:

As a workflow manager, I want to view the detailed step-by-step execution trace of a workflow run, so that I can understand exactly what happened, why it failed, or verify that outputs are correct.

Acceptance Criteria:

- **Given** a user opens a run’s detail page, **When** it loads, **Then** they see a list of all steps with: status, duration, input, output, and error (if failed); clicking a step expands its full details
- **Given** an AI Agent step is expanded, **When** viewed, **Then** the agent’s full reasoning trace is visible (plan, tool calls, observations, final answer)
- **Given** a RAG step is expanded, **When** viewed, **Then** the retrieval query, returned chunks, sources, and similarity scores are visible

Priority: P0 | Phase: MVP

US-159: Cancel a Running Workflow

Field	Details
Story ID	US-159
Epic	EPIC-12 — Workflow Execution
Feature	Execution Control
User Role	Workflow Manager / Admin
Priority	P1
Phase	MVP

User Story:

As a workflow manager, I want to cancel a running or paused workflow execution, so that I can stop a workflow that is producing incorrect results or is no longer needed.

Acceptance Criteria:

- **Given** a workflow is in "Running" state, **When** a manager cancels it, **Then** the run transitions to "Cancelled" state; any in-progress step is allowed to complete or safely terminated; no further steps are executed
- **Given** a workflow is in "Paused" (awaiting approval) state, **When** cancelled, **Then** the pending approval request is voided, the run is cancelled, and the approver is notified

Audit Requirements: Cancellation event logged with actor identity and reason

Priority: P1 | **Phase:** MVP

US-160: Retry a Failed Workflow Run

Field	Details
Story ID	US-160
Epic	EPIC-12 — Workflow Execution
Feature	Execution Recovery
User Role	Workflow Manager / Admin
Priority	P1
Phase	MVP

User Story:

As a workflow manager, I want to retry a failed workflow run, so that transient failures (network issues, API timeouts) can be resolved without manual re-triggering.

Acceptance Criteria:

- **Given** a workflow run has failed, **When** a manager clicks "Retry," **Then** a new run is created with the same inputs, linked to the original failed run, and the retry is noted in both records
- **Given** the retry is attempted on a workflow that has since been Disabled, **When** the retry is initiated, **Then** the retry is blocked and the user is informed that the workflow is disabled

Audit Requirements: Retry event logged with actor and linked to original run

Priority: P1 | **Phase:** MVP

US-161 – US-172: Additional Execution Stories (Summary)

Story ID	Title	Phase	Priority
US-161	View Real-Time Execution Progress	Phase 2	P2
US-162	Schedule Workflow Execution	MVP	P1
US-163	Trigger Workflow via Webhook	Phase 2	P2
US-164	Enforce Concurrent Run Limits	MVP	P0
US-165	Enforce Total Run Limits (Plan)	MVP	P0
US-166	View Step Input and Output Data	MVP	P1
US-167	View Token Usage per Run	MVP	P1
US-168	View Estimated Cost per Run	MVP	P1
US-169	Handle Workflow Step Timeout	MVP	P1
US-170	Automatic Step Retry on Transient Failure	MVP	P1
US-171	Idempotency Guard for Duplicate Triggers	MVP	P1
US-172	View Run Linked to Approval Request	MVP	P1

EPIC 13 — MONITORING & OBSERVABILITY

US-173: Organization Observability Dashboard

Field	Details
Story ID	US-173
Epic	EPIC-13 — Monitoring & Observability
Feature	Observability Dashboard
User Role	Workflow Manager / Analyst / Admin
Priority	P1
Phase	MVP

User Story:

As a workflow manager, I want a centralized observability dashboard for my organization, so that I have a real-time view of workflow health, active runs, recent failures, and key metrics.

Acceptance Criteria:

- **Given** a user opens the observability dashboard, **When** the page loads, **Then** they see: number of active runs, recent failure alerts, latency trend chart (last 24h), token usage (last 24h), and cost (last 24h)
- **Given** a failure alert is shown, **When** clicked, **Then** the user is taken directly to the failed run's detail page

Priority: P1 | Phase: MVP

US-174: View Agent Execution Trace

Field	Details
Story ID	US-174
Epic	EPIC-13 — Monitoring & Observability
Feature	AI Tracing
User Role	Agent Builder / Analyst / Admin
Priority	P0
Phase	MVP

User Story:

As an agent builder, I want to view the full hierarchical execution trace of an agent invocation, so that I can debug issues, understand the agent's reasoning, and verify tool and knowledge usage.

Acceptance Criteria:

- **Given** a user views an agent execution trace, **When** expanded, **Then** they see in sequential order: system prompt, user input, planning steps, each tool call (input, output, latency, status), each RAG retrieval, and the final output
- **Given** a tool call failed, **When** viewed in the trace, **Then** the failure is highlighted with the error response and retry attempts shown

Priority: P0 | Phase: MVP

US-175: Token Usage and Cost Monitoring

Field	Details
Story ID	US-175
Epic	EPIC-13 — Monitoring & Observability
Feature	Cost Monitoring
User Role	Admin / Analyst

Field	Details
Priority	P1
Phase	MVP

User Story:

As an organization admin, I want to monitor token usage and estimated AI cost per workflow, per agent, and across the organization, so that I can manage AI spending and identify cost-intensive workflows.

Acceptance Criteria:

- **Given** an admin views the cost monitoring page, **When** the page loads, **Then** they see: total token usage and estimated cost for the current billing period, top 5 most expensive workflows, and daily cost trend chart
- **Given** the organization's cost approaches a configured budget alert threshold, **When** the threshold is crossed, **Then** the admin receives an in-app and email notification

Priority: P1 | Phase: MVP

US-176 – US-185: Additional Monitoring Stories (Summary)

Story ID	Title	Phase	Priority
US-176	View Error Logs per Workflow	MVP	P1
US-177	View Latency Metrics per Step	MVP	P1
US-178	Configure Metric-Based Alerts	MVP	P1
US-179	View Tool Execution Metrics	Phase 2	P2
US-180	View RAG Performance Metrics	Phase 2	P2
US-181	Platform Health Dashboard (Super Admin)	MVP	P1
US-182	View Run Error Details with Stack Context	MVP	P1
US-183	Alert on Workflow Failure Rate Spike	Phase 2	P2
US-184	Alert on Latency Degradation	Phase 2	P2
US-185	Search and Filter Execution Runs	MVP	P1

EPIC 14 — AI EVALUATION

US-186: Create Evaluation Dataset

Field	Details
Story ID	US-186
Epic	EPIC-14 — AI Evaluation
Feature	Evaluation Framework
User Role	Agent Builder / Admin
Priority	P2
Phase	MVP (Basic)

User Story:

As an agent builder, I want to create an evaluation dataset with input/expected output pairs, so that I can systematically test my agent's quality against known good answers.

Acceptance Criteria:

- **Given** a user creates an evaluation dataset with 10 input/output pairs, **When** saved, **Then** the dataset is stored and associated with the organization
- **Given** a dataset is linked to an agent, **When** an evaluation run is triggered, **Then** the agent is invoked once per dataset entry and results are compared to expected outputs

Priority: P2 | **Phase:** MVP (Basic)

US-187: Run Agent Evaluation

Field	Details
Story ID	US-187
Epic	EPIC-14 — AI Evaluation
Feature	Agent Evaluation
User Role	Agent Builder / Admin
Priority	P1
Phase	MVP

User Story:

As an agent builder, I want to run an evaluation suite against a configured agent, so that I can measure the agent's quality and track improvement or regression over time.

Acceptance Criteria:

- **Given** an evaluation run is triggered, **When** it completes, **Then** the results show: per-question scores (task completion, groundedness, relevance), an overall aggregate score, and a pass/fail status based on the configured threshold
- **Given** the evaluation score falls below the configured threshold, **When** results are generated, **Then** an alert is sent to the agent builder/admin

Priority: P1 | Phase: MVP

US-188: View Evaluation Results and Trend

Field	Details
Story ID	US-188
Epic	EPIC-14 — AI Evaluation
Feature	Evaluation Analytics
User Role	Agent Builder / Analyst / Admin
Priority	P1
Phase	MVP

User Story:

As an analyst, I want to view evaluation results over time for a specific agent, so that I can identify quality trends and regressions across model updates or agent configuration changes.

Acceptance Criteria:

- **Given** multiple evaluation runs have been completed for an agent, **When** the evaluation history page is viewed, **Then** a trend chart shows the score over time with annotations for agent version changes

Priority: P1 | Phase: MVP

US-189 – US-197: Additional Evaluation Stories (Summary)

Story ID	Title	Phase	Priority
US-189	Configure Evaluation Scoring Threshold	MVP	P2
US-190	Evaluate RAG Retrieval Quality	Phase 2	P2
US-191	Hallucination Detection Scoring	Phase 2	P2
US-192	Custom Evaluation Criteria	Phase 2	P3

Story ID	Title	Phase	Priority
US-193	Compare Evaluation Results Across Agent Versions	Phase 2	P2
US-194	Compare Evaluation Results Across Models	Phase 2	P2
US-195	Export Evaluation Results	Phase 2	P2
US-196	Evaluation Alert Configuration	Phase 2	P2
US-197	Regression Testing Suite	Phase 3	P3

EPIC 15 — ANALYTICS

US-198: View Workflow Analytics Dashboard

Field	Details
Story ID	US-198
Epic	EPIC-15 — Analytics
Feature	Analytics Dashboard
User Role	Analyst / Workflow Manager / Admin
Priority	P1
Phase	MVP

User Story:

As an analyst, I want to view an analytics dashboard showing workflow performance metrics, so that I can understand the effectiveness of our AI automation and identify areas for improvement.

Acceptance Criteria:

- **Given** an analyst opens the analytics dashboard, **When** the page loads, **Then** they see: total executions, success rate, failure rate, average duration, automation rate, and human approval rate for the selected period
- **Given** the user filters by a specific workflow, **When** the filter is applied, **Then** all metrics reflect only that workflow's data

Priority: P1 | **Phase:** MVP

US-199: View AI Cost Analytics

Field	Details
Story ID	US-199
Epic	EPIC-15 — Analytics
Feature	Cost Analytics
User Role	Admin / Analyst
Priority	P1
Phase	MVP

User Story:

As an organization admin, I want to view AI cost analytics broken down by workflow and agent, so that I can identify where AI spend is concentrated and optimize accordingly.

Acceptance Criteria:

- **Given** an admin views cost analytics, **When** the page loads, **Then** they see: total AI cost for the period, cost by workflow (top 10), cost by agent (top 10), and daily cost trend
- **Given** the user sets a date range filter, **When** applied, **Then** all cost figures update to reflect only the selected range

Priority: P1 | Phase: MVP

US-200 – US-208: Additional Analytics Stories (Summary)

Story ID	Title	Phase	Priority
US-200	View Agent Performance Metrics	MVP	P1
US-201	View Human Approval Analytics	Phase 2	P2
US-202	View Execution Volume Trend	MVP	P1
US-203	View Time Saved Estimate	Phase 2	P2
US-204	Filter Analytics by Date Range	MVP	P1
US-205	Filter Analytics by Workflow or Agent	Phase 2	P2
US-206	Export Analytics Data (CSV)	Phase 2	P2
US-207	View Token Usage Breakdown	MVP	P1
US-208	Usage Summary Report	Phase 2	P2

EPIC 16 — ADMINISTRATION

US-209: Organization Administration Panel

Field	Details
Story ID	US-209
Epic	EPIC-16 — Administration
Feature	Admin Panel
User Role	Organization Admin / Owner
Priority	P1
Phase	MVP

User Story:

As an organization admin, I want access to a dedicated administration panel, so that I can manage all organizational settings, users, integrations, and policies from one place.

Acceptance Criteria:

- **Given** an admin navigates to Settings / Admin, **When** the page loads, **Then** they have access to sections covering: Users, Roles, AI Models, Integrations, Policies, Usage, and Audit Logs
- **Given** a Workflow Manager (non-admin) navigates to the Admin URL, **When** the page loads, **Then** they receive a 403 Forbidden response

Priority: P1 | **Phase:** MVP

US-210: Configure Organization AI Model Provider

Field	Details
Story ID	US-210
Epic	EPIC-16 — Administration
Feature	AI Model Management
User Role	Organization Admin
Priority	P0
Phase	MVP

User Story:

As an organization admin, I want to configure one or more AI model providers with their API credentials, so that AI agents in the organization can use the desired models.

Acceptance Criteria:

- **Given** an admin adds an OpenAI API key, **When** saved, **Then** the connection is validated (a test call is made), and if successful, the provider is available for agent configuration
- **Given** the API key is invalid, **When** the validation test fails, **Then** an error is shown and the configuration is not saved

Security Considerations: API keys are encrypted at rest; never returned in plaintext; masked in UI

Audit Requirements: AI model provider configuration changes logged

Priority: P0 | **Phase:** MVP

US-211 – US-220: Additional Admin Stories (Summary)

Story ID	Title	Phase	Priority
US-211	View Audit Logs	MVP	P1
US-212	Filter and Search Audit Logs	Phase 2	P2
US-213	Export Audit Logs	Phase 2	P2
US-214	Configure Organization Usage Limits	Phase 2	P2
US-215	View Organization Usage Summary	MVP	P1
US-216	Configure Default Approval Policy	MVP	P1
US-217	Super Admin Platform Console	MVP	P1
US-218	Super Admin — Suspend Organization	Phase 2	P2
US-219	View System Health (Super Admin)	MVP	P1
US-220	Manage Organization Plan (Super Admin)	Phase 2	P2

EPIC 17 — API & DEVELOPER PLATFORM

US-221: Create API Key

Field	Details
Story ID	US-221

Field	Details
Epic	EPIC-17 — API & Developer Platform
Feature	API Key Management
User Role	Organization Admin
Priority	P2
Phase	Phase 2

User Story:

As an organization admin, I want to create API keys with configurable scopes, so that developers can programmatically access platform features without sharing user credentials.

Acceptance Criteria:

- **Given** an admin creates an API key with a name and selected scopes, **When** created, **Then** the full key is displayed once; subsequent views show only the last 4 characters
- **Given** a developer uses an API key to trigger a workflow, **When** the request is received, **Then** the trigger is authenticated, the workflow runs, and the key usage is logged

Priority: P2 | **Phase:** Phase 2

US-222: Trigger Workflow via API

Field	Details
Story ID	US-222
Epic	EPIC-17 — API & Developer Platform
Feature	API Workflow Trigger
User Role	API User (Developer)
Priority	P2
Phase	Phase 2

User Story:

As a developer, I want to trigger a workflow execution via a REST API call using an API key, so that I can integrate AI Workforce workflows into our existing systems and products.

Acceptance Criteria:

- **Given** a developer calls the workflow trigger API with a valid API key and required inputs, **When** the request is received, **Then** a run is created and the run ID is returned in the response
- **Given** the API key does not have execute scope, **When** the trigger is attempted, **Then** a 403 Forbidden response is returned
- **Given** the workflow does not exist or is not published, **When** the trigger is attempted, **Then** a 404 Not Found response is returned

Priority: P2 | **Phase:** Phase 2

US-223 – US-232: Additional Developer Platform Stories (Summary)

Story ID	Title	Phase	Priority
US-223	List and Filter API Keys	Phase 2	P2
US-224	Revoke API Key	Phase 2	P2
US-225	View API Key Usage Logs	Phase 2	P2
US-226	Configure Outbound Webhook for Workflow Events	Phase 2	P2
US-227	Test Webhook Delivery	Phase 2	P2
US-228	View Webhook Delivery History	Phase 2	P2
US-229	Get Workflow Run Status via API	Phase 2	P2
US-230	List Workflows via API	Phase 2	P2
US-231	API Documentation and Sandbox	Phase 2	P2
US-232	IP Allowlisting for API Access	Phase 3	P3

EPIC 18 — SECURITY & AUDIT

US-233: View Audit Log

Field	Details
Story ID	US-233
Epic	EPIC-18 — Security & Audit
Feature	Audit Trail
User Role	Organization Admin / Analyst
Priority	P1

Field	Details
Phase	MVP

User Story:

As an organization admin, I want to view the organization's audit log, so that I can track who did what on the platform for compliance and security purposes.

Acceptance Criteria:

- **Given** an admin navigates to the audit log, **When** the page loads, **Then** they see a chronological list of audit events with: timestamp, actor (user or system), event type, affected resource, and outcome
- **Given** an admin attempts to modify an audit log entry, **When** the action is attempted, **Then** the action is blocked; audit logs are read-only for all users
- **Given** an admin filters by actor and date range, **When** the filter is applied, **Then** only matching events are shown

Priority: P1 | Phase: MVP

US-234 – US-244: Additional Security & Audit Stories (Summary)

Story ID	Title	Phase	Priority
US-234	Audit Log for Agent Events	MVP	P1
US-235	Audit Log for Workflow Events	MVP	P1
US-236	Audit Log for Approval Events	MVP	P1
US-237	Audit Log for Tool and Credential Events	MVP	P1
US-238	Export Audit Log (CSV)	Phase 2	P2
US-239	Configure Audit Log Retention	Phase 2	P2
US-240	Security Event Alerting	Phase 2	P2
US-241	Rate Limiting on Public Endpoints	MVP	P0
US-242	Detect and Alert Anomalous Login Behavior	Phase 2	P2
US-243	SIEM Integration (Audit Log Export)	Phase 3	P3
US-244	Data Export for Compliance (GDPR)	Phase 2	P2

EPIC 19 — NOTIFICATIONS

US-245: Approval Request Notification

Field	Details
Story ID	US-245
Epic	EPIC-19 — Notifications
Feature	Approval Notifications
User Role	Approver
Priority	P0
Phase	MVP

User Story:

As an approver, I want to be notified immediately when a new approval request is assigned to me, so that I can act promptly and prevent workflows from being blocked unnecessarily.

Acceptance Criteria:

- **Given** an approval request is created and assigned to me, **When** the request is created, **Then** I receive both an in-app notification and an email notification within 60 seconds
- **Given** the email notification is clicked, **When** it opens, **Then** I am taken directly to the approval request detail page (authenticated flow)

Priority: P0 | **Phase:** MVP

US-246 – US-253: Additional Notification Stories (Summary)

Story ID	Title	Phase	Priority
US-246	Workflow Failure Notification	MVP	P1
US-247	Workflow Completion Notification	Phase 2	P2
US-248	Document Ingestion Complete Notification	MVP	P1
US-249	Cost Budget Alert Notification	Phase 2	P2
US-250	AI Evaluation Score Alert Notification	Phase 2	P2
US-251	Configure Notification Preferences	Phase 2	P2
US-252	In-App Notification Center	MVP	P1
US-253	Approval Timeout Warning Notification	MVP	P1

EPIC 20 — BILLING / USAGE / PLAN READINESS

US-254: View Current Plan and Usage

Field	Details
Story ID	US-254
Epic	EPIC-20 — Billing / Usage / Plan Readiness
Feature	Plan Management
User Role	Organization Owner / Admin
Priority	P1
Phase	MVP

User Story:

As an organization owner, I want to view our current plan and usage against plan limits, so that I understand our consumption and can plan for upgrades.

Acceptance Criteria:

- **Given** an owner navigates to Billing / Plan, **When** the page loads, **Then** they see: current plan name, usage against limits (workflow runs, storage, members), and next reset date
- **Given** usage exceeds 80% of a limit, **When** the page is viewed, **Then** the relevant limit is visually highlighted as approaching

Priority: P1 | Phase: MVP

US-255 – US-263: Additional Billing Stories (Summary)

Story ID	Title	Phase	Priority
US-255	Enforce Workflow Run Limit per Plan	MVP	P0
US-256	Enforce Storage Limit per Plan	MVP	P0
US-257	Enforce Member Limit per Plan	Phase 2	P1
US-258	Block Executions When Limit Exceeded	MVP	P0
US-259	Notify Admin When Approaching Limits	Phase 2	P1
US-260	Usage History Report	Phase 2	P2
US-261	Plan Upgrade Request Flow	Phase 2	P2

Story ID	Title	Phase	Priority
US-262	Track Token Usage Against Budget	Phase 2	P2
US-263	Per-Workflow Cost Cap Configuration	Phase 3	P3

EPIC 21 — SYSTEM RELIABILITY

US-264: Workflow Execution Recovery After System Restart

Field	Details
Story ID	US-264
Epic	EPIC-21 — System Reliability
Feature	Fault Tolerance
User Role	System
Priority	P0
Phase	MVP

User Story:

As the platform, I need to recover in-progress workflow executions after an unexpected restart, so that no workflow execution is lost due to infrastructure failures.

Acceptance Criteria:

- **Given** an execution engine instance restarts while workflows are running, **When** the instance recovers, **Then** in-progress runs are detected, their last successfully committed state is identified, and execution resumes from the last committed step
- **Given** a step was in-progress when the restart occurred, **When** recovery runs, **Then** the step is re-executed (idempotency controls prevent duplicate side effects where possible)

Priority: P0 | Phase: MVP

US-265 – US-272: Additional Reliability Stories (Summary)

Story ID	Title	Phase	Priority
US-265	Circuit Breaker for External Services	MVP	P1
US-266	Automatic Retry for Failed External Calls	MVP	P1

Story ID	Title	Phase	Priority
US-267	Graceful Degradation on Partial Service Failure	MVP	P1
US-268	Database Failover	MVP	P0
US-269	Knowledge Ingestion Queue Persistence	MVP	P1
US-270	Webhook Delivery Retry	Phase 2	P2
US-271	Email Delivery Retry for Critical Notifications	MVP	P1
US-272	Health Check Endpoint	MVP	P1

EPIC 22 — PLATFORM EXTENSIBILITY

US-273: Register Custom Tool via API Specification

Field	Details
Story ID	US-273
Epic	EPIC-22 — Platform Extensibility
Feature	Tool Extensibility
User Role	Organization Admin
Priority	P2
Phase	Phase 2

User Story:

As an organization admin, I want to register a custom tool by providing its REST API specification, so that AI agents can invoke our internal APIs as part of workflows without requiring platform code changes.

Acceptance Criteria:

- **Given** an admin provides an OpenAPI-compatible specification for a custom tool, **When** validated and saved, **Then** the tool appears in the tool registry and is selectable for agent assignment
- **Given** the provided spec is malformed, **When** validated, **Then** specific validation errors are shown identifying the spec issues

Priority: P2 | **Phase:** Phase 2

US-274 – US-281: Additional Extensibility Stories (Summary)

Story ID	Title	Phase	Priority
US-274	Workflow Template Creation and Reuse	Phase 2	P2
US-275	Agent Template Creation and Reuse	Phase 2	P2
US-276	Export Workflow as Template	Phase 2	P2
US-277	Import Workflow from Template	Phase 2	P2
US-278	Custom Webhook Event Types	Phase 3	P3
US-279	Plugin / Connector Registration (Phase 3)	Phase 3	P3
US-280	Sub-Workflow Invocation	Phase 2	P2
US-281	Cross-Organization Template Marketplace	Phase 3	P3

BOUNDARY DEFINITIONS

MVP Feature Boundary

The MVP contains everything necessary to deliver the core value chain with production quality:

Included in MVP:

- EPIC-01: Auth & Identity (US-001 to US-007, US-010, US-012)
- EPIC-02: Organization (US-013 to US-018, US-021 to US-024)
- EPIC-03: User & Role Mgmt (US-026, US-027, US-028, US-031, US-033, US-035)
- EPIC-04: AI Agent Mgmt (US-036 to US-047, US-052, US-053)
- EPIC-05: Knowledge Mgmt (US-056 to US-060, US-062, US-063, US-066, US-067)
- EPIC-06: RAG (US-073 to US-076, US-078)
- EPIC-07: Tools (US-083 to US-091, US-097)
- EPIC-08: Workflow Builder (US-098 to US-109, US-111, US-112)
- EPIC-09: Orchestration (US-118 to US-124, US-128)
- EPIC-10: HITL (US-129 to US-131, US-133, US-135 to US-140)
- EPIC-11: Guardrails (US-144, US-145, US-148, US-149)
- EPIC-12: Execution (US-156 to US-162, US-164 to US-172)
- EPIC-13: Monitoring (US-173 to US-178, US-181, US-182, US-185)
- EPIC-14: Evaluation (US-186 to US-189 — basic)
- EPIC-15: Analytics (US-198, US-199, US-200, US-202, US-204, US-207)
- EPIC-16: Admin (US-209, US-210, US-211, US-215, US-216, US-217, US-219)
- EPIC-18: Security & Audit (US-233 to US-237, US-241)

- EPIC-19: Notifications (US-245, US-246, US-248, US-252, US-253)
 - EPIC-20: Billing/Usage (US-254 to US-256, US-258)
 - EPIC-21: Reliability (US-264 to US-269, US-271, US-272)
-

Phase 2 Feature Boundary

Adds developer access, advanced agent capabilities, and deeper integrations:

- Developer API (EPIC-17: US-221 to US-231)
 - Agent versioning and rollback (US-049 to US-051)
 - Workflow versioning (US-116)
 - OAuth integration connectors (US-093)
 - Advanced HITL (US-132, US-134, US-141 to US-143)
 - Advanced guardrails (US-146, US-147, US-150 to US-154)
 - Advanced analytics (US-201, US-203, US-205, US-206, US-208)
 - Advanced evaluation (US-190 to US-196)
 - Advanced monitoring alerts (US-183, US-184)
 - Workspace management (US-020)
 - Sub-workflow and loop nodes (US-114, US-115, US-280)
 - Platform extensibility (US-273 to US-277)
 - Advanced notification preferences (US-251)
 - Security alerting (US-240, US-242)
 - Billing enforcement (US-257, US-259, US-260, US-261, US-262)
-

Phase 3 Feature Boundary

Enterprise-grade capabilities:

- SSO / SAML (US-009)
 - Custom role definition (US-032)
 - SIEM integration (US-243)
 - GDPR compliance automation (US-244)
 - Advanced data governance (US-072, US-155)
 - Per-workflow cost caps (US-263)
 - Marketplace / plugin ecosystem (US-279, US-281)
 - IP allowlisting (US-232)
-

Critical Business Decisions Required Before Architecture

#	Decision	Reason
1	Managed vs. BYOK AI model strategy — Does the platform host model API keys, or do all orgs bring their own?	Affects billing architecture, cost recovery model, and security scope
2	Multi-tenant data isolation model — Row-level security, schema-per-tenant, or database-per-tenant?	Foundational database architecture decision; cannot be changed easily
3	Vector database selection	Affects RAG performance, query capabilities, and multi-tenant isolation approach
4	Evaluation strategy at MVP — LLM-as-judge vs. rule-based scoring only	Affects dependency on additional model calls and cost
5	Exact plan tier limits	Required for plan enforcement feature implementation
6	Phase 2 connector list — Which CRM, ticketing, and email connectors are in Phase 2?	Scoping decision for Phase 2 sprint planning
7	Real-time execution streaming — Is live streaming of agent reasoning steps required at MVP?	Significant engineering investment; must be decided early
8	Approval email: direct action links — Should approvers be able to approve/reject via email link (without logging in)?	Security and UX tradeoff
9	Data retention defaults — What are the default retention periods for logs, traces, and evaluation results?	Legal, compliance, and storage cost implications
10	Free trial or freemium tier — Is a trial tier available at MVP launch?	Affects go-to-market and onboarding flow

Ambiguous Requirements Requiring Clarification

#	Ambiguity	Options to Decide
1	Approval "Request Changes" flow — when the approver requests changes, what exactly happens? Does the workflow route back to a previous step, or does it fail and require re-triggering?	Option A: Fail and re-trigger; Option B: Route to a configured "revision" node
2	Agent memory strategy — what exactly constitutes "long-term memory"? Is this cross-session context storage, and what privacy implications does it have?	Requires product + legal alignment
3	Workflow step retry idempotency — how is idempotency enforced for tool calls that may have side effects (e.g., sending an email)?	Requires engineering design
4	Token cost calculation — is pricing estimated (using known model pricing) or actual (using provider billing APIs)?	Affects accuracy and maintenance burden

#	Ambiguity	Options to Decide
5	Knowledge collection re-indexing — does this delete and rebuild all embeddings, or only update changed documents?	Affects performance and cost during re-indexing
6	Multi-approver logic — for quorum approval (e.g., 2-of-3), how is the order of approvals managed, and what happens if one approver rejects while another approves?	Requires product design
7	Workflow concurrency — should the idempotency guard be the default or opt-in? Some workflows are designed to run concurrently	Requires product decision
8	Agent “purpose statement” — is this a user-facing field only or does it influence the system prompt?	Affects agent behavior and evaluation

End of User Story Catalogue

Document Version: 1.0.0 / Status: Draft Linked BRD: BRD-AIWF-2026-001 Total Stories: 281 / MVP: ~160 / Phase 2: ~80 / Phase 3: ~41