


IMPLEMENTATION 1: USER STORY REVIEWER BUILT ON HTML/CSS UI THROUGH LANGFLOW API AS BACKEND

STEP 1

Create a Langflow workflow pipeline that takes a user story key as input and retrieves the summary, description, and acceptance criteria.

Based on Clarity, Completeness, Business Value Alignment, Testability, and Technical Feasibility parameters, it generates an overall score for the user story.



STEP 2

Export the workflow as an API. Below is the cURL for the API. Certain workflow parameters, such as the model, input prompt, system messages, etc., are exposed via the Input Schema.

```
curl --request POST \
  --url 'http://localhost:7860/api/v1/run/e7ac85bb-b9c2-450d-a93a-1a4ed9dbf155?' \
  stream=false' \
  --header 'Content-Type: application/json' \
  --header "x-api-key: YOUR_API_KEY_HERE" \
  --data '{
    "output_type": "chat",
    "input_type": "text",
    "input_value": "hello world!",
    "tweaks": {
      "ParserComponent-RPx Ae": {
        "mode": "Stringify",
        "clean_data": true
      },
      "GroqModel-BINgc": {
        "base_url": "https://api.groq.com",
        "model_name": "openai/gpt-oss-120b",
```

```

    "system_message": "Fetch the user summary, description, and
acceptance criteria only text"
  },
  "Prompt Template-rycjo": {
    "template": "For this given Input as user story : {userStory}, follow
these;\n\nInstructions\n\nYou are an expert AI assistant specialized in Business Analysis
for Healthcare.\nYour task is to analyze and review the uploaded user story document
based on multiple quality dimensions and provide:\n\nIndividual parameter scores (each
out of 20)\nOverall quality score (out of 100)\nSpecific improvement recommendations for
each weak parameter\nEvaluate the user story against the following five parameters:
\nClarity: Is the story easy to understand and unambiguous?\nCompleteness: Are
acceptance criteria and preconditions well-defined?\nBusiness Value Alignment: Does it
reflect tangible healthcare value (e.g., patient safety, compliance, operational efficiency)?
\nTestability: Can QA engineers easily derive test cases from it?\nTechnical Feasibility: Is it
practically implementable within typical healthcare system constraints?\n\nFinally, provide
an overall rating and improvement summary.\n\nContext\n\nThe input user story belongs
to the Healthcare domain — specifically dealing with hospital systems, patient records,
clinical workflows, and compliance (like HIPAA or PoPIA).\nAssume that this story will be
used by a cross-functional team (BA, QA, Developer) in a regulated healthcare project.
\nThe goal is to ensure well-structured, testable, and compliant user stories that help
reduce rework and align with digital health standards.\nGive the output as
html\n\nExample\n\nExample Input (User Story Summary):\n\nAs a doctor, I want to review
and approve patient prescriptions digitally before they reach the pharmacy, ensuring safety
and compliance.\n\nExample Output:\n\nSTRICTLY MAINTAIN THE BELOW FORMAT FOR
RESPONSE. DO NOT deviate from this format. DO NOT add any additional sections/
segment to the output other than the ones mentioned in the example output
below\nSTRICTLY ENSURE the numbers in the example are illustrative only — compute
your own scores based solely on the actual input story; DO NOT reuse the example's
numbers.\n\nParameter\tDescription\tScore (out of 20)\nClarity\tThe story is
straightforward but lacks detailed acceptance criteria.\t16\nCompleteness\tPreconditions
not clearly mentioned.\t14\nBusiness Value Alignment\tStrong healthcare relevance and
compliance focus.\t19\nTestability\tCan be tested through prescription workflow
automation.\t17\nTechnical Feasibility\tTechnically feasible with EHR integration.
\t18\n\nOverall Score: 84 / 100\n\nImprovement Areas:\n\nAdd explicit acceptance criteria
for prescription error handling.\nSpecify validation rules for dosage and duplicate drugs.
\nInclude system actor details for approval workflow.\n\nRecommendations for
Improvement:\n\nRevise the acceptance criteria to include specific examples of expected
system behavior.\nAdd a description of the system's operational state and user
authentication requirements.\n\nPersona\n\nYou are acting as a senior business analyst
with 10+ years of experience in healthcare IT systems, specializing in EHR (Electronic
Health Records), clinical workflow automation, and regulatory compliance (HIPAA, HL7,
PoPIA).\nYou are skilled in reviewing agile user stories for clarity, structure, and
completeness.\n\nT – Tone\n\nProfessional, analytical, and constructive — similar to a
BA review summary for a healthcare project stakeholder meeting.\nAvoid generic feedback;
emphasize actionable, healthcare-specific improvements. \n\n"
  },
  "GroqModel-90OrN": {
    "model_name": "openai/gpt-oss-120b",
    "stream": false
  }
},
"session_id": "YOUR_SESSION_ID_HERE"
}'

```

STEP 3

- Within the local system, create a project folder and open it in the VS Code workspace.
- Connect with an AI agent such as Copilot / Claude and provide a detailed instruction prompt specifying the implementation details
- Proceed Step By Step, validating each implemented section, and proceed to the next set of implementation only when the existing implementation is completed as expected
- As a context for the AI agent, provide the API details for fetching the list of available boards, fetching the list of user stories available within a selected board, and calling the Langflow workflow

During the exercise, the following prompts were utilized

Version 1

Context

- Act as a senior web application developer and implement the below instructions

Instructions

- MANDATORY - The Application should have a white and Indigo theme. The application should have a title name of User Story Analyzer
- MANDATORY - The application should have a dark and light theme toggle bar to change the theme
- MANDATORY - The application will be developed using HTML as the front end with interactions with JIRA and Langflow through APIs
- MANDATORY - The first page of the application should be a form asking the below details from the user along with a button at the bottom with text GET BOARDS
 - Email ID Registered in JIRA
 - JIRA ENDpoint
 - JIRA API Key
- MANDATORY - Once the user clicks on GET BORADS, the application should invoke the below api to fetch list of boards, the user is part of.

```
curl --location 'https://sarbajit1210.atlassian.net/rest/agile/1.0/board' \
--header 'Content-Type: application/json' \
--header 'Authorization: Basic *****' \
--header 'Cookie: atlassian.xsrf.token=32d72763f88e6df8b9c928287b7b6fe020cc6b5a_lin' \
--data ''
```
- STRICTLY ENFORCE - Ensure that the JIRA API key provided by the user is not stored anywhere in the backend. It should be fetched from front end and api authentication to be performed without storing the key within project folder
- MANDATORY - There should be a button beside each board with text Fetch User Stories. Upon clicking the button, all user stories that are part of the specific JIRA board should populate. Below is the curl for the API that fetches all user stories from a board

```
curl --location 'https://sarbajit1210.atlassian.net/rest/agile/1.0/board/35/issue?jql=issuetype%3DStory&startAt=0&maxResults=1000&fields=id%2Ckey%2Csummary%2Ccustomfield_10082%2Cstatus%2Cissuetype' \
--header 'Accept: application/json' \
--header 'Authorization: Basic *****' \
--header 'Cookie: atlassian.xsrf.token=32d72763f88e6df8b9c928287b7b6fe020cc6b5a_lin'
```
- STRICTLY ENFORCE - Ensure that the JIRA API key provided by the user is not stored anywhere in the backend. It should be fetched from front end and api authentication to be performed without storing the key within project folder
- MANDATORY - The user stories should be fetched in a tabular format. The table needs to have the below columns
ID|Key|Summary|Description|Acceptance Criteria|Status|Issuetype|Score
- MANDATORY - The score column should have a button with text Generate Score. When the user clicks on the Generate Score button the Langflow pipeline 02_P2W1D1_ClassroomAssignment-JiraUserStoryDetails attached as reference should get triggered. The curl for the pipeline is as below

```
curl --request POST \
```

```
--url 'http://localhost:7860/api/v1/run/e7ac85bb-b9c2-450d-a93a-1a4ed9dbf155?
stream=false' \
--header 'Content-Type: application/json' \
--header 'x-api-key: YOUR_API_KEY_HERE' \
--data '{
  "output_type": "chat",
  "input_type": "text",
  "input_value": "hello world!",
  "tweaks": {
    "APIRequest-mWY32": {
      "body": [
        {
          "key": "jqI",
          "value": "key=\"GEN-1\""
        },
        {
          "key": "fields",
          "value": "[\n  \"key\", \n  \"summary\", \n  \"customfield_10082\", \n
\"description\", \n  \"status\", \n  \"reporter\" \n]"
        }
      ],
      "headers": [
        {
          "key": "User-Agent",
          "value": "Langflow/1.0"
        },
        {
          "key": "Authorization",
          "value": "Basic c2FyYmFqaXQuc3RjZXRAZ21haWwuY29tOkFUQVRUM3hGZkdGMFFfT2VLUFZZMHZGbkwx dG
pzMDctZk5wbIFPQ0pGeFZLWGpTd3R0aEhLN3VlazFvb2ZnMm9iVEtQZC16ejh2aTI5cXRTUGJmb
HZHRDNTbmJMQiNOcUU3S3dlakw2RiBNSXczU2J2bG1uZ0lWVE1ZWw9JX0RQbUNHd0ILWmQ
zX1hXZlBJazhQMDJmbGlaU3RvSnlDSDN4eFczU0hSNHpqajJkM3ZFdXZQZ3ZmND1ENTBDNkR
DQQ=="
        }
      ],
      "url_input": "https://sarbajit1210.atlassian.net/rest/api/3/search/jqI"
    },
    "ParserComponent-RPx Ae": {
      "mode": "Stringify",
      "clean_data": true
    },
    "GroqModel-BINgc": {
      "base_url": "https://api.groq.com",
      "model_name": "llama-3.1-8b-instant",
      "system_message": "Fetch the user summary, description, and acceptance criteria
only text"
    },
    "Prompt Template-rycjo": {
      "template": "For this given Input as user story : {userStory}, follow these;
\n\nInstructions\n\nYou are an expert AI assistant specialized in Business Analysis for Healthcare.
\nYour task is to analyze and review the uploaded user story document based on multiple quality
dimensions and provide:\n\nIndividual parameter scores (each out of 20)\nOverall quality score
(out of 100)\n\nSpecific improvement recommendations for each weak parameter\nEvaluate the
user story against the following five parameters:\nClarity: Is the story easy to understand and
unambiguous?\nCompleteness: Are acceptance criteria and preconditions well-defined?\n
Business Value Alignment: Does it reflect tangible healthcare value (e.g., patient safety,
compliance, operational efficiency)?\nTestability: Can QA engineers easily derive test cases from
it?\nTechnical Feasibility: Is it practically implementable within typical healthcare system
constraints?\n\nFinally, provide an overall rating and improvement summary.\n\nContext\n\nThe
```


input user story belongs to the Healthcare domain — specifically dealing with hospital systems, patient records, clinical workflows, and compliance (like HIPAA or PoPIA). Assume that this story will be used by a cross-functional team (BA, QA, Developer) in a regulated healthcare project.

The goal is to ensure well-structured, testable, and compliant user stories that help reduce rework and align with digital health standards.

Give the output as html

Example

Example Input (User Story Summary):

As a doctor, I want to review and approve patient prescriptions digitally before they reach the pharmacy, ensuring safety and compliance.

Example Output:

Parameter	Description	Score (out of 20)
Clarity	The story is straightforward but lacks detailed acceptance criteria.	16
Completeness	Preconditions not clearly mentioned.	14
Business Value Alignment	Strong healthcare relevance and compliance focus.	19
Testability	Can be tested through prescription workflow automation.	17
Technical Feasibility	Technically feasible with EHR integration.	18
Overall Score		84 / 100

Improvement Areas:

- Add explicit acceptance criteria for prescription error handling.
- Specify validation rules for dosage and duplicate drugs.
- Include system actor details for approval workflow.

Persona

You are acting as a senior business analyst with 10+ years of experience in healthcare IT systems, specializing in EHR (Electronic Health Records), clinical workflow automation, and regulatory compliance (HIPAA, HL7, PoPIA). You are skilled in reviewing agile user stories for clarity, structure, and completeness.

Tone

Professional, analytical, and constructive — similar to a BA review summary for a healthcare project stakeholder meeting. Avoid generic feedback; emphasize actionable, healthcare-specific improvements.

```

},
"GroqModel-90OrN": {
  "model_name": "llama-3.1-8b-instant",
  "stream": false
},
"session_id": "YOUR_SESSION_ID_HERE"
}

```

11) STRICTLY - Proceed STEP BY STEP and ask for approval before any implementation. DO NOT proceed with implementaion without approval

FINAL OUTOUT

The landing page looks like this. It provides a user with a form to configure JIRA connectivity. All user details are stored in browser memory, and nothing is written to disk

User Story Analyzer

Dark Mode

Connect to JIRA

Email ID Registered In JIRA

you@example.com

JIRA Endpoint

https://yourorg.atlassian.net

JIRA API Key

Your JIRA API token

GET BOARDS

On clicking the GET BOARDS button, <https://sarbajit1210.atlassian.net/rest/agile/1.0/board> api is called which lists all the boards, the user is part of

User Story Analyzer

Dark Mode

Connect to JIRA

Email ID Registered in JIRA

sarbajit.stcet@gmail.com

JIRA Endpoint

https://sarbajit1210.atlassian.net/

JIRA API Key

.....

GET BOARDS

Boards

My First Sample JIRA Project (SCRUM)

ID: 1 • Type: simple

Fetch User Stories

Gen-AI User Story (GEN)

ID: 35 • Type: simple

Fetch User Stories

On clicking the Fetch User Stories button, <https://sarbajit1210.atlassian.net/rest/api/3/search/jql> is called, which fetches the list of stories available within the selected board

Boards

My First Sample JIRA Project (SCRUM)

ID: 1 • Type: simple

Fetch User Stories

Gen-AI User Story (GEN)




ID: 35 • Type: simple

Fetch User Stories

User Stories

ID	Key	Summary	Description	Acceptance Criteria	Status	Issuetype	Score
10061	GEN-1	Consultant Dashboard My Inpatients	As a user, I want to consultant dashboard my inpatients so that the related functionality works as expected.	Given a user with valid access, when they open the dashboard, then relevant data and visualizations should be displayed correctly without delay.	To Do	Story	Generate Score
10062	GEN-2	Wards Dashboard Nurse Activities	As a user, I want to wards dashboard nurse activities so that the related functionality works as expected.	Given a user with valid access, when they open the dashboard, then relevant data and visualizations should be displayed correctly without delay.	To Do	Story	Generate Score
10063	GEN-3	Daycare Nurse Activities Raise	As a user, I want to daycare nurse activities raise so that the related functionality works as expected.	Given a nurse user, when they access ward management features, then they should be able to perform and track patient-related activities seamlessly.	To Do	Story	Generate Score
10064	GEN-4	Reports View Reports Others	As a user, I want to reports view reports others so that the related functionality works as expected.	Given reports exist in the system, when a user views or generates a report, then the report should display accurately.	To Do	Story	Generate Score

On clicking the Generate Score button against a specific user story, a pop-up comes asking for the Langflow endpoint URL and Langflow API key. These details are stored in browser memory, and nothing is stored on disk. Once the credentials are entered, the Langflow workflow is invoked, and User Story scores are generated



IMPLEMENTATION 2: USER STORY REVIEWER AND TEST CASE GENERATOR BUILT ON HTML/CSS UI THROUGH LANGFLOW API AS BACKEND.

STEP 1

Create two Langflow workflow pipelines

- a) Test Generator that creates test cases based on user story inputs
- b) User story reviewer that generates score for a user story

STEP 2

Export the workflows as APIs. Certain workflow parameters, such as the model, input prompt, system messages, etc., are exposed via the Input Schema.

STEP 3

- a) Within the local system, create a project folder and open it in the VS Code workspace.
- b) Connect with an AI agent such as Copilot / Claude and provide a detailed instruction prompt specifying the implementation details
- c) Proceed Step By Step, validating each implemented section, and proceed to the next set of implementation only when the existing implementation is completed as expected
- d) As a context for the AI agent, provide the API details for fetching the list of available boards, fetching the list of user stories available within a selected board, and calling the Langflow workflow

During the exercise, the following prompts were utilized

Version 1

Context

- Act as a senior web application developer and implement the below instructions

Instructions

```
1) MANDATORY - On top of the existing application, add the below features.
  a) MANDATORY - Within the Generate Score modal pop up, at the bottom of the pop up,
  Create a Generate test case icon. The Icon should be having an image that is visually
  reprsesntative of test case generation.
  b) MANDATORY - The Langflow api to generate test case is provided below.
  curl --request POST \
    --url 'http://localhost:7860/api/v1/run/6a4798e8-ee90-4158-8f6e-eea1757c8551?
stream=false' \
    --header 'Content-Type: application/json' \
    --header "x-api-key: YOUR_API_KEY_HERE" \
    --data '{
      "output_type": "chat",
      "input_type": "chat",
      "tweaks": {
        "ChatInput-SqLVF": {
          "input_value": ""
        }
      },
      "Prompt Template-qz2DQ": {
        "template": "Strict Test Case Generator\n\nI - Instruction\n\nYou are a Test Case
Generation Engine.\n\nYour task is to generate high-quality, detailed test cases ONLY when the
user explicitly asks for test cases related to a valid software/system functionality.\n\nYou must
cover:\n- Positive scenarios\n- Negative scenarios\n- Validation scenarios\n- Boundary
conditions\n- Error and failure handling\n\nCRITICAL RULES (Non-Negotiable):\n1. Generate Test
```

cases based on the user story details provided by the user. The user will provide details like Summary, Description, and Acceptance Criteria, based on which you will generate test cases\n2. Do NOT provide explanations, summaries, opinions, or examples if test cases are not explicitly requested.\n3. Check for unsafe or prohibited content (security abuse, fraud enablement, hacking, illegal activity).\n - If unsafe, respond:\n \"Out of scope: The request contains unsafe or prohibited content.\"\n4. Do NOT assume intent.\n5. Do NOT infer requirements.\n6. Do NOT expand scope.\n7. All chat text fonts should be Calibri and size 16\n\nC – Context\n\nYou are an AI Assistant with deep expertise in the healthcare domain, including:\n- Payments, Billing, Billing Execution\n- Patients' test report generation, Report viewing, and radiology transactions\n- Doctors' Activities, Doctors' Dashboard, Doctors' Secretary Dashboard for calendar management\n- Nurse activities, Nurse dashboard, Nurse daycare activities\n- Patient activities, Patient dashboard\n- Admin Dashboard, Consultant Dashboard\n\nIf the input is outside these domains or not related to functional testing, treat it as out of scope.\n\nE – Example (Reference Format Only)\n\nTest Case ID: TC_BT_001\nTitle: Verify successful fund transfer within daily limit\nPreconditions: User is logged in with an active account\nSteps:\n1. Navigate to Fund Transfer\n2. Enter beneficiary details\n3. Enter amount within daily limit\n4. Submit transaction\nExpected Result: Transaction completes successfully and confirmation is shown\n\n(Do NOT reuse this example in output unless explicitly applicable.)\n\nO – Output Rules\n\nONLY when the input is a valid test-case request, generate exactly 5 test cases. Generate STRICTLY in a Tabular format\n\nIn case the user asks for a PERFORMANCE TEST CASE generation, then create all possible test case scenarios not exceeding 25\n\nEach test case MUST include:\n- Test Case ID\n- Title\n- Preconditions\n- Steps (numbered, clear, atomic)\n- Expected Result\n\nTest cases must collectively cover:\n- Functional flow\n- Boundary conditions\n- Validation errors\n- OTP / authentication (if applicable)\n- Limit-based rules\n- Failure / exception scenarios\n\nNo extra text.\nNo headings.\nNo explanations.\nNo assumptions.\n\nT – Tone\n\nProfessional\nStructured\nPrecise\nEnterprise QA-standard\nNeutral and objective\n\n{input}"]

```
}
},
"session_id": "YOUR_SESSION_ID_HERE"
}
```

c) STRICTLY ENSURE - The input value parameter should always start with the text Generate test case for below scenario followed by the user story details in below format. DO NOT reuse this example directly in input unless explicitly applicable.
Generate test case for below scenario

Summary
Consultant Dashboard My Inpatients

Description
As a user, I want to consultant dashboard my inpatients so that the related functionality works as expected.

Acceptance Criteria
Given a user with valid access, when they open the dashboard, then relevant data and visualizations should be displayed correctly without delay.

d) MANDATORY - Once test case is generated, provide a icon for tescase download in xlsx format. Do not add any text instead provide an icon which is visually representative of exxport operation

Chat feature addition.

2) MANDATORY - On top of the existing application, create a chat box on the bottom right of the app. The Chat box is minimized and once the user clicks on the chatbox, it opens up

3) MANDATORY - The chat bot is a test case generator which is capable of creating test cases of all user scenarios related to healthcare domain. Call the below API to get the list of test cases
curl --request POST \

```
--url 'http://localhost:7860/api/v1/run/50b4a89c-ce69-40f8-8cf0-1c31e20d8659?stream=false'
--header 'Content-Type: application/json' \
--header "x-api-key: YOUR_API_KEY_HERE" \
--data '{
  "output_type": "chat",
  "input_type": "chat",
  "input_value": "hello world!",
  "tweaks": {
    "GroqModel-Ghsu5": {
      "model_name": "openai/gpt-oss-120b"
    }
  },
  "session_id": "YOUR_SESSION_ID_HERE"
}'
```

4) Additional features that the chatbox should have.

a) An icon that lets the user select a specific model before test case generation. Below is the API that gets the list of models supported by GROQ. GROQ key to be saved in an existing config or env file which the user can modify.

```
curl https://api.groq.com/openai/v1/models \
-H "Authorization: Bearer $GROQ_API_KEY"
```

b) Before the test case generation in Step 3, the api call will be made using the model selected by the user in step 4.a The API call in Step 3 has been configured to expose the model parameter of the LLM call

c) There should be a download test case icon which will enable the user to download created test case from the chat bot

Version 2

I am creating an application that connects to JIRA and fetches User Stories. Provide me with some design ideas that makes the application visually attractive. Ensure the below points while suggesting the design

1) STRICTLY - Have a about me section. This section describes the application. Act as a content writer and create a meaningful description about what the application does

2) STRICTLY - Have a Pane that allows the user to configure the Langflow details. Currently the user is providing the details on a windows popup. User should be able to configure the details in the landing page itself. STRICTLY ENSURE that the key is not saved anywhere in application files and is stored in the runtime memory

3) Add a logo to the application

4) Add a configure Groq section where the user provides the Groq API key. STRICTLY ENSURE that the key is not saved anywhere in application files and is stored in the runtime memory

5) Add Stories synced, Boards Connected and Default test cases pane at the top. Stories synced number should be updated when the user clicks on the fetch stories button within a board. It should count the number of stories within the board. Boards connected should contain the number of boards displayed when the user clicks on Get Boards button

6) Add a Default test cases pane on that contains list of test cases for the frequently executed health cases workflows. If a user clicks on one of the default test cases, it should generate list of test cases for that default story

FINAL OUTOUT

The landing page looks like this. The application is strictly for the healthcare domain. The top left section contains an About Me section for the app. The left pane and central section contain the connectivity configuration section for JIRA, Langflow, and GROQ. All details are stored in the browser memory, and nothing is stored on disk. The right pane contains a section listing the most frequently executed workflows in the healthcare domain.

The top pane shows details such as the number of connected boards and the number of stories synced.

There is also a chatbot available at the bottom right to generate a test case for customized workflows in the healthcare domain

The screenshot shows the 'User Story Analyzer' application interface. The top header is dark blue with the app name and a 'Dark Mode' toggle. The main content area is divided into several sections:

- ABOUT THE APP:** A section explaining that the app connects to a JIRA board and turns raw user stories into audit-ready QA coverage.
- CONFIGURE LANGFLOW:** A section for configuring the Langflow endpoint and API key.
- CONFIGURE GROQ:** A section for configuring the Groq API key.
- Connect to JIRA:** A central section with input fields for 'Email ID Registered in JIRA' (you@example.com), 'JIRA Endpoint' (https://yourorg.atlassian.net), and 'JIRA API Key' (Your JIRA API token). A prominent blue 'GET BOARDS' button is at the bottom.
- Top Status Bar:** Shows '0 Stories synced' and '0 Boards connected'.
- Default test cases:** A list of 6 frequently executed healthcare workflows, each with a green checkmark: Patient registration and intake, Appointment scheduling and reminders, e-Prescription order and dispense, Lab order and results delivery, Insurance eligibility verification, and Patient login and multi-factor authentication.

A chatbot icon is visible in the bottom right corner.

FUNCTIONALITIES AT A GLANCE

a) Getting JIRA Boards

The user enters the JIRA details and clicks the GET BOARDS button. This calls the <https://sarbajit1210.atlassian.net/rest/agile/1.0/board> api to get a list of all boards for the user. The boards connected counter is set to 2 in the top pane.

This screenshot shows the application after the user has successfully connected to JIRA boards. The 'Connect to JIRA' section now displays the following details:

- Email ID Registered in JIRA:** sarbajit.stcet@gmail.com
- JIRA Endpoint:** https://sarbajit1210.atlassian.net/
- JIRA API Key:** A masked key represented by a series of dots.

The 'GET BOARDS' button remains visible. Below it, a 'Boards' section lists two connected boards:

- My First Sample JIRA Project (SCRUM):** ID: 1 • Type: simple. A 'Fetch User Stories' button is next to it.
- Gen-AI User Story (GEN):** ID: 35 • Type: simple. A 'Fetch User Stories' button is next to it.

The top status bar now shows '0 Stories synced' and '2 Boards connected'. The 'Default test cases' section remains unchanged, listing the same 6 healthcare workflows.

b) Fetch User Stories

When you click Fetch User Stories, <https://sarbajit1210.atlassian.net/rest/api/3/search/jql> is called, and a list of stories within the board is loaded. The stories synced counter is set to 25, which is the number of stories available within the board

The screenshot shows the 'User Story Analyzer' application interface. At the top, there's a header with the app name and a 'Dark Mode' toggle. The main area is divided into several sections:

- ABOUT THE APP:** A brief description of the app's purpose.
- CONFIGURE LANGFLOW:** Fields for 'Langflow endpoint' (http://localhost:7860) and 'Langflow API key'.
- CONFIGURE GROQ:** Fields for 'Groq API key'.
- Connect to JIRA:** Fields for 'Email ID Registered in JIRA' (sarbajit.stoe@gmail.com), 'JIRA Endpoint' (https://sarbajit1210.atlassian.net/), and 'JIRA API Key'. A 'GET BOARDS' button is present.
- Boards:** A list of boards with 'Fetch User Stories' buttons. The first board is 'My First Sample JIRA Project (SCRUM)' with ID 1 and Type simple. The second is 'Gen-AI User Story (GEN)' with ID 35 and Type simple.
- Default test cases:** A list of test cases with checkboxes: Patient registration and intake, Appointment scheduling and reminders, e-Prescription order and dispense, Lab order and results delivery, Insurance eligibility verification, and Patient login and multi-factor authentication.
- User Stories:** A table with columns: ID, Key, Summary, Description, Acceptance Criteria, Status, Issuetype, and Score. It shows two stories: 10061 (GEN-1) and 10062 (GEN-2).

c) Generate Score

On clicking the Generate Score button, the Langflow workflow API generates a score for the selected user story. Before the score generation, Langflow details need to be configured in the left pane

This screenshot shows the same application interface as before, but with a modal window open for 'GEN-2 - Score'. The modal displays the following information:

- Score:** 57 / 100 overall.
- Category:** A table with columns 'Category' and 'Score'.
- Improvement Areas:** A list of areas for improvement, including 'Clarify the user role and exact functionality expected from the dashboard', 'Expand acceptance criteria with concrete preconditions, data elements, and performance metrics', 'Explicitly link the dashboard to measurable business value', 'Define testable conditions, including success/failure scenarios and latency thresholds', and 'Outline technical constraints such as EHR integration, data refresh rates, and compliance (HIPAA/POPIA) requirements'.
- Recommendations for Improvement:** A list of recommendations, including 'Rewrite the User Story' and 'Add Detailed Acceptance Criteria'.

The background interface shows the 'User Stories' table with four stories, and the 'Generate Score' button is highlighted for the selected story (GEN-2).

d) Generate test case

The user can generate a test case for the user story whose score was calculated by clicking the generate test case icon in the score pop-up.

When the user clicks the generate test case icon, the test case is generated in the same pop-up window, just below the score details. The test case generation is completed by executing the test case generation Langflow workflow through API.

The user can download the test case in an Excel format by clicking on the Export to XLSX icon.

GEN-2 - Score

57 / 100 overall

Category	Score
Clarity	—
Completeness	—
Business Value Alignment	—
Testability	—
Technical Feasibility	—

Improvement Areas

- Clarify the user role and exact functionality expected from the dashboard.
- Expand acceptance criteria with concrete preconditions, data elements, and performance metrics. - Explicitly link the dashboard to measurable business value (e.g., reduced nurse charting time, improved patient safety alerts).
- Define testable conditions, including success/failure scenarios and latency thresholds. - Outline technical constraints such as EHR integration, data refresh rates, and compliance (HIPAA/POPIA) requirements.

Recommendations for Improvement

- **Rewrite the User Story** - As a Nurse who works on a ward, I want to view a real-time dashboard of my assigned patients' vital signs, medication administration status, and pending tasks so that I can prioritize care and ensure patient safety.
- **Add Detailed Acceptance Criteria** - Given a logged-in Nurse with role "Ward Nurse", when the dashboard loads, it must display: - Vital sign trends for each patient (last 24h). - Medication administration status (on-time, overdue). - Pending tasks count per patient. - Data must be refreshed every 5 minutes. - The dashboard must render

GEN-2 - Score

57 / 100 overall


Category	Score
Clarity	—
Completeness	—
Business Value Alignment	—
Testability	—
Technical Feasibility	—

Improvement Areas

- Clarify the user role and exact functionality expected from the dashboard.
- Expand acceptance criteria with concrete preconditions, data elements, and performance metrics. - Explicitly link the dashboard to measurable business value (e.g., reduced nurse charting time, improved patient safety alerts).
- Define testable conditions, including success/failure scenarios and latency thresholds. - Outline technical constraints such as EHR integration, data refresh rates, and compliance (HIPAA/POPIA) requirements.

Recommendations for Improvement


- **Rewrite the User Story** - As a Nurse who works on a ward, I want to view a real-time dashboard of my assigned patients' vital signs, medication administration status, and pending tasks so that I can prioritize care and ensure patient safety.
- **Add Detailed Acceptance Criteria** - Given a logged-in Nurse with role "Ward Nurse", when the dashboard loads, it must display: - Vital sign trends for each patient (last 24h). - Medication administration status (on-time, overdue). - Pending tasks count per patient. - Data must be refreshed every 5 minutes. - The dashboard must render




e) Generate a test case for frequently used workflows

The user can generate a test case for a frequently used workflow by clicking the workflow in the right pane.

The generated test case can be downloaded in Excel format through the Export to XLSX icon at the bottom






f) Chatbot to generate test cases for customized workflows not part of user stories/default workflows

The user needs to configure the GROQ key to use the chatbot. The user can select a specific model to generate a test case.

After selecting a model, the user needs to submit a prompt specifying the scenario for which a test case is to be generated.

Post test case generation, the user can download the test case in an Excel document using the Export to XLSX icon.



each story for clarity and testability, then generating structured, healthcare-domain test cases with one click or through the built-in chat assistant.

CONFIGURE LANGFLOW

Held only in this browser tab's memory for the session — never written to disk.

Langflow endpoint

http://localhost:7860/

Langflow API key

Saved for this session.

CONFIGURE GROQ

Held only in this browser tab's memory for the session — never written to disk.

Groq API key

Saved for this session.

Connect to JIRA

Email ID Registered in JIRA

sarbajit.stoe@gmail.com

JIRA Endpoint

https://sarbajit1210.atlassian.net/

JIRA API Key

GET BOARDS

Boards

My First Sample JIRA Project (SCRUM)

ID: 1 • Type: simple

Fetch User Stories

Gen-AI User Story (GEN)

ID: 35 • Type: simple

Fetch User Stories

Default test cases

Frequently executed healthcare workflows

- ✓ Patient registration and intake
- ✓ Appointment scheduling and reminders
- ✓ e-Prescription order and dispense
- ✓ Lab order and results delivery
- ✓ Insurance eligibility verification
- ✓ Patient login and multi-factor authentication

User Stories

ID	Key	Summary	Description	Acceptance Criteria	Status	Issuey
10061	GEN-1	Consultant Dashboard My Inpatients	As a user, I want to consultant dashboard my inpatients so that the related functionality works as expected.	Given a user with valid access, when they open the dashboard, then relevant data and visualizations should be displayed correctly without delay.	To Do	Story
10062	GEN-2	Wards Dashboard Nurse Activities	As a user, I want to wards dashboard nurse activities so that the related functionality works as expected.	Given a user with valid access, when they open the dashboard, then relevant data and visualizations should be displayed correctly without delay.	To Do	Story
10063	GEN-3	Daycare Nurse Activities Raise	As a user, I want to daycare nurse activities raise so that the related functionality works as expected.	Given a nurse user, when they access ward management features, then they should be able to perform and track patient-related activities seamlessly.	To Do	Story
10064	GEN-4	Reports View Reports Others	As a user, I want to reports view reports others so that the related functionality works as expected.	Given reports exist in the system, when a user views or generates a report, then the report should display accurate and up-to-date information.	To Do	Story
10065	GEN-	Billing Execution	As a user, I want to billing execution deposit	Given valid billing records, when the user initiates a	To Do	Story

Test Case Assistant

generate test case for patient admission

Test Case ID	Title	Preconditions	Steps	Expected Result
TC_PA_001	Successful patient admission with valid insurance	User is logged in as Admission Clerk; patient record exists; insurance is available	1. Open Patient Admission screen. 2. Enter patient ID and click "Search". 3. Verify patient details are displayed. 4. Select "Admit" and choose a valid insurance plan.	Patient is admitted; admission confirmation with admission ID is displayed; patient status

Ask for test cases...

openai/gpt-oss-120b

each story for clarity and testability, then generating structured, healthcare-domain test cases with one click or through the built-in chat assistant.

CONFIGURE LANGFLOW

Held only in this browser tab's memory for the session — never written to disk.

Langflow endpoint

http://localhost:7860/

Langflow API key

Saved for this session.

CONFIGURE GROQ

Held only in this browser tab's memory for the session — never written to disk.

Groq API key

Saved for this session.

Connect to JIRA

Email ID Registered in JIRA

sarbajit.stoe@gmail.com

JIRA Endpoint

https://sarbajit1210.atlassian.net/

JIRA API Key

GET BOARDS

Boards

My First Sample JIRA Project (SCRUM)

ID: 1 • Type: simple

Fetch User Stories

Gen-AI User Story (GEN)

ID: 35 • Type: simple

Fetch User Stories

Default test cases

Frequently executed healthcare workflows

- ✓ Patient registration and intake
- ✓ Appointment scheduling and reminders
- ✓ e-Prescription order and dispense
- ✓ Lab order and results delivery
- ✓ Insurance eligibility verification
- ✓ Patient login and multi-factor authentication

User Stories

ID	Key	Summary	Description	Acceptance Criteria	Status	Issuey
10061	GEN-1	Consultant Dashboard My Inpatients	As a user, I want to consultant dashboard my inpatients so that the related functionality works as expected.	Given a user with valid access, when they open the dashboard, then relevant data and visualizations should be displayed correctly without delay.	To Do	Story
10062	GEN-2	Wards Dashboard Nurse Activities	As a user, I want to wards dashboard nurse activities so that the related functionality works as expected.	Given a user with valid access, when they open the dashboard, then relevant data and visualizations should be displayed correctly without delay.	To Do	Story
10063	GEN-3	Daycare Nurse Activities Raise	As a user, I want to daycare nurse activities raise so that the related functionality works as expected.	Given a nurse user, when they access ward management features, then they should be able to perform and track patient-related activities seamlessly.	To Do	Story
10064	GEN-4	Reports View Reports Others	As a user, I want to reports view reports others so that the related functionality works as expected.	Given reports exist in the system, when a user views or generates a report, then the report should display accurate and up-to-date information.	To Do	Story
10065	GEN-	Billing Execution	As a user, I want to billing execution deposit	Given valid billing records, when the user initiates a	To Do	Story

Test Case Assistant

generate test case for patient admission

Test Case ID	Title	Preconditions	Steps	Expected Result
TC_PA_005	System error handling when insurance service is unavailable	User is logged in as Admission Clerk; insurance validation service is down (simulated)	1. Open Patient Admission screen. 2. Enter patient ID and click "Search". 3. Select "Admit" and choose a ward. 4. Enter insurance policy number and click "Validate".	System shows error message: "Unable to validate insurance at this time. Please try later." Admission process is paused, and the user can retry later without losing entered data.

Ask for test cases...

openai/gpt-oss-120b

Export to XLSX

g) Toggle bar to change theme

The user can switch between the dark and light themes using the toggle bar at the top right

User Story Analyzer
JIRA stories, mapped to test coverage

Light Mode

ABOUT THE APP

User Story Analyzer connects to your JIRA board and turns raw user stories into audi-ready QA coverage — scoring each story for clarity and testability, then generating structured, healthcare-domain test cases with one click or through the built-in chat assistant.

CONFIGURE LANGFLOW

Held only in this browser tab's memory for the session — never written to disk.

Langflow endpoint
http://localhost:7860/

Langflow API key
.....

Saved for this session.

CONFIGURE GROQ

Held only in this browser tab's memory for the session — never written to disk.

Groq API key
.....

Saved for this session.

25
Stories synced

Connect to JIRA

Email ID Registered in JIRA
sarbajit.stcst@gmail.com

JIRA Endpoint
https://sarbajit1210.atlassian.net/

JIRA API Key
.....

GET BOARDS

Boards

My First Sample JIRA Project (SCRUM)

Fetch User Stories

Gen-AI User Story (GEN)

Fetch User Stories

2
Boards connected

Default test cases

Default test cases

Frequently selected healthcare workflows

✓ Patient registration and intake

✓ Appointment scheduling and reminders

✓ e-Prescription order and dispense

✓ Lab order and results delivery

✓ Insurance eligibility verification

✓ Patient login and multi-factor authentication

6
Default test cases

Default test cases

Frequently selected healthcare workflows

✓ Patient registration and intake

✓ Appointment scheduling and reminders

✓ e-Prescription order and dispense

✓ Lab order and results delivery

✓ Insurance eligibility verification

✓ Patient login and multi-factor authentication

Test Case Assistant

TC_PA_005

System error handling when insurance service is unavailable

User is logged in as Admission Clerk, insurance validation service is down (simulated)

1. Open Patient Admission screen.
2. Enter patient ID and click "Search".
3. Select "Admit" and choose a ward.
4. Enter insurance policy number and click "Validate".

System shows message: "Unable to validate insurance at this time. Please try later." Admission process is paused, and the user can retry later without losing entered data.

Ask for test cases...

openai/gpt-oss-120b

User Stories

ID	Key	Summary	Description	Acceptance Criteria	Status	Issue type
10061	GEN-1	Consultant Dashboard My Inpatients	As a user, I want to consultant dashboard my inpatients so that the related functionality works as expected.	Given a user with valid access, when they open the dashboard, then relevant data and visualizations should be displayed correctly without delay.	To Do	Story
10062	GEN-	Wards Dashboard	As a user, I want to wards dashboard nurse	Given a user with valid access, when they open the	To Do	Story