




As part of the Week 3 Day 1 assignment, I have worked on modifying the Chrome extension to accept JavaScript and Playwright as supported languages and browser engine



The extension generates JavaScript and Playwright test script as a response



```
const { test, expect } = require('@playwright/test');
```

```
test.describe('JIRA Configuration', () => {
```

```
  test.beforeEach(async ({ page }) => {  
    await page.goto('http://localhost:5173/');  
  });
```

```
  test.afterEach(async ({ page }) => {  
    await page.close();  
  });
```

```
  test('Successful JIRA configuration with valid credentials', async ({ page }) => {  
    await page.locator('input[id="domain"]').fill('sarbajit1210.atlassian.net');  
    await page.locator('input[id="email"]').fill('sarbajit@example.com');  
    await page.locator('input[id="apiToken"]').fill('valid-api-token');  
    await page.locator('button:has-text("Fetch Boards")').click();
```

```
  
    await expect(page.locator('h2:has-text("JIRA Configuration)')).toBeVisible();  
  });
```

```
  test('Failed JIRA configuration with invalid domain', async ({ page }) => {  
    await page.locator('input[id="domain"]').fill('invalid-domain');  
    await page.locator('input[id="email"]').fill('sarbajit@example.com');  
    await page.locator('input[id="apiToken"]').fill('valid-api-token');  
    await page.locator('button:has-text("Fetch Boards")').click();
```

```
  
    await expect(page.locator('text=Invalid domain')).toBeVisible();  
  });
```

```
  test('Failed JIRA configuration with invalid email', async ({ page }) => {  
    await page.locator('input[id="domain"]').fill('sarbajit1210.atlassian.net');  
    await page.locator('input[id="email"]').fill('invalid-email');
```

```

    await page.locator('input[id="apiToken"]').fill('valid-api-token');
    await page.locator('button:has-text("Fetch Boards")').click();

    await expect(page.locator('text=Invalid email')).toBeVisible();
  });

  test('Failed JIRA configuration with invalid API token', async ({ page }) => {
    await page.locator('input[id="domain"]').fill('sarbajit1210.atlassian.net');
    await page.locator('input[id="email"]').fill('sarbajit@example.com');
    await page.locator('input[id="apiToken"]').fill('invalid-api-token');
    await page.locator('button:has-text("Fetch Boards")').click();

    await expect(page.locator('text=Invalid API token')).toBeVisible();
  });

  test('JIRA configuration form validation', async ({ page }) => {
    await page.locator('button:has-text("Fetch Boards")').click();

    await expect(page.locator('input[id="domain"]')).toBeRequired();
    await expect(page.locator('input[id="email"]')).toBeRequired();
    await expect(page.locator('input[id="apiToken"]')).toBeRequired();
  });
});

```

Also adjusted the UI to use a purple/violet color template