SUPPLEMENTAL MATERIALS

ASCE Journal of Computing in Civil Engineering

Spatial Compatibility Decomposition Framework for Evaluating Uncertainty of Building Footprint Datasets

Sarbesh Banjara, Patrick S. Crawford


Figure Captions


Figure S1. Histogram of IoU between USAS and MBF at successive alignment stages including (a) raw IoU, (b) IoU after PD_2 adjustment, and (c) IoU after optimum translation


Figure S2. Rose diagram of relative centroid direction between building footprint dataset for the study cities

Figure S3. LISA map of centroid difference magnitude for the study cities. Blue, red, green, orange, and light gray points represent the high-high, low-low, high-low, low-high, and non-significant classes, respectively.


Mayfield, KY










Tuscaloosa, AL










Brookings, SD










Clemson, SC










Durango, CO










Ithaca, NY










Laramie, WY









Morgantown, WV








Pullman, WA

Stillwater, OK



(a) *(b)* *(c)*

Figure S1. Histogram of IoU between USAS and MBF at successive alignment stages including (a) raw IoU, (b) IoU after PD_2 adjustment, and (c) IoU after optimum translation




Figure S2. Rose diagram of relative centroid direction between building footprint dataset for the study cities




Figure S3. LISA map of centroid difference magnitude for the study cities. Blue, red, green, orange, and light gray points represent the high-high, low-low, high-low, low-high, and non-significant classes, respectively.