

```
alumnos.sql: Bloc de notas
Archivo Edición Formato Ver Ayuda
insert into alumnos values(999965,"Zelinda","Vahamonde","Almuniaver","528254902",999964);
insert into alumnos values(999966,"Xylona","Redondover","Carrascover","882164737",999965);
insert into alumnos values(999967,"Thyra","Camposver","Aguadover","763475686",999966);
insert into alumnos values(999968,"Zenaide","Agredaver","Canilsver","808524994",999967);
insert into alumnos values(999969,"Zelda","Almazanver","Riberaver","755153084",999968);
insert into alumnos values(999970,"Ywenn","Ceaver","Cifontesver","523755058",999969);
insert into alumnos values(999971,"Urki","Campanaver","Rubialesver","760941391",999970);
insert into alumnos values(999972,"Tiara","Anguianover","Almazanver","995222914",999971);
insert into alumnos values(999973,"Zac","Carrillover","Canilsver","144514271",999972);
insert into alumnos values(999974,"Xandy","Calzadaver","Catravaver","754369268",999973);
insert into alumnos values(999975,"Talos","Ahumadaver","Cepedaver","282486679",999974);
insert into alumnos values(999976,"Arthur","Elizaldever","Azcaratever","265252787",999975);
insert into alumnos values(999977,"Eluska","Rivasver","Ceaver","721102750",999976);
insert into alumnos values(999978,"Xarles","Dorantesver","Aldanaver","24556945",999977);
insert into alumnos values(999979,"Melody","Bandaver","Carnerover","731320604",999978);
insert into alumnos values(999980,"Myrtille","Barrosover","Bellochver","633793595",999979);
insert into alumnos values(999981,"Iyendo","Bustover","Escudover","605811924",999980);
insert into alumnos values(999982,"Zoe","Barrancover","Abrilver","65832724",999981);
insert into alumnos values(999983,"Yvette","Alemanyver","Arboleayer","969263147",999982);
insert into alumnos values(999984,"Zeva","Anzonver","Cabañasver","420973725",999983);
insert into alumnos values(999985,"Zenía","Aenllover","Cañasver","637023812",999984);
insert into alumnos values(999986,"Melita","Arboleayer","Bouffartver","531034604",999985);
insert into alumnos values(999987,"Zako","Sanjurjover","Rubialesver","143775872",999986);
insert into alumnos values(999988,"Xenaro","Callejaver","Andradaver","808286709",999987);
insert into alumnos values(999989,"Xylon","Barcover","Bartomeuver","95136696",999988);
insert into alumnos values(999990,"Wilfrid","Castellóver","Cifuentesver","901093064",999989);
insert into alumnos values(999991,"Hodeiza","Borrellver","Almanzaver","632407419",999990);
insert into alumnos values(999992,"William","gover","Ansúrezver","900994761",999991);
insert into alumnos values(999993,"Tevaite","Redondover","Odonellver","351947094",999992);
insert into alumnos values(999994,"Gardotza","Guiraover","Ajofrinver","730843644",999993);
insert into alumnos values(999995,"Garibaldo","Albertinver","Alegriaver","551232530",999994);
insert into alumnos values(999996,"Xusta","Ansúrezver","Agazonesver","74697019",999995);
insert into alumnos values(999997,"Edwin","Ballesterosver","Anduezaver","727305741",999996);
insert into alumnos values(999998,"Vanessa","Cabellover","Bustosver","783802677",999997);
insert into alumnos values(999999,"Pero","Vahamonde","Castillover","584980541",999998);
insert into alumnos values(100000,"Isaura","Calvover","Sanjurjover","944468622",999999);
```

```
tipoAlumno.sql: Bloc de notas
Archivo Edición Formato Ver Ayuda
insert into tipoAlumno values(999965,"Maestria");
insert into tipoAlumno values(999966,"Bachillerato");
insert into tipoAlumno values(999967,"Maestria");
insert into tipoAlumno values(999968,"Maestria");
insert into tipoAlumno values(999969,"TSU");
insert into tipoAlumno values(999970,"TSU");
insert into tipoAlumno values(999971,"Bachillerato");
insert into tipoAlumno values(999972,"Bachillerato");
insert into tipoAlumno values(999973,"Bachillerato");
insert into tipoAlumno values(999974,"TSU");
insert into tipoAlumno values(999975,"Bachillerato");
insert into tipoAlumno values(999976,"Maestria");
insert into tipoAlumno values(999977,"Bachillerato");
insert into tipoAlumno values(999978,"Ingenieria");
insert into tipoAlumno values(999979,"TSU");
insert into tipoAlumno values(999980,"Ingenieria");
insert into tipoAlumno values(999981,"Maestria");
insert into tipoAlumno values(999982,"Bachillerato");
insert into tipoAlumno values(999983,"TSU");
insert into tipoAlumno values(999984,"Maestria");
insert into tipoAlumno values(999985,"TSU");
insert into tipoAlumno values(999986,"Bachillerato");
insert into tipoAlumno values(999987,"Bachillerato");
insert into tipoAlumno values(999988,"Bachillerato");
insert into tipoAlumno values(999989,"Ingenieria");
insert into tipoAlumno values(999990,"Ingenieria");
insert into tipoAlumno values(999991,"TSU");
insert into tipoAlumno values(999992,"TSU");
insert into tipoAlumno values(999993,"Ingenieria");
insert into tipoAlumno values(999994,"TSU");
insert into tipoAlumno values(999995,"Ingenieria");
insert into tipoAlumno values(999996,"TSU");
insert into tipoAlumno values(999997,"Maestria");
insert into tipoAlumno values(999998,"TSU");
insert into tipoAlumno values(999999,"TSU");
insert into tipoAlumno values(100000,"Bachillerato");
```

```
TablaCalificacionesAlumnos.sql: Bloc de notas
Archivo Edición Formato Ver Ayuda
insert into calificacionesAlumno values (999958,999957,8,3,8,6,9,9,5,7,3);
insert into calificacionesAlumno values (999959,999958,8,3,7,2,8,3,4,1,8,3);
insert into calificacionesAlumno values (999960,999959,3,9,4,4,7,5,8,2,9,6);
insert into calificacionesAlumno values (999961,999960,10,10,8,3,8,5,8,3);
insert into calificacionesAlumno values (999962,999961,9,6,9,3,5,6,6,3,9,9);
insert into calificacionesAlumno values (999963,999962,9,6,9,6,9,9,6,10);
insert into calificacionesAlumno values (999964,999963,7,3,4,1,9,9,9,3,4,1);
insert into calificacionesAlumno values (999965,999964,5,5,9,3,4,1,7,7,8,2);
insert into calificacionesAlumno values (999966,999965,7,3,9,5,8,8,9,8);
insert into calificacionesAlumno values (999967,999966,9,10,3,9,5,6,8);
insert into calificacionesAlumno values (999968,999967,3,9,4,1,7,7,7,9,9);
insert into calificacionesAlumno values (999969,999968,4,4,9,3,1,2,7,2,8,8);
insert into calificacionesAlumno values (999970,999969,8,6,9,3,9,5,7,2,4,1);
insert into calificacionesAlumno values (999971,999970,7,7,3,4,1,8,6,5,6);
insert into calificacionesAlumno values (999972,999971,7,9,5,8,4,1,9,3);
insert into calificacionesAlumno values (999973,999972,8,3,9,5,8,2,9,3,7,7);
insert into calificacionesAlumno values (999974,999973,9,6,8,6,3,3,9,6,8);
insert into calificacionesAlumno values (999975,999974,7,9,6,3,4,5,1,2,6,8);
insert into calificacionesAlumno values (999976,999975,1,2,9,5,9,6,9,3,4,4);
insert into calificacionesAlumno values (999977,999976,4,4,4,5,5,5,6,3,8,3);
insert into calificacionesAlumno values (999978,999977,9,6,2,3,8,8,8,8);
insert into calificacionesAlumno values (999979,999978,9,6,6,8,6,3,9,9,6,3);
insert into calificacionesAlumno values (999980,999979,8,4,1,3,9,10,6,3);
insert into calificacionesAlumno values (999981,999980,7,9,3,9,3,3,6,3,7,5);
insert into calificacionesAlumno values (999982,999981,8,8,3,9,5,4,4,9,9);
insert into calificacionesAlumno values (999983,999982,4,4,9,5,4,4,3,3,7,2);
insert into calificacionesAlumno values (999984,999983,9,9,8,5,5,6,9,10);
insert into calificacionesAlumno values (999985,999984,3,9,3,3,3,9,10,7,2);
insert into calificacionesAlumno values (999986,999985,4,4,7,5,5,6,8,6,7,2);
insert into calificacionesAlumno values (999987,999986,5,6,1,2,8,4,1,7,2);
insert into calificacionesAlumno values (999988,999987,1,2,4,7,6,8,5,6);
insert into calificacionesAlumno values (999989,999988,9,9,9,3,9,5,9,6,7,7);
insert into calificacionesAlumno values (999990,999989,3,9,4,4,5,6,9,5,9,3);
insert into calificacionesAlumno values (999991,999990,8,8,8,5,9,5,5,10);
insert into calificacionesAlumno values (999992,999991,8,8,6,9,5,6,9,6);
insert into calificacionesAlumno values (999993,999992,9,3,3,7,3,8,3,8,3);
insert into calificacionesAlumno values (999994,999993,8,3,8,8,1,2,5,5,2,2);
insert into calificacionesAlumno values (999995,999994,7,2,8,8,3,8,3,4,1);
insert into calificacionesAlumno values (999996,999995,4,7,7,9,8,2,8,6,8,3);
insert into calificacionesAlumno values (999997,999996,5,6,8,2,8,6,3,9,7);
insert into calificacionesAlumno values (999998,999997,6,3,5,6,3,9,9,10);
insert into calificacionesAlumno values (999999,999998,9,5,8,9,9,3,3,10);
insert into calificacionesAlumno values (1000000,999999,7,3,3,9,9,9,3,3,7,7);
```

```
TablaAgrupaciones.sql: Bloc de notas
Archivo Edición Formato Ver Ayuda
insert into agrupaciones values (999958,999957,999957,999957,999957,999957,999957);
insert into agrupaciones values (999959,999958,999958,999958,999958,999958,999958);
insert into agrupaciones values (999960,999959,999959,999959,999959,999959,999959);
insert into agrupaciones values (999961,999960,999960,999960,999960,999960,999960);
insert into agrupaciones values (999962,999961,999961,999961,999961,999961,999961);
insert into agrupaciones values (999963,999962,999962,999962,999962,999962,999962);
insert into agrupaciones values (999964,999963,999963,999963,999963,999963,999963);
insert into agrupaciones values (999965,999964,999964,999964,999964,999964,999964);
insert into agrupaciones values (999966,999965,999965,999965,999965,999965,999965);
insert into agrupaciones values (999967,999966,999966,999966,999966,999966,999966);
insert into agrupaciones values (999968,999967,999967,999967,999967,999967,999967);
insert into agrupaciones values (999969,999968,999968,999968,999968,999968,999968);
insert into agrupaciones values (999970,999969,999969,999969,999969,999969,999969);
insert into agrupaciones values (999971,999970,999970,999970,999970,999970,999970);
insert into agrupaciones values (999972,999971,999971,999971,999971,999971,999971);
insert into agrupaciones values (999973,999972,999972,999972,999972,999972,999972);
insert into agrupaciones values (999974,999973,999973,999973,999973,999973,999973);
insert into agrupaciones values (999975,999974,999974,999974,999974,999974,999974);
insert into agrupaciones values (999976,999975,999975,999975,999975,999975,999975);
insert into agrupaciones values (999977,999976,999976,999976,999976,999976,999976);
insert into agrupaciones values (999978,999977,999977,999977,999977,999977,999977);
insert into agrupaciones values (999979,999978,999978,999978,999978,999978,999978);
insert into agrupaciones values (999980,999979,999979,999979,999979,999979,999979);
insert into agrupaciones values (999981,999980,999980,999980,999980,999980,999980);
insert into agrupaciones values (999982,999981,999981,999981,999981,999981,999981);
insert into agrupaciones values (999983,999982,999982,999982,999982,999982,999982);
insert into agrupaciones values (999984,999983,999983,999983,999983,999983,999983);
insert into agrupaciones values (999985,999984,999984,999984,999984,999984,999984);
insert into agrupaciones values (999986,999985,999985,999985,999985,999985,999985);
insert into agrupaciones values (999987,999986,999986,999986,999986,999986,999986);
insert into agrupaciones values (999988,999987,999987,999987,999987,999987,999987);
insert into agrupaciones values (999989,999988,999988,999988,999988,999988,999988);
insert into agrupaciones values (999990,999989,999989,999989,999989,999989,999989);
insert into agrupaciones values (999991,999990,999990,999990,999990,999990,999990);
insert into agrupaciones values (999992,999991,999991,999991,999991,999991,999991);
insert into agrupaciones values (999993,999992,999992,999992,999992,999992,999992);
insert into agrupaciones values (999994,999993,999993,999993,999993,999993,999993);
insert into agrupaciones values (999995,999994,999994,999994,999994,999994,999994);
insert into agrupaciones values (999996,999995,999995,999995,999995,999995,999995);
insert into agrupaciones values (999997,999996,999996,999996,999996,999996,999996);
insert into agrupaciones values (999998,999997,999997,999997,999997,999997,999997);
insert into agrupaciones values (1000000,999999,999999,999999,999999,999999,999999);
```

```
Tablatabajos.sql: Bloc de notas
Archivo Edición Formato Ver Ayuda
insert into trabajos values(999958,"Maqueta",999957,999957);
insert into trabajos values(999959,"Ponencia",999958,999958);
insert into trabajos values(999960,"Ensayo",999959,999959);
insert into trabajos values(999961,"Base de datos",999960,999960);
insert into trabajos values(999962,"Programa",999961,999961);
insert into trabajos values(999963,"Critica",999962,999962);
insert into trabajos values(999964,"Programa",999963,999963);
insert into trabajos values(999965,"Monografia",999964,999964);
insert into trabajos values(999966,"Exposición",999965,999965);
insert into trabajos values(999967,"Resumen",999966,999966);
insert into trabajos values(999968,"Programa",999967,999967);
insert into trabajos values(999969,"Exposición",999968,999968);
insert into trabajos values(999970,"Informe",999969,999969);
insert into trabajos values(999971,"Investigación",999970,999970);
insert into trabajos values(999972,"Maqueta",999971,999971);
insert into trabajos values(999973,"Investigación",999972,999972);
insert into trabajos values(999974,"Escrito",999973,999973);
insert into trabajos values(999975,"Ejercicios",999974,999974);
insert into trabajos values(999976,"Maqueta",999975,999975);
insert into trabajos values(999977,"Monografía",999976,999976);
insert into trabajos values(999978,"Ponencia",999977,999977);
insert into trabajos values(999979,"Informe",999978,999978);
insert into trabajos values(999980,"Base de datos",999979,999979);
insert into trabajos values(999981,"Investigación",999980,999980);
insert into trabajos values(999982,"Critica",999981,999981);
insert into trabajos values(999983,"Apunte",999982,999982);
insert into trabajos values(999984,"Ponencia",999983,999983);
insert into trabajos values(999985,"Resumen",999984,999984);
insert into trabajos values(999986,"Base de datos",999985,999985);
insert into trabajos values(999987,"Escrito",999986,999986);
insert into trabajos values(999988,"Ejercicios",999987,999987);
insert into trabajos values(999989,"Base de datos",999988,999988);
insert into trabajos values(999990,"Tesis",999989,999989);
insert into trabajos values(999991,"Tesis",999990,999990);
insert into trabajos values(999992,"Artículo",999991,999991);
insert into trabajos values(999993,"Programa",999992,999992);
insert into trabajos values(999994,"Escrito",999993,999993);
insert into trabajos values(999995,"Apunte",999994,999994);
insert into trabajos values(999996,"Ponencia",999995,999995);
insert into trabajos values(999997,"Monografía",999996,999996);
insert into trabajos values(999998,"Resumen",999997,999997);
insert into trabajos values(999999,"Ejercicios",999998,999998);
insert into trabajos values(100000,"Investigación",999999,999999);
```

```
C:\BalamDatos\salcones.sql - Notepad++
Archivo Editar Buscar Vista Codificación Lenguaje Configuración Macro Ejecutar Plugins Ventana ?
C:\BalamDatos\salcones.sql C:\BalamDatos\salcones.sql C:\BalamDatos\salcones.sql C:\BalamDatos\salcones.sql C:\BalamDatos\salcones.sql C:\BalamDatos\salcones.sql
1 drop database if exist salones;
2 use salones;
3
4 drop table if exist salones;
5 create table salones(
6     idsalones int auto_increment,
7     idSalon int(11),
8     nombresalons varchar(20)
9 )engine=innodb;
10
11 insert into salones values(1,0,"CB10");
12 insert into salones values(2,1,"CA03");
13 insert into salones values(3,2,"CB08");
14 insert into salones values(4,3,"CB09");
15 insert into salones values(5,4,"CA05");
16 insert into salones values(6,5,"CB09");
17 insert into salones values(7,6,"CA05");
18 insert into salones values(8,7,"CA05");
19 insert into salones values(9,8,"CB06");
20 insert into salones values(10,9,"CA01");
21 insert into salones values(11,10,"CA10");
22 insert into salones values(12,11,"CA06");
23 insert into salones values(13,12,"CB05");
24 insert into salones values(14,13,"CA01");
25 insert into salones values(15,14,"CA09");
26 insert into salones values(16,15,"CB07");
27 insert into salones values(17,16,"CA02");
28 insert into salones values(18,17,"CB03");
29 insert into salones values(19,18,"CB10");
30 insert into salones values(20,19,"CB01");
31 insert into salones values(21,20,"CA07");
32 insert into salones values(22,21,"CB10");
33 insert into salones values(23,22,"CB01");
34 insert into salones values(24,23,"CB02");
35 insert into salones values(25,24,"CA05");
36 insert into salones values(26,25,"CB04");
37 insert into salones values(27,26,"CB04");
38 insert into salones values(28,27,"CA04");
length: 50777982 lines: 1000011 Ln: 1 Col: 1 Sel: 0 | 0 Dep: Windows UTF-8 INS
11:38 p.m. 17/06/2016
```

C:\BalamDatos\parciales.sql - Notepad++

Archivo Editar Buscar Vista Codificación Lenguaje Configuración Macro Ejecutar Plugins Ventana ?

parciales.sql

```
709369 insert into parciales values (709369,"Primer","Primer");
709370 insert into parciales values (709369,"Segundo","Segundo");
709371 insert into parciales values (709361,"Primer","Tercero");
709372 insert into parciales values (709362,"Tercero","Primer");
709373 insert into parciales values (709363,"Segundo","Final");
709374 insert into parciales values (709364,"Final","Segundo");
709375 insert into parciales values (709365,"Primer","Primer");
709376 insert into parciales values (709366,"Primer","Primer");
709377 insert into parciales values (709367,"Tercero","Final");
709378 insert into parciales values (709368,"Final","Final");
709379 insert into parciales values (709369,"Segundo","Primer");
709380 insert into parciales values (709370,"Final","Final");
709381 insert into parciales values (709371,"Tercero","Final");
709382 insert into parciales values (709372,"Tercero","Segundo");
709383 insert into parciales values (709373,"Primer","Tercero");
709384 insert into parciales values (709374,"Primer","Tercero");
709385 insert into parciales values (709375,"Final","Tercero");
709386 insert into parciales values (709376,"Segundo","Final");
709387 insert into parciales values (709377,"Tercero","Primer");
709388 insert into parciales values (709378,"Primer","Segundo");
709389 insert into parciales values (709379,"Segundo","Segundo");
709390 insert into parciales values (709380,"Tercero","Segundo");
709391 insert into parciales values (709381,"Final","Segundo");
709392 insert into parciales values (709382,"Segundo","Tercero");
709393 insert into parciales values (709383,"Segundo","Final");
709394 insert into parciales values (709384,"Final","Final");
709395 insert into parciales values (709385,"Segundo","Segundo");
709396 insert into parciales values (709386,"Final","Final");
709397 insert into parciales values (709387,"Primer","Tercero");
709398 insert into parciales values (709388,"Final","Primer");
709399 insert into parciales values (709389,"Final","Primer");
709400 insert into parciales values (709390,"Segundo","Segundo");
709401 insert into parciales values (709391,"Tercero","Final");
709402 insert into parciales values (709392,"Primer","Primer");
709403 insert into parciales values (709393,"Segundo","Primer");
709404 insert into parciales values (709394,"Segundo","Tercero");
709405 insert into parciales values (709395,"Tercero","Primer");
709406 insert into parciales values (709396,"Tercero","Primer");
```

Structured Query Language file length: 57995912 lines: 1000011 Ln: 1 Col: 1 Sel: 0 | 0 Dep: Windows UTF-8 INS

Buscar en Internet y en Windows

periodo.sql: Bloc de notas

Archivo Edición Formato Ver Ayuda

```
insert into periodo values (999965,"May-Ago 2015");
insert into periodo values (999966,"Ene-Abr 2010");
insert into periodo values (999967,"Sep-Dic 1998");
insert into periodo values (999968,"May-Ago 1985");
insert into periodo values (999969,"Ene-Abr 1999");
insert into periodo values (999970,"Ene-Abr 2011");
insert into periodo values (999971,"May-Ago 1993");
insert into periodo values (999972,"Sep-Dic 1999");
insert into periodo values (999973,"Ene-Abr 2002");
insert into periodo values (999974,"May-Ago 2002");
insert into periodo values (999975,"Sep-Dic 1986");
insert into periodo values (999976,"May-Ago 2022");
insert into periodo values (999977,"May-Ago 2013");
insert into periodo values (999978,"Sep-Dic 2003");
insert into periodo values (999979,"Ene-Abr 2012");
insert into periodo values (999980,"May-Ago 2006");
insert into periodo values (999981,"May-Ago 2014");
insert into periodo values (999982,"Ene-Abr 1996");
insert into periodo values (999983,"May-Ago 2005");
insert into periodo values (999984,"May-Ago 2017");
insert into periodo values (999985,"May-Ago 2016");
insert into periodo values (999986,"Sep-Dic 1987");
insert into periodo values (999987,"May-Ago 2010");
insert into periodo values (999988,"May-Ago 1993");
insert into periodo values (999989,"May-Ago 2014");
insert into periodo values (999990,"Sep-Dic 2004");
insert into periodo values (999991,"May-Ago 2013");
insert into periodo values (999992,"May-Ago 2012");
insert into periodo values (999993,"May-Ago 2013");
insert into periodo values (999994,"Sep-Dic 2004");
insert into periodo values (999995,"Ene-Abr 2009");
insert into periodo values (999996,"Sep-Dic 1999");
insert into periodo values (999997,"May-Ago 2011");
insert into periodo values (999998,"May-Ago 2011");
insert into periodo values (999999,"May-Ago 2022");
insert into periodo values (1000000,"Ene-Abr 1995");
```

```
materia.sql: Bloc de notas
Archivo Edición Formato Ver Ayuda
insert into materia values(999965,"Matematicas");
insert into materia values(999966,"Economia");
insert into materia values(999967,"Artistica");
insert into materia values(999968,"Español");
insert into materia values(999969,"Administracion");
insert into materia values(999970,"Artística");
insert into materia values(999971,"Química");
insert into materia values(999972,"Ingles");
insert into materia values(999973,"Ciencias");
insert into materia values(999974,"Proyectos");
insert into materia values(999975,"Proyectos");
insert into materia values(999976,"Química");
insert into materia values(999977,"Software");
insert into materia values(999978,"Proyectos");
insert into materia values(999979,"Software");
insert into materia values(999980,"Ingles");
insert into materia values(999981,"Matematicas");
insert into materia values(999982,"Química");
insert into materia values(999983,"Química");
insert into materia values(999984,"Física");
insert into materia values(999985,"Contabilidad");
insert into materia values(999986,"Ingles");
insert into materia values(999987,"Matematicas");
insert into materia values(999988,"Redes");
insert into materia values(999989,"Administracion");
insert into materia values(999990,"Matematicas");
insert into materia values(999991,"Economia");
insert into materia values(999992,"Administracion");
insert into materia values(999993,"Contabilidad");
insert into materia values(999994,"Español");
insert into materia values(999995,"Contabilidad");
insert into materia values(999996,"Estadística");
insert into materia values(999997,"Ciencias");
insert into materia values(999998,"Civismo");
insert into materia values(999999,"Estadística");
insert into materia values(1000000,"Matematicas");
```

```
horario.sql: Bloc de notas
Archivo Edición Formato Ver Ayuda
insert into horario values(999965,"Miercoles","12:21:26","16:35:58",999964,999964);
insert into horario values(999966,"Martes","1:32:9","3:15:20",999965,999965);
insert into horario values(999967,"Miercoles","12:33:18","22:54:26",999966,999966);
insert into horario values(999968,"Jueves","4:35:17","18:9:17",999967,999967);
insert into horario values(999969,"Miercoles","4:44:39","0:23:52",999968,999968);
insert into horario values(999970,"Viernes","15:37:13","11:32:38",999969,999969);
insert into horario values(999971,"Miercoles","0:20:15","1:21:48",999970,999970);
insert into horario values(999972,"Miercoles","23:25:31","18:10:20",999971,999971);
insert into horario values(999973,"Miercoles","14:28:45","1:44:53",999972,999972);
insert into horario values(999974,"Jueves","8:11:52","7:31:8",999973,999973);
insert into horario values(999975,"Martes","15:36:42","4:32:19",999974,999974);
insert into horario values(999976,"Viernes","1:55:25","23:3:5",999975,999975);
insert into horario values(999977,"Miercoles","7:5:32","1:10:15",999976,999976);
insert into horario values(999978,"Viernes","11:45:52","10:22:23",999977,999977);
insert into horario values(999979,"Martes","0:56:0","10:29:55",999978,999978);
insert into horario values(999980,"Martes","10:20:5","14:21:27",999979,999979);
insert into horario values(999981,"Viernes","17:58:13","22:48:7",999980,999980);
insert into horario values(999982,"Viernes","2:26:55","21:1:30",999981,999981);
insert into horario values(999983,"Viernes","14:12:41","8:52:23",999982,999982);
insert into horario values(999984,"Martes","11:22:7","14:7:14",999983,999983);
insert into horario values(999985,"Lunes","9:58:28","5:6:41",999984,999984);
insert into horario values(999986,"Miercoles","13:52:42","20:53:21",999985,999985);
insert into horario values(999987,"Miercoles","8:40:55","15:52:12",999986,999986);
insert into horario values(999988,"Jueves","11:37:23","5:41:22",999987,999987);
insert into horario values(999989,"Lunes","19:22:24","20:42:7",999988,999988);
insert into horario values(999990,"Lunes","12:26:26","21:32:11",999989,999989);
insert into horario values(999991,"Jueves","18:21:48","10:49:28",999990,999990);
insert into horario values(999992,"Miercoles","6:31:52","22:24:48",999991,999991);
insert into horario values(999993,"Jueves","21:26:8","5:26:35",999992,999992);
insert into horario values(999994,"Lunes","9:33:21","23:53:9",999993,999993);
insert into horario values(999995,"Jueves","9:14:17","5:17:24",999994,999994);
insert into horario values(999996,"Jueves","1:55:16","15:56:16",999995,999995);
insert into horario values(999997,"Jueves","1:54:42","0:59:19",999996,999996);
insert into horario values(999998,"Lunes","8:46:23","0:17:46",999997,999997);
insert into horario values(999999,"Viernes","18:2:35","11:9:27",999998,999998);
insert into horario values(1000000,"Miercoles","13:24:44","14:49:9",999999,999999);
```



```
tipoAsistencia.sql: Bloc de notas
Archivo Edición Formato Ver Ayuda
insert into tipoAsistencia values (999965, "Asistencia");
insert into tipoAsistencia values (999966, "Asistencia");
insert into tipoAsistencia values (999967, "Asistencia");
insert into tipoAsistencia values (999968, "Falta");
insert into tipoAsistencia values (999969, "Asistencia");
insert into tipoAsistencia values (999970, "Asistencia");
insert into tipoAsistencia values (999971, "Falta");
insert into tipoAsistencia values (999972, "Asistencia");
insert into tipoAsistencia values (999973, "Asistencia");
insert into tipoAsistencia values (999974, "Falta");
insert into tipoAsistencia values (999975, "Falta");
insert into tipoAsistencia values (999976, "Falta");
insert into tipoAsistencia values (999977, "Falta");
insert into tipoAsistencia values (999978, "Asistencia");
insert into tipoAsistencia values (999979, "Falta");
insert into tipoAsistencia values (999980, "Falta");
insert into tipoAsistencia values (999981, "Asistencia");
insert into tipoAsistencia values (999982, "Falta");
insert into tipoAsistencia values (999983, "Falta");
insert into tipoAsistencia values (999984, "Asistencia");
insert into tipoAsistencia values (999985, "Asistencia");
insert into tipoAsistencia values (999986, "Asistencia");
insert into tipoAsistencia values (999987, "Asistencia");
insert into tipoAsistencia values (999988, "Asistencia");
insert into tipoAsistencia values (999989, "Asistencia");
insert into tipoAsistencia values (999990, "Asistencia");
insert into tipoAsistencia values (999991, "Asistencia");
insert into tipoAsistencia values (999992, "Asistencia");
insert into tipoAsistencia values (999993, "Falta");
insert into tipoAsistencia values (999994, "Falta");
insert into tipoAsistencia values (999995, "Falta");
insert into tipoAsistencia values (999996, "Asistencia");
insert into tipoAsistencia values (999997, "Asistencia");
insert into tipoAsistencia values (999998, "Falta");
insert into tipoAsistencia values (999999, "Falta");
insert into tipoAsistencia values (1000000, "Asistencia");
```