Do short term rates such as the 1 month and 3 month contribute to the 10 year in the US Yield Curve?

Data source: https://catalog.data.gov/dataset/interest-rate-statistics-daily-treasury-yield-curve-rates (https://catalog.data.gov/dataset/interest-rate-statistics-daily-treasury-yield-curve-rates)

At the end, I will ask if there is a better model to improve the results

```
In [1]: import math
        import warnings
        from IPython.display import display
        from matplotlib import pyplot as plt
        import numpy as np
        import pandas as pd
        import seaborn as sns
        from sklearn import linear model
        import statsmodels.formula.api as smf
        # Display preferences.
        %matplotlib inline
        pd.options.display.float_format = '{:.3f}'.format
        # Suppress annoying harmless error.
        warnings.filterwarnings(
            action="ignore",
            module="scipy",
            message="^internal gelsd"
        )
In [4]: #load the file . . . not included is the code to covert the file to json format
        sample_json_df = pd.read_json('/Users/lacivert/loans.json')
        #assign DataFrame
        df = pd.DataFrame(sample_json_df)
In [5]: #list column names to display the variables for analysis
        list(df.columns.values)
Out[5]: ['10yr', '1mo', '3mo']
```

```
In [6]: #sanity check
df.head()
```


Out[6]:

	10yr	1mo	3mo
0	5.070	3.670	3.540
1	5.110	3.650	3.530
2	5.170	3.650	3.530
3	5.200	3.630	3.520
4	5.190	3.620	3.520

```
In [7]: # Setting up my variables
    ten_year, one_month, three_month = df.loc[:,'10yr'], df.loc[:,'1mo'], df.loc[:,'3m
    o']
```


```
In [8]: # Visualizing my variables and it is somewhat normal and somewhat not
    sns.distplot(ten_year, label='10 Year')
    sns.distplot(one_month,label='1 Month')
    sns.distplot(three_month,label='3 Month')
    plt.xlabel('1 Month, 3 Month and 10 Year Maturities',color='green')
    plt.ylabel('Number of Observations',color='green')
    plt.title('Daily Distplot 31 July 2001 - 20 July 2018', color='green')
    plt.legend()
```

Out[8]: <matplotlib.legend.Legend at 0x1a104bbb70>



```
In [9]: plt.plot (one_month)
   plt.plot (three_month)
   plt.plot (ten_year)
   plt.xlabel ('Market Open Days', color='olivedrab')
   plt.ylabel ('Yield Curve Rate Amounts', color='olivedrab')
   plt.title ('31 July 2001 - 20 July 2018', color='blue')
   plt.legend()
```

Out[9]: <matplotlib.legend.Legend at 0x1a10400390>



the line plot above demonstrates a lot correlation between the short rates, but lets see what happens

```
# Instantiate and fit our model
         # with the dependent variable as the 10 year and (so called) independent variables
         as 1 month and 3 month
         regr = linear model.LinearRegression()
         Y = df['10yr']
         X = df[['1mo', '3mo']]
         regr.fit(X, Y)
Out[11]: LinearRegression(copy_X=True, fit_intercept=True, n_jobs=1, normalize=False)
In [12]: # Inspect the results . . .
         print('\nCoefficients: \n', regr.coef )
         print('\nIntercept: \n', regr.intercept )
         print('\nR-squared:')
         print(regr.score(X, Y))
         Coefficients:
          [0.03483721 0.47890829]
         Intercept:
          2.6478372830098165
         R-squared:
         0.5415955903056106
```

Y = 2.6478 + 0.0348 Beta1 + 0.4789 Beta2 + Residual

A one unit increase in the one month Beta1 increases the ten year, Y, by 0.0348, holding Beta2 constant

A one unit increase in the three month Beta2 increases the ten year, Y, by 0.4789, holding Beta1 constant

R squared is not near zero, which is good as a goodness of fit model, but should be near one to explain the variance in the outcome variable

```
In [17]: \# normality testing . . . a normal distribution has skewness of zero so not bad
         from scipy.stats import skew
         from scipy.stats import kurtosis
         skew (one_month), skew (three_month), skew (ten_year)
Out[17]: (1.3123503068846365, 1.2682673047692128, 0.05745813024116081)
In [18]: # normal distribution has kurtosis of three . . . we have a fat tail problem
         kurtosis (one_month), kurtosis (three_month), kurtosis (ten_year)
Out[18]: (0.5876129698507286, 0.44303931310769773, -1.3130931069192109)
In [20]: # Jacques Bera test of Normality and goodness of fit
         # Large results away from zero in the first set demonstrates a substantial deviati
         on from a normal distribution
         from scipy import stats
         stats.jarque bera(one month), stats.jarque bera(three month), stats.jarque bera(te
         n_year)
Out[20]: ((1278.9714349747903, 0.0),
          (1172.1803127649432, 0.0),
          (307.1612456774129, 0.0))
In [22]: # Another problem are zero rates, especially in the one month with 88 of them
         np.count_nonzero(one_month == 0), np.count_nonzero(three_month == 0), np.count_non
         zero(ten_year == 0)
Out[22]: (88, 16, 0)
```

Which direction should I go to correct the above . . . to address the correlation of the 1 month and 3 month indendent variables, non - normal distribution and zero interest rates

- (1) Do Principle Components Analysis on the entire US Yield Curve to remove correlations, . . . then re-run the multiple regression
- (2) Use Generalized Linear Regression to capture non normality of the rate distributions . . . and then address correlations of the short term rates by dropping one of them, thereby running a single independent variable regression on the 10 year

I can code both above, but it just requires some time . . . What do you think?