Central Equipment Identity Register System

CEIR Admin User Manual v 2.1



Document Change History

| Version | Change Type | Description | Date |
|-------------|-------------|--|---------------|
| Draft | | Submitted for internal review | February 2020 |
| Version 2.0 | | Multiple System Admin, Configurable Notifications, Filter and sorting, Field Validations, History of the request, Address management | June 2021 |



Contents

| 1 | Over | view1 |
|---|------|-------------------------------------|
| | 1.1 | Scope |
| | 1.2 | Acronyms & Abbreviations |
| | 1.3 | Conventions1 |
| 2 | CEIR | Admin Operations2 |
| | 2.1 | Application Overview2 |
| | 2.2 | Logging into the Application |
| | 2.3 | Application User Interface4 |
| | 2.4 | Dashboard6 |
| | 2.5 | Registration Request |
| | 2.6 | Edit Request |
| | 2.7 | Filter Option |
| | 2.8 | Register Device |
| | 2.9 | Filter Register Device |
| | 2.10 | Block/Unblock Device18 |
| | 2.11 | Filter Block/Unblock Device21 |
| | 2.12 | Consignment22 |
| | 2.13 | Filter Consignment25 |
| | 2.14 | Stock Management |
| | 2.15 | Filter Stock Requests29 |
| | 2.16 | Grievance |
| | 2.17 | Filter Grievance32 |
| | 2.18 | Stolen/Recovery |
| | 2.19 | Filter Stolen/Recovery Management36 |
| | 2.20 | Manage Type Approval37 |
| | 2.21 | Filter Manage Type Approval40 |
| | 2.22 | Pending TAC List41 |
| | 2.23 | Filter Pending TAC List42 |
| | 2.24 | Update Visa43 |
| | 2.25 | Filter Update Visa45 |
| | 2.26 | Search |



Figures

| Figure 1: Login | 3 |
|--|----|
| Figure 2: Home Page | 4 |
| Figure 3: Home Page | |
| Figure 4: Change Password | 5 |
| Figure 6: Home Page | 6 |
| Figure 7: Grievance Management | 7 |
| Figure 8: Home Page | |
| Figure 9: Registration Request – View All | 10 |
| Figure 10: Registration Request - Edit | |
| Figure 11: Change User Status | |
| Figure 11: Change Role Type | |
| Figure 12: System Management – Filter Option | |
| Figure 13: Register Device – View All | |
| Figure 14: Register Device – Filter Option | |
| Figure 15: Block / Unblock Device – View All | |
| Figure 16: Block /Unblock Device – Filter Option | |
| Figure 17: Consignment – View All | |
| Figure 18: Consignment – Filter Option | |
| Figure 19: Stock Management – View All | |
| Figure 20: Stock Management – Filter Option | |
| Figure 21: Grievance – View All | |
| Figure 22: Grievance – Filter Option | |
| Figure 23: Stolen/Recovery – View All | |
| Figure 24: Stolen/Recovery – Filter Option | |
| Figure 25: Manage Type Approval – View All | |
| Figure 26: Manage Type Approval – Filter Option | |
| Figure 27: Pending TAC List – View All | |
| Figure 28: Pending TAC List – Filter Option | |
| Figure 29: Update Visa – View All | |
| Figure 30: Update Visa – Filter Option | |
| Figure 31: Search – IMEI | 46 |
| Figure 32: Search – Device Information | 47 |



1 Overview

1.1 Scope

The objective of this manual is to help CEIR admin to use the CEIR (Central Equipment Identity Register) application.

1.2 Acronyms & Abbreviations

| Acronym | Full Form |
|---------|---|
| CEIR | Central Equipment Identity Register |
| IMEI | International Mobile Equipment Identity |
| PDA | Personal Digital Assistant |
| TAC | Type Allocation Code |
| TRC | Telecommunication Regulator of Cambodia |

1.3 Conventions

| Information | Convention |
|---|---------------------------------------|
| UI elements | Bold |
| (such as names of windows, buttons, and fields) | |
| References | Italics |
| (such as names of files, sections, paths, and | |
| parameters) | |
| * | Indicates a mandatory field or column |

2 CEIR Admin Operations

2.1 Application Overview

The CEIR (Central Equipment Identity Register) CEIR Admin Portal is used in various workflow in the CEIR application. The key objective is approving the various kinds of requests.

CEIR Admin perform the following tasks:

- Registration Request
- Register Device
- Block/unblock Device
- Consignment
- Stock Management
- Grievance Management
- Stolen /Recovery
- Manage Type Approval
- Pending TAC List
- Update Visa
- Search

2.2 Logging into the Application

Before login, the CEIR Admin must register in the application.

To register:

As part of configuration, the System Admin would provide the login details to the CEIR admin. It is advised to change the password once System Admin creates the account.

To login:

1. Open the browser and enter the CEIR Admin Portal URL in the address bar. The login screen appears.







Figure 1: Login

On the top right corner of the login screen is the Language option. The application supports two languages: English and Khmer. On selecting a given language, all the field and column labels in the application appear in the selected language. All user inputs are, however, in English.



2. Next, enter the assigned login username and password.

Username is the registration ID that is sent on mail to the CEIR Admin after successful registration in the system.

- 3. Enter the captcha.
- 4. Click LOGIN.

If the login and password are incorrect or the captcha is not correct, an error message appears, and you are prompted to re-enter the login details.

On entering correct information, the application Home page appears.




Figure 2: Home Page

If the CEIR Admin forgets the assigned password, then the same need to request from the System admin. The **Forgot Password** link work for external user who register themselves from the DMC portal

2.3 Application User Interface

On logging into the application successfully, the CEIR Admin Portal Home page appears.




Figure 3: Home Page

The Home page has all the feature menus on the left panel.


The top right corner of the screen displays the following menu options:

• **Download**: Click to download this user manual.

• English: Select English or Khmer. All the field and column labels appear in the selected language. User inputs are, however, in English.



• (User profile): Click on it to see the following menu:



• (Change Password): Click on to change the login password.



Figure 4: Change Password

- Old Password: Enter the existing password. Click to see the password characters being entered. Click on it again to hide the password characters. This works like a toggle key.
- 2. New Password: Enter a new password.
- 3. **Confirm Password**: Re-enter the new password to confirm the password.
- 4. Click **SUBMIT**.

2.4 Dashboard

The Dashboard provides a quick display and access to the following information:

- End User Pending Device Count / Quantity
- Pending Registration
- Consignment / Total IMEI waiting for approval
- Stock / Total IMEI waiting for approval
- Type Approval
- Grievances
- Stolen Requests / Stolen IMEI Count
- Recovery Request / Recovery IMEI Count
- Block Requests / Block IMEI Count
- Unblock Requests / Unblock IMEI Count
- Update Visa Request




Figure 5: Home Page

As an example, each box signify as follows

Grievances

The box displays the total number of grievances that are waiting response from CEIR Admin.



Click (View) to access the Grievance Management dashboard. Refer to Grievance Management for more information.




Figure 6: Grievance Management

| Вох | Description |
|------------------|---|
| Type Approved | The box displays the total number of type approval requests that are pending for approval |
| End User Pending | The box displays the total number of user device requests that are |
| Device Count | pending for approval raised by end user |
| End User Pending | The box displays the total number of user IMEI requests that are |
| IMEI Quantity | pending for approval raised by end user |
| Pending | The box displays the total number of registration requests that are |
| Registration | pending for approval raised by user |
| Consignment | The box displays the total number of consignment request that are |
| | pending for approval raised by importer |



| Total IMEI waiting for approval | The box displays the total number of IMEI requests that are pending for approval raised by importer |
|---------------------------------|--|
| Stock | The box displays the total number of stock request that are pending for approval raised by stakeholder like importer, distributor etc |
| Total IMEI waiting for upload | The box displays the total number of stock IMEI request that are pending for approval raised by stakeholder like importer, distributor etc |
| Grievance | The box displays the total number of grievance request that are pending for approval raised by stakeholder like importer, distributor etc |
| Type Approval | The box displays the total number of stock request that are pending for approval raised by stakeholder like importer, TRC etc |
| Stolen Request | The box displays the total number of stolen request that are pending for approval raised by lawful agency |
| Stolen IMEI Count | The box displays the total number of stolen IMEI request that are pending for approval raised by lawful agency |
| Recovery Request | The box displays the total number of recovery request that are pending for approval raised by lawful agency |
| Recovery IMEI Count | The box displays the total number of recovery IMEI request that are pending for approval raised by lawful agency |
| Block Request | The box displays the total number of block request that are pending for approval raised by mobile operators or operation users |
| Block IMEI Count | The box displays the total number of block IMEI request that are pending for approval raised by mobile operators or operation users |
| Un-Block Request | The box displays the total number of un-block request that are pending for approval raised by mobile operators or operation users |
| Un-Block IMEI Count | The box displays the total number of un-block IMEI request that are pending for approval raised by mobile operators or operation users |
| Update Visa Request | The box displays the total number of update visa request that are pending for approval raised by end users |

Notification Information

This section displays the most recent notifications. System Admin can configure the number of notifications that are displayed on user dashboard.




Figure 7: Home Page

Notifications are of two types.

1. Notifications that provide only information. For example, a notification informing the CEIR admin about the account status is an information only notification because it requires no action. The **View** icon ($^{\circ}$) is disabled in such notifications.



2. Notifications that require some action by the CEIR Admin. For example, a notification about the type approval request approval or rejection by the CEIR administrator requires the CEIR admin to take some action such approves the type approval request. The View icon (9) is enabled in such notifications. Click 9 (View) to access the relevant page of the notification.



The notification panel has the following columns:

Date: Date of sending the notification

- Transaction ID: Transaction ID of the request for which the notification is sent. If the
 notification is related to the CEIR admin account, the login username is shown instead
 of any transaction ID.
- **Feature**: This is the name of the feature for which the notification is sent. For example, if the notification is for a type approval request, the feature name **Type Approval** is shown. The feature name is the one shown in the left panel of the Home page.
- Message: This is the message of the notification. An example is shown below.

Dear CEIR, This is to inform you that the your block request with transaction number B20200925231357013 has been approved by CEIR Admin.

Action: This shows the View icon. It is activated if the CEIR admin can click on it else it is disabled .

2.5 Registration Request

Using this feature, CEIR admin can approve / reject the registration request.

To approve/reject request:




Figure 8: Registration Request - View All

The following columns are seen in the Registration Request Page

| Column | Description |
|--------------|---|
| Requested On | This is the date of when request is raised by user. |
| Modified On | Date when request is last modified. |
| User ID | ID of the user |



| Column | Description | |
|-----------|--|--|
| Email | Email ID of the user | |
| Phone no. | Phone number of the user | |
| Туре | Type of the user like Company, Individual | |
| User Type | User Type of user like Importer, Distributor | |
| Status | This column shows the various status of the request as follow: | |
| | New: When a request is raised, the status is New. | |
| | OTP Verification Pending: The request is received and OTP is sent to user to verify the identity | |
| | Approval Pending from CEIR Admin: If the request is successfully verified by the system, the request is shared with the CEIR administrator for review. | |
| | Rejected (by CEIR Admin): The CEIR administrator reviews the details and rejects the request if there is a problem. | |
| | Approved (by CEIR Admin): When the CEIR administrator approves the request, the status changes to Approved by CEIR Admin. | |
| | Disabled: When user disable the account | |
| | Enabled: When user enable the account | |
| | Deactivate: When user deactivates the account | |
| Action | This displays different actions that can be performed on the request. | |
| | View | |

| Column | Description |
|--------|--|
| | Edit : This is used to modify the request details. |
| | Approve : This is used to approve the request. |
| | Reject : This is used to reject the request. |
| | View History : This is used to view the history of this request. |

2.6 Edit Request

CEIR Admins can modify the registration request.

To edit request:

- 1. Click **Edit** () against the request entry to be modified.
- 2. The Edit Registration Request popup page appears.



Figure 9: Registration Request - Edit

- 3. There are 2 options. Refer to below for the screen flow
 - a. Change the user Status
 - b. Change the Role Type
- 4. Make the required changes.
- 5. Click SUBMIT.



To Change User Status:




Figure 10: Change User Status

This flow is applicable when user is facing problem during registration and raised a grievance. Reference ID here refers to the grievance ID. CEIR Admin can change the user status to APPROVED using this feature.

To Change Role Type:




Figure 11: Change Role Type

This flow is applicable when importer user wants to change role (add or delete a role type) and raised a grievance. Reference ID here refers to the grievance ID. CEIR Admin can add/delete a role type to an existing user using this feature.

2.7 Filter Option

CEIR Admins can view selective parameters by defining specific values in the listed fields. For example, CEIR Admins can view all the registration request raised during specific start and end dates.

To view specific request:




Figure 12: System Management - Filter Option

Enter the required value in one or more of the listed fields:

• Start Date: Select the start date

End Date: Select the end date

Email: Enter the Email

Phone No,: Enter the Phone number

User ID: Enter the User ID

Type: Select the type of organization

• User Type: Select the user type

Status: Select the state of the request

Click FILTER.

The parameter that matches the specified values is shown in the page.

The user can clear all filters using the "Clear All Filters" button. This will reset all the filter values applied on the page and the data table is refreshed.

To export the filtered date, you can click on export button.

2.8 Register Device

Using this feature, CEIR admin can approve/reject the device request raised by end user.

To approve/reject device:

Select **Register Device** in the left panel. Click on of to approve. To reject the register device request. A prompt for confirmation for the same will appear on screen before approving /rejecting the request.




Figure 13: Register Device - View All

The following columns are seen in the Register Device Page

| Column | Description |
|------------------|--|
| Date | This is the date when request is raised. |
| NID/Passport No. | NID / Passport number of the end user. |
| Transaction ID | Transaction ID generated when end user has raised the request. |
| Nationality | Nationality of the end user. |
| Tax Paid Status | Display the tax status of device |



| Column | Description | |
|--------|---|--|
| Origin | It specifies who has registered the device on end user's behalf. It can be: 1) end user which is represented as self | |
| | 2) Immigration department | |
| | 3) Custom department | |
| Status | The request goes through the following status modes: | |
| | New: When a request is raised, the status is New. | |
| | Processing: The request is verified internally. | |
| | Rejected by System: If the request has an error, an error file is generated. The error file can be downloaded. The error could be in the file format, size, policy violation or request specifications. | |
| | Pending Approval from CEIR Admin: If the request is successfully verified by the system, the request is shared with the CEIR administrator for review. | |
| | Rejected by CEIR Admin: The CEIR administrator reviews the details and rejects the request if there is a problem. The official can view the error file and fix the errors in the request. | |
| | Approved by CEIR Admin: When the CEIR administrator approves the request, the status changes to Approved by CEIR Admin. | |
| Action | This displays different actions that can be performed on the message. | |
| | View | |

| Column | Description |
|--------|--|
| | Delete : This is used to delete the request details. |
| | Approve : This is used to approve the request. |
| | Reject : This is used to reject the request. |
| | View History : This is used to view the history of this request. |

2.9 Filter Register Device

CEIR Admins can view selective message by defining specific values in the listed fields. For example, CEIR Admins can view the device registered by specific NID.

To view specific parameter:




Figure 14: Register Device - Filter Option

- 1. Enter the required value in one or more of the listed fields:
 - Creation Start Date: Select the start date
 - Creation End Date: Select the end date
 - NID / Passport No. : Enter the NID/Passport of the user

- Transaction ID: Enter the Transaction ID
- Nationality: Nationality of the user whose device is registered
- Tax Paid Status: Select the Tax Paid Status
- Origin: Select which user raised a register device request
- Status: Select the state of request

2. Click FILTER.

The parameter that matches the specified values is shown in the dashboard.

The user can clear all filters using the "Clear All Filters" button. This will reset all the filter values applied on the page and the data table is refreshed.

To export, click on the export button.

2.10 Block/Unblock Device

CEIR Admins can approve/disapprove the request to block or unblock the device as raised by the user.

To approve/reject the request:

Select **Block/Unblock Device** in the left panel. Click on one to approve to reject the block/unblock request. A prompt for confirmation for the same will appear on screen before approving /rejecting the request.




Figure 15: Block / Unblock Device - View All

The following columns are seen in the Block / Unblock Device Page



| Column | Description | |
|----------------|---|--|
| Date | This is the date when request is raised | |
| Transaction ID | Transaction ID of the request | |
| Operator | Name of the operator who has raised the request. In case the request is raised by Operation user, it is set as NA | |
| Request Type | The type of request. The possible values are: Block Unblock | |
| Mode | Mode of the request. The possible value of this parameter is Single Bulk | |
| Status | New: When a request is raised, the status is New. Processing: The request is verified internally. Rejected by System: If the request has an error, an error file is generated. The error file can be downloaded. The error could be in the file format, size, policy violation or request specifications. Pending Approval from CEIR Admin: If the request is successfully verified by the | |
| | system, the request is shared with the CEIR administrator for review. Rejected by CEIR Admin: The CEIR administrator reviews the details and rejects the request if there is a problem. The | |



| Column | Description |
|-----------------|--|
| | operator can view the error file and fix the errors in the request. |
| | Approved by CEIR Admin: When the CEIR administrator approves the request, the status changes to Approved by CEIR Admin. |
| | Withdrawn by CEIR Admin: When the CEIR administrator withdraws the request, the status changes to Withdrawn by CEIR Admin. For example, this could be done when the operator has wrongly marked a device as stolen, which has been rightly claimed by another user. Withdrawn by User: The operator can withdraw the request only when the status is New or Rejected by System. |
| IMEI Quantity | If the request is for a bulk device request, this refers to |
| IIVIET Quartity | the number of IMEIs in the .csv file else it refers to the IMEIs in the single device being blocked or unblocked. |
| Device Quantity | If the request is for a bulk device request, this refers to the number of devices in the .csv file else it refers to the devices in the single device being blocked or unblocked. |
| Action | This displays different actions that can be performed on the request. |
| | Error : This is enabled when there is an error file generated because of any problem with the file format or policy violation. Click on the icon to download the error file. Download : This is used to take a dump of the .csv file that is uploaded to the system. This is enabled only for bulk requests. Click on it download the file. |

Olumn

Pescription

View ∴ This is used to view the request. Click on it view the request details.

Delete ∴ This is used to delete the request. This is allowed only when the request status is New or Rejected by System. Click on it to delete New or Rejected by System. Click on it to delete the request.

Approve ∴ This is used to approve the request.

Reject ∴ This is used to reject the request.

View History ∴ This is used to view the history of this request.

2.11 Filter Block/Unblock Device

CEIR Admins can view selective information by defining specific values in the listed fields. For example, CEIR Admins can view the specific request during specified date by selecting start/end date.

To view specific request:




Figure 16: Block /Unblock Device - Filter Option

3. Enter the required value in one or more of the listed fields:



Creation Start Date: Select the start date

• Creation End Date: Select the end date

• Transaction ID: Enter the Transaction ID

• Operator: Select the Operator Name

• Request Type: Select the Request Type

Mode: Select the Mode

Status: Select the state of request

• IMEI Quantity: Specify IMEI Quantity

Device Quantity: Specify Device Quantity

Click FILTER.

The parameter that matches the specified values is shown in the dashboard.

The user can clear all filters using the "Clear All Filters" button. This will reset all the filter values applied on the page and the data table is refreshed.

To export, click on the export button

2.12 Consignment

CEIR Admins can approve/disapprove the consignment request for the device as raised by the importer.

To approve/reject the request:

Select **Consignment** in the left panel. Click on @ to approve/ $\stackrel{\bullet}{\leftarrow}$ to reject the consignment request. A prompt for confirmation for the same will appear on screen before approving /rejecting the request.




Figure 17: Consignment - View All

The following columns are seen in the Consignment Page

| Column | Description |
|----------------|---|
| Created On | This is the date when request is created |
| Transaction ID | Transaction ID of the request |
| Name | Name of the importer. In case the importer has registered as individual, this parameter contains the name of importer, but in case the importer is registered as company, then this parameter contains the name of the company |
| Status | The registered consignment goes through different status modes. New: When a consignment is registered, its status is New. Processing: The consignment is processed by the application and validated. Rejected by System: If the consignment does not have valid information, an error file is generated. The importer can view the file and fix the errors in the consignment. Pending Approval from CEIR Authority: After the consignment is validated by the system |

| Column | Description |
|-----------------|---|
| | internally, the consignment is available for review by the CEIR administrator. |
| | Rejected by CEIR Authority: The CEIR administrator reviews the details and rejects the consignment if there is a problem. The importer can view the file and fix the errors in the consignment. |
| | Pending Clearance from Customs: After the consignment is approved by the CEIR administrator, the consignment is available for clearance by the customs. |
| | Approved: When the customs clear the consignment, the status changes to Approved. |
| | Rejected by Customs: When the customs do not clear the consignment, the status changes to Rejected . The importer can view the file and fix the errors in the consignment. |
| | Withdrawn by importer: The importer can withdraw the consignment if there is a problem with the consignment. This can be done only when the status is New or Rejected by System . |
| | Withdrawn by CEIR: The CEIR administrator can withdraw the consignment |
| Tax Paid Status | Indicates whether tax has been paid or not. The status changes to Tax Paid when the customs clear the consignment. |
| IMEI Quantity | This is the number of IMEIs in the consignment file |
| Device Quantity | This is the count of the devices in the consignment file. Each device will have the same S/N of the device |

| DIV | | | |
|------|------|-------|--------|
| CEIR | CEIR | Admin | Portal |

| Column | Description |
|--------|---|
| Action | This displays different actions that can be performed on the request. |
| | Error : This is enabled when there is an error file generated because of any problem with the file format or policy violation. Click on the icon to download the error file. |
| | Download : This is used to take a dump of the .csv file that is uploaded to the system. This is enabled only for bulk requests. Click on it download the file. |
| | View |
| | Delete : This is used to delete the request. This is allowed only when the request status is New or Rejected by System. Click on it to delete New or Rejected by System. Click on it to delete the request. |
| | Approve : This is used to approve the request. |
| | Reject : This is used to reject the request. View History : This is used to view the |
| | history of this request. |

2.13 Filter Consignment

CEIR Admins can view selective information by defining specific values in the listed fields. For example, CEIR Admins can view the specific request during specified date by selecting start/end date.

To view specific request:




Figure 18: Consignment - Filter Option

Enter the required value in one or more of the listed fields:

• Start Date: Select the start date

End Date: Select the end date

Transaction ID: Enter the Transaction ID

Name: Enter the name of importer

• Consignment Status: Select the state of request

• Tax Paid Status: Select the tax paid status

IMEI Quantity: Enter the number of IMEIs in the request.

Device Quantity: Enter the number of devices in the request.

Click FILTER.

The parameter that matches the specified values is shown in the dashboard.

The user can clear all filters using the "Clear All Filters" button. This will reset all the filter values applied on the page and the data table is refreshed.

To export, click on the export button.

2.14 Stock Management

CEIR Admins can approve/disapprove the stock request for the device as raised by the importer.

To approve/reject the request:

Select **Stock Management** in the left panel. Click on o to approve/ to reject the stock request. A prompt for confirmation for the same will appear on screen before approving /rejecting the request.




Figure 19: Stock Management - View All

The following columns are seen in the Stock Management Page

| Column | Description |
|----------------|--|
| Created On | This is the date when request is created |
| Transaction ID | Transaction ID of the request |
| Name | Name of the user. In case the user has registered as individual, this parameter contain the name of user, but in case the user is registered as company, then this parameter contain the name of the company |
| Role Type | Role Type of the user who has raised the request. This field has relevance in case when the user type is importer. For remaining user like manufacturer, the value of this parameter is same as user type |
| Status | The uploaded stock goes through different status modes. • New: When the stock is uploaded, its status is New . |



| Column | Description |
|-----------------|---|
| | Processing: The stock is processed and validated. The status changes to Processing. |
| | Rejected by System If the stock does not have valid information, an error file is generated. The importer can view the file and fix the errors in the consignment. |
| | Approval Pending by CEIR Admin: The uploaded stock is available for review by the CEIR administrator. |
| | Approved by CEIR Admin: The stock is approved by the CEIR administrator. |
| | Rejected by CEIR Admin: The CEIR administrator reviews the details and rejects the stock if there is a problem. |
| | Withdrawn by User: The user withdraws stock if there is any problem. |
| | Withdrawn by CEIR Admin: The CEIR |
| IMEI Quantity | This is the number of IMEIs in the stock file |
| Device Quantity | This is the count of the devices in the stock file. Each device will have the same S/N of the device |
| Action | This displays different actions that can be performed on the request. |
| | Error |

| Column | Description |
|--------|---|
| Column | View : This is used to view the request. Click on it view the request details. Delete : This is used to delete the request. This is allowed only when the request status is New or Rejected by System. Click on it to delete New or Rejected by System. Click on it to delete the request. Approve : This is used to approve the request. |
| | Reject : This is used to reject the request. |
| | View History : This is used to view the history of this request. |

2.15 Filter Stock Requests

CEIR Admins can view selective information by defining specific values in the listed fields. For example, CEIR Admins can view the specific request during specified date by selecting start/end date.

To view specific request:




Figure 20: Stock Management - Filter Option



Enter the required value in one or more of the listed fields:

• Start Date: Select the start date

• End Date: Select the end date

Transaction ID: Enter the Transaction ID

Name: Enter the name of user

• Role Type: Select Role Type

File Name: Enter File Name

Stock Status: Select the state of request

User Type: Select the type of user

• IMEI Quantity: Enter the number of IMEIs in the request.

• Device Quantity: Enter the number of devices in the request.

Click FILTER.

The parameter that matches the specified values is shown in the dashboard.

The user can clear all filters using the "Clear All Filters" button. This will reset all the filter values applied on the page and the data table is refreshed.

To export, click on the export button.

2.16 Grievance

CEIR Admins can reply to the grievance request raised by the user.

To reply/close the request:

Select **Grievance** in the left panel. Click on to send a reply to user on the grievance raised.

To close the grievance, select the check box in the reply form and press submit. The grievance is closed.




Figure 21: Grievance - View All

The following columns are seen in the Grievance Page

| Column | Description |
|----------------|--|
| Created On | This is the date when request is created |
| Modified On | This is the date when request is last modified. |
| Transaction ID | Transaction ID of the request for which the grievance is raised. |
| User ID | User ID of the user who has raised the grievance. |
| User Type | User Type of the user who has raised the request. |
| Grievance ID | Grievance ID of the grievance |
| Status | The grievance goes through different status modes. New: When a grievance is raised. Pending with Admin: When a response is awaited from the CEIR administrator. Pending with User: When a response is awaited from the importer. Closed: When the CEIR administrator closes the grievance. |
| Raised By | Indicate who has raised the request. The possible value is |

| Column | Description |
|--------|---|
| | Self – User has raised grievance Customer Care: Customer care agent has raised the grievance on the behalf of user |
| Action | This displays different actions that can be performed on a grievance. • Reply : This is used to respond to the grievance. The response is given by the CEIR administrator. The exchange of responses is done until the grievance is closed. There is a option to close the request as well View : This is used to view the grievance response history. The CEIR admin can see all the responses exchanged for any grievance |

2.17 Filter Grievance

CEIR Admins can view selective information by defining specific values in the listed fields. For example, CEIR Admins can view the specific request during specified date by selecting start/end date.

To view specific request:




Figure 22: Grievance - Filter Option

Enter the required value in one or more of the listed fields:

Start Date: Select the start date

• End Date: Select the end date

Transaction ID: Enter the Transaction ID

• Grievance ID: Enter the Grievance ID

• User ID: Enter the user ID

User Type: Select the type of user

Grievance Status: Select the status of grievance.

Click FILTER.

The parameter that matches the specified values is shown in the dashboard.

The user can clear all filters using the "Clear All Filters" button. This will reset all the filter values applied on the page and the data table is refreshed.

To export, click on the export button.

2.18 Stolen/Recovery

CEIR Admins can approve/disapprove the stolen/recovery request for the device as raised by the lawful agency.

To approve/reject the request:

Select **Stolen/Recovery** in the left panel. Click on one to approve to reject the stolen/recovery request. A prompt for confirmation for the same will appear on screen before approving /rejecting the request.




Figure 23: Stolen/Recovery - View All



The following columns are seen in the Stolen/Recovery Page

| Column | Description |
|----------------|---|
| Request Date | This is the date when request is created |
| Transaction ID | Transaction ID of the request |
| Block Type | The blocking type. The values are Immediate: The device(s) is instantly blacklisted. Default: The device(s) is sent to the blacklist after a given duration. The duration is configurable by the CEIR administrator. Later: The device(s) is sent to the blacklist at the specified date. |
| Request Type | Request type denotes if the request is for stolen / recovery of devices |
| Mode | Mode denotes if the request is single or bulk |
| Status | New: When a request is raised, the status is New. Processing: The request is verified internally. Rejected by System: If the request has an error, an error file is generated. The error file can be downloaded. The error could be in the file format, size, policy violation or request specifications. |
| | Pending Approval from CEIR Admin: If the request is successfully verified by the system, the request is shared with the CEIR administrator for review. Rejected by CEIR Admin: The CEIR administrator reviews the details and rejects the request if there is a problem. The |



| Column | Description |
|-----------------|--|
| | personnel can view the error file and fix the errors in the request. |
| | Approved by CEIR Admin: When the CEIR administrator approves the request, the status changes to Approved by CEIR Admin. |
| | Withdrawn by CEIR Admin: When the CEIR administrator withdraws the request, the status changes to Withdrawn by CEIR Admin. For example, this could be done when the personnel have wrongly marked a device as stolen, which has been recovered. Withdrawn by User: The personnel can withdraw the request only when the status is New or Rejected by System |
| IMEI Quantity | This is the number of IMEIs in the request file |
| Device Quantity | This is the count of the devices in the request file. Each device will have the same S/N of the device |
| Action | This displays different actions that can be performed on the request. |
| | Error : This is enabled when there is an error file generated because of any problem with the file format or policy violation. Click on the icon to download the error file. |
| | Download : This is used to take a dump of the .csv file that is uploaded to the system. This is enabled only for bulk requests. Click on it download the file. |
| | View |
| | Delete : This is used to delete the request. This is allowed only when the request status is |

| Column | Description |
|--------|--|
| | New or Rejected by System. Click on it to delete New or Rejected by System. Click on it to delete the request. |
| | Approve : This is used to approve the request. |
| | Reject : This is used to reject the request. |
| | View History : This is used to view the history of this request. |

2.19 Filter Stolen/Recovery Management

CEIR Admins can view selective information by defining specific values in the listed fields. For example, CEIR Admins can view the specific request during specified date by selecting start/end date.

To view specific request:




Figure 24: Stolen/Recovery - Filter Option

Enter the required value in one or more of the listed fields:

Start Date: Select the start date

End Date: Select the end date

• Transaction ID: Enter the Transaction ID

Block Type: Select Block Type

• Request Type: Select the request type

Mode: Select the mode

• Status: Select the status

IMEI Quantity: Enter the number of IMEIs in the request.

Device Quantity: Enter the number of devices in the request.

Click FILTER.

The parameter that matches the specified values is shown in the dashboard.

The user can clear all filters using the "Clear All Filters" button. This will reset all the filter values applied on the page and the data table is refreshed.

To export, click on the export button.

2.20 Manage Type Approval

CEIR Admins can approve/disapprove the type approval request for the device as raised by the importer/TRC.

To approve/reject the request:

Select Manage Type Approval in the left panel. Click on \circ to approve/ $\stackrel{\bullet}{\bullet}$ to reject the manage type request. A prompt for confirmation for the same will appear on screen before approving /rejecting the request.




Figure 25: Manage Type Approval - View All

The following columns are seen in the Manage Type Approval Page



| Column | Description |
|----------------|---|
| Created On | This is the date when request is created |
| Transaction ID | Transaction ID of the request |
| Block Type | The blocking type. The values are |
| | Immediate: The device(s) is instantly blacklisted. |
| | Default: The device(s) is sent to the blacklist after a given duration. The duration is configurable by the CEIR administrator. |
| | Later: The device(s) is sent to the blacklist at the specified date. |
| User Type | User Type of the user who has raised the request |
| Display name | This contain one of the following values: |
| | The name of the importer in case importer has registered as individual. |
| | Company name of the importer in case importer has registered as company |
| | In case of TRC, it will be always company name |
| Brand Name | Brand name of the device |
| Model Number | Model number of the device |
| Country | Country where the device is manufactured |
| TAC | TAC number to be approved |
| Status | |
| | New: This is the status assigned to the type approval request. |
| | Processing: The request is processed internally. |

| Column | Description |
|--------|---|
| | Rejected by System: The request is rejected by the system if there is an error in the type approval request. |
| | Approval Pending by CEIR Authority: After the processing is done, the type approval request sent for approval to the CEIR administrator. |
| | Approved by CEIR Admin: The CEIR administrator approves the request. |
| | Rejected by CEIR Admin: The CEIR administrator rejects the request. |
| | Withdrawn by CEIR Admin: The CEIR administrator can withdraw the type approval request. |
| | Withdrawn by User: The importer can withdraw the type approval request. |
| Action | This displays different actions that can be performed on the request. |
| | • Error ①: This is enabled when there is an error file generated because of any problem with the file format or policy violation. Click on the icon to download the error file. |
| | View This is used to view the request. Click on it view the request details. |
| | Delete : This is used to delete the request. This is allowed only when the request status is New or Rejected by System. Click on it to delete New or Rejected by System. Click on it to delete the request. |
| | Approve : This is used to approve the request. |

| Column | Description |
|--------|--|
| | Reject : This is used to reject the request. View History : This is used to view the history of this request. |

2.21 Filter Manage Type Approval

CEIR Admins can view selective information by defining specific values in the listed fields. For example, CEIR Admins can view the specific request during specified date by selecting start/end date.

To view specific request:




Figure 26: Manage Type Approval – Filter Option

Enter the required value in one or more of the listed fields:

• Start Date: Select the start date

• End Date: Select the end date

• Transaction ID: Enter the Transaction ID

• Display Name: Enter Display Name

• TAC: Enter the TAC

Brand Name: Select Brand Name

• Model Number : Select Model Number

• Country: Select Country of origin

User Type : Select the user type

• Status: Select the status

Click FILTER.

The parameter that matches the specified values is shown in the dashboard.

The user can clear all filters using the "Clear All Filters" button. This will reset all the filter values applied on the page and the data table is refreshed.

To export, click on the export button.

2.22 Pending TAC List

CEIR Admins can view the TAC list that is pending for type approval by importer, although importer has raised a consignment for same.

To view the list:

Select **Pending TAC List** in the left panel. Click on to remove the pending TAC request. A prompt for confirmation for the same will appear on screen and after confirmation, the TAC is removed from the system.




Figure 27: Pending TAC List - View All

The following columns are seen in the Manage Type Approval Page

| Column | Description |
|----------------|---|
| Created On | This is the date when request is created |
| Modified On | This is the date when request is last modified. |
| Transaction ID | Transaction ID of the request |



| Column | Description |
|--------|---|
| TAC | TAC to be approved |
| Action | This displays different actions that can be performed on the request. |
| | Delete : This is used to delete the request. |

2.23 Filter Pending TAC List

CEIR Admins can view selective information by defining specific values in the listed fields. For example, CEIR Admins can view the specific request during specified date by selecting start/end date.

To view specific request:




Figure 28: Pending TAC List - Filter Option

Enter the required value in one or more of the listed fields:

• Start Date: Select the start date

End Date: Select the end date

• Transaction ID: Enter the Transaction ID

TAC: Enter the TAC

Click FILTER.

The parameter that matches the specified values is shown in the dashboard.

User Manual

The user can clear all filters using the "Clear All Filters" button. This will reset all the filter values applied on the page and the data table is refreshed.

To export, click on the export button.

.

2.24 Update Visa

CEIR Admins can approve/disapprove the visa update request for the device as raised by the end user.

To approve/reject the request:

Select **Update Visa** in the left panel. Click on oto approve. to reject the update visa request. A prompt for confirmation for the same will appear on screen before approving /rejecting the request.




Figure 29: Update Visa - View All

The following columns are seen in the Update Visa Page

| Column | Description |
|-----------------|--|
| Created On | This is the date when request is created |
| Modified On | This is the date when request is last modified |
| Transaction ID | Transaction ID of the request |
| Passport Number | The passport number of the user |
| Visa Type | Type of Visa |



| Column | Description |
|------------------|---|
| Visa Number | Visa number. Visa number may not be available as tourist may be travelling from bilateral countries where visa is not required |
| File Name | File containing the Visa image |
| Visa Expiry Date | Date on which visa will expire |
| Status | New: This is the status assigned to the visa request when it is created. Processing: The request is processed internally. Rejected by System: The request is rejected by the system if there is an error in the request. Approval Pending by CEIR Authority: After the processing is done, the request sent for approval to the CEIR administrator. Approved by CEIR Admin: The CEIR administrator approves the request. Rejected by CEIR Admin: The CEIR administrator rejects the request. |
| Action | This displays different actions that can be performed on the request. View : This is used to view the request. Click on it view the request details. Approve : This is used to approve the request. Reject : This is used to reject the request. View History : This is used to view the history of this request. |

Filter Update Visa

CEIR Admins can view selective information by defining specific values in the listed fields. For example, CEIR Admins can view the specific request during specified date by selecting start/end date.

To view specific request:

2.25




Figure 30: Update Visa - Filter Option

Enter the required value in one or more of the listed fields:

• Start Date: Select the start date

End Date: Select the end date

Transaction ID: Enter the Transaction ID

Passport Number: Enter passport number

Visa Type: Select Visa Type

Visa Number: Enter Visa Number

• File Name: Enter File Name

Visa Expiry Date: Enter Visa Expiry Date

• Status: Select the status

Click FILTER.

The parameter that matches the specified values is shown in the dashboard.

User Manual

The user can clear all filters using the "Clear All Filters" button. This will reset all the filter values applied on the page and the data table is refreshed.

To export, click on the export button.

2.26 Search

CEIR Admins can search the IMEI from the CEIR system using this feature

To search the IMEI:

Select Search in the left panel




Figure 31: Search - IMEI

The following columns are seen in the Search Page

| Column | Description |
|----------------|---|
| Device ID Type | Select Device ID Type. |
| IMEI | IMEI that the CEIR admin want to search |
| MSISDN | MSISDN that CEIR admin want to search |

Once the CEIR admin press the submit button, the Device Information page appears




Figure 32: Search - Device Information

The page has the following information categorized into 4 heads

1) Device Information based on the IMEI usage in the network

| Column | Description |
|--------|---|
| MSISDN | MSISDN would be displayed if any IMEI is in use with this MSISDN. |
| IMEI | IMEI that the CEIR admin searched |
| IMSI | IMSI would be displayed if any IMEI is in use with this IMSI |

2) TAC information based on the information as available if IMEI has a valid TAC

| Column | Description |
|--------------|---|
| Handset Type | If the IMEI has a valid TAC, then the Handset Type would be displayed |
| OS Type | If the IMEI has a valid TAC, then the OS Type would be displayed |



| Column | Description |
|--------------|---|
| Brand Name | If the IMEI has a valid TAC, then the Brand Name would be displayed |
| Model Number | If the IMEI has a valid TAC, then the Model Number would be displayed |

3) Device State

a. Device Status in various conditions

| Column | Description |
|--------|---|
| Status | If the device is present in Blacklist, Grey List, Duplicate List, Global Black List, or VIP List, an entry for the same will be displayed here. |
| Date | Date on which the entry is created in this list. It will be only be present if the IMEI exist in that list |
| Status | Indicate if the IMEI exist in list. |
| View | If the entry exists in list, the further details about this IMEI can be found for that list |

b. Device found in various lists as part of requests raised by users.

| Column | Description |
|--------|--|
| Status | This contain if the IMEI is uploaded as part of request raised by Importer, Distributor, Retailer, Custom, Manufacturer, Regularize device, or an End user. End user denote the anonymous stock list uploaded by user. |
| Date | Date on which the entry is created in this list. It will be only be present if the IMEI exist in that list |
| Status | Indicate if the IMEI exist in list. |



| Column | Description |
|--------|---|
| View | If the entry exists in list, the further details about this IMEI can be found for that list |

4) Notifications – In case the user IMEI is not found to be ok, then SMS notification is sent to the user

| Column | Description |
|----------------|---|
| Date | Date on which the notification is sent |
| Transaction ID | This field is not in use |
| Feature | Feature due to which this notification is sent. |
| Message | If the entry exists in list, the further details about this IMEI can be found for that list |
| Action | This is disabled. |