

```

PS C:\Users\raees> docker exec -it fostgres bash
root@cd0a2daebb79:/# psql -h localhost -p 5432 -U postgres
psql (15.2 (Debian 15.2-1.pgdg110+1))
Type "help" for help.

postgres=# DELETE FROM books WHERE id IN (2, 34);
DELETE 2
postgres=# SELECT * from books;
 id |      title      |      author
-----+-----+-----
  1 | The Great Gatsby | F. Scott Fitzgerald
(1 row)

postgres=# INSERT INTO books (title, author) VALUES
('To Kill a Mockingbird', 'Harper Lee'),
('1984', 'George Orwell');
INSERT 0 2
postgres=# SELECT * from books;
 id |      title      |      author
-----+-----+-----
  1 | The Great Gatsby | F. Scott Fitzgerald
 35 | To Kill a Mockingbird | Harper Lee
 36 | 1984            | George Orwell
(3 rows)

postgres=# INSERT INTO books (id, title, author) VALUES (2, 'The Catcher in the Rye', 'J.D. Salinger');
INSERT 0 1
postgres=# SELECT * from books;
 id |      title      |      author
-----+-----+-----
  1 | The Great Gatsby | F. Scott Fitzgerald
 35 | To Kill a Mockingbird | Harper Lee
 36 | 1984            | George Orwell
  2 | The Catcher in the Rye | J.D. Salinger
(4 rows)

postgres=# \q
root@cd0a2daebb79:/# exit
exit
PS C:\Users\raees> docker stop fostgres
fostgres
PS C:\Users\raees> docker rm fostgres
fostgres
PS C:\Users\raees> docker run --name ciaogres -e POSTGRES_PASSWORD=ciaociao -p 5432:5432 -v /my/data:/var/lib/postgresql/data -d
postgres
895bf541cab6f84f7d947015da654e64b667283ed5ec62c5904d0fda2e07f05f
PS C:\Users\raees> docker exec -it ciaogres bash
root@895bf541cab6:/# psql -h localhost -p 5432 -U postgres
psql (15.2 (Debian 15.2-1.pgdg110+1))
Type "help" for help.

postgres=# SELECT * from books;
 id |      title      |      author
-----+-----+-----
  1 | The Great Gatsby | F. Scott Fitzgerald
 35 | To Kill a Mockingbird | Harper Lee
 36 | 1984            | George Orwell
  2 | The Catcher in the Rye | J.D. Salinger
(4 rows)

```