# Component-Level Information Packet for 08712-60004

**Source (8711B/12B)** 



Notice. The information contained in this document is subject to change without notice.

Hewlett-Packard makes no warranty of any kind with regard to this material, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. Hewlett-Packard shall not be liable for errors contained herein or for incidental or consequential damages in connection with the furnishing, performance, or use of this material.

©Copyright Hewlett-Packard Company 1990, 1991, 1992, 1993, 1994, 1995 All Rights Reserved. Reproduction, adaptation, or translation without prior written permission is prohibited, except as allowed under the copyright laws.



# HP Part Number 08712-60004 Source (8711B/12B)

Reference	HP Part	Qty	Description	Mfr	Mfr Part
Designator	Number	• •		Code	Number
C1	0160 6104	1	CAP-FXD 2200pF +-5% 50 V CER C0G	28480	0160-6104
C1 C2	0160-6104 0160-6734	1	CAP-FXD 2200FF +-3% 50 V CER COG CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C3	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
İ		1		28480	0160-5964
C4	0160-5964	1	CAP-FXD 180pF +-5% 50 V CER COG	28480	0160-5964
C5	0160-5964	1	CAP-FXD 180pF +-5% 50 V CER COG	20400	0160-5964
C6	0160-6727	1	CAP-FXD 0.033uF +-10% 50 V CER X7R	28480	0160-6727
C8	0160-5974	1	CAP-FXD 8.2pF +-6.1% 50 V CER COG	28480	0160-5974
C9	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C10	0160-6735	1	CAP-FXD 4700pF +-10% 50 V CER X7R	28480	0160-6735
C11	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
	0100-0100		CAT -1 AB 0.0m   -20/0 00 V 1/1	20100	0100 0100
C12	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
C13	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C14	0160-4834	1	CAP-FXD 0.047uF +-10% 100 V CER X7R	28480	0160-4834
C15	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C16	0160-7332	1	CAP-FXD 6800pF +-10% 50 V CER X7R	28480	0160-7332
C17	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C18	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C19	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
C20	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C21	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
			•		
C22	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
C23	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C24	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
C25	0180-3467	1	CAP-FXD 22uF +-20% 63 V AL-ELCTLT	28480	0180-3467
C26	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C27	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER COG	28480	0160-5952
C28	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C29	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER COG	28480	0160-5952
C30	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C32	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
					ŀ
C33	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C34	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C35	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C36	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C37	0160-7332	1	CAP-FXD 6800 <sub>P</sub> F +-10% 50 V CER X7R	28480	0160-7332
			<u> </u>	L	

Reference Designator	HP Part Number	Qty	Description	Mfr Code	Mfr Part Number
C38	0160-7332	1	CAP-FXD 6800pF +-10% 50 V CER X7R	28480	0160-7332
C39	0160-6735	1	CAP-FXD 4700pF +-10% 50 V CER X7R	28480	0160-6735
C40	0160-5880	1	CAP-FXD 2200pF +-1% 50 V CER C0G	28480	0160-5880
C41	0160-5880	1	CAP-FXD 2200 <sub>P</sub> F +-1% 50 V CER C0G	28480	0160-5880
C42	0160-5880	1	CAP-FXD 2200 <sub>P</sub> F +-1% 50 V CER C0G	28480	0160-5880
C43	0160-5880	1	CAP-FXD 2200pF +-1% 50 V CER C0G	28480	0160-5880
C44	0160-5880	1	CAP-FXD 2200pF +-1% 50 V CER COG	28480	
C45	0160-5880	1	CAP-FXD 2200pF +-1% 50 V CER COG	28480	
C46	0160-5880	1	CAP-FXD 2200pF +-1% 50 V CER COG	28480	
C47	0160-5880	1	CAP-FXD 2200pF +-1% 50 V CER COG	28480	
01.	0100 0000	•		20400	0100-0000
C48	0160-7208	1	CAP-FXD 0.015uF +-10% 50 V CER X7R	28480	0160-7208
C49	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C50	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C52	0160-5975	1	CAP-FXD 10pF +-5% 50 V CER C0G	28480	0160-5975
C53	0180-3749	1	CAP-FXD 0.22uF +-20% 35 V TA	28480	0180-3749
C55	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER COG	28480	0160-5952
C56	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER COG	28480	
C57	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER COG	28480	
C58	0160-5975	1	CAP-FXD 10pF +-5% 50 V CER C0G	28480	
C59	0160-5979	1	CAP-FXD 1.5pF +-33.33% 50 V CER COG	28480	
		-	011 1115 110p1   00.000, 00 1 0B10 000		
C60	0160-5975	1	CAP-FXD 10pF +-5% 50 V CER C0G	28480	0160-5975
C61	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C62	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C63	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C64	0160-5952	1	CAP-FXD 330 <sub>P</sub> F +-5% 50 V CER C0G	28480	0160-5952
C65	0160-5952	1	CAP-FXD 330 <sub>P</sub> F +-5% 50 V CER C0G	28480	0160-5952
C66	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER COG	28480	
C67	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER COG	28480	
C68	0160-6104	1	CAP-FXD 2200pF +-5% 50 V CER COG	28480	
C68 C69	0160-6104	1	CAP-FXD 2200pr +-5% 50 V CER COG CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	1
009	0100-0734	1	OAI -FAD 0.04/HF +-10% 30 V CER A/R	4048U	V10U-0734
C70	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C71	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
C72	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C74	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C76	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734

Reference	HP Part	Qty	Description	Mfr	Mfr Part
Designator	Number			Code	Number
C77	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C78	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C79	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C80	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C81	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
			·		
C82	0160-7332	1	CAP-FXD 6800pF +-10% 50 V CER X7R	28480	0160-7332
C83	0160-7332	1	CAP-FXD 6800pF +-10% 50 V CER X7R	28480	0160-7332
C84	0160-5974	1	CAP-FXD 8.2pF +-6.1% 50 V CER C0G	28480	0160-5974
C85	0160-6727	1	CAP-FXD 0.033uF +-10% 50 V CER X7R	28480	0160-6727
C86	0160-7333	1	CAP-FXD 0.068uF +-10% 50 V CER X7R	28480	0160-7333
C87	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
C88	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C89	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C90	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C91	0160-5975	1	CAP-FXD 10pF +-5% 50 V CER C0G	28480	0160-5975
C92	0160-5979	1	CAP-FXD 1.5pF +-33.33% 50 V CER COG	28480	0160-5979
C93	0160-5975	1	CAP-FXD 10pF +-5% 50 V CER C0G	28480	0160-5975
C94	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C95	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER COG	28480	0160-5952
C96	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER COG	28480	0160-5952
C97	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C98	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C99	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C100	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER COG	28480	0160-5952
C101	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER COG	28480	0160-5952
C102	0160-6735	1	CAP-FXD 4700pF +-10% 50 V CER X7R	28480	0160-6735
C103	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C104	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER COG	28480	0160-5952
C105	0160-6104	1	CAP-FXD 2200pF +-5% 50 V CER COG	28480	0160-6104
C106	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
				1	
C107	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C108	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C109	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C110	0160-5943	1	CAP-FXD 2.7pF +-18.52% 50 V CER COG	28480	0160-5943
C111	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
				<u> </u>	

Reference	HP Part	Qty	Description	Mfr	Mfr Part
Designator	Number			Code	Number
C112	0160-5978	1	CAP-FXD 2.2pF +-22.73% 50 V CER COG	28480	0160-5978
C113	0160-5979	1	CAP-FXD 1.5pF +-33.33% 50 V CER COG	28480	0160-5979
C114	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
C115	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
C116	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER COG	28480	0160-5952
C117	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C118	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C119	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C120	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C121	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C122	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C123	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C124	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C125	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C126	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C127	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C128	0160-6736	1	CAP-FXD 0.01uF +-10% 50 V CER X7R	28480	0160-6736
C129	0160-6736	1	CAP-FXD 0.01uF +-10% 50 V CER X7R	28480	0160-6736
C131	0160-6736	1	CAP-FXD 0.01uF +-10% 50 V CER X7R	28480	0160-6736
C132	0160-6736	1	CAP-FXD 0.01uF +-10% 50 V CER X7R	28480	0160-6736
C133	0180-3751	1	CAP-FXD 1uF +-20% 35 V TA	28480	0180-3751
C134	0180-3751	1	CAP-FXD 1uF +-20% 35 V TA	28480	0180-3751
C135	0160-6102	1	CAP-FXD 1500pF +-5% 50 V CER COG	28480	0160-6102
C136	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C137	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C138	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C139	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
C140	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
C141	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
C142	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
C143	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C144	0180-3751	1	CAP-FXD 1uF +-20% 35 V TA	28480	0180-3751
C145	0180-3751	1	CAP-FXD 1uF +-20% 35 V TA	28480	0180-3751
C146	0180-3751	1	CAP-FXD 1uF +-20% 35 V TA	28480	0180-3751
C147	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753

Reference Designator	HP Part Number	Qty	Description	Mfr Code	Mfr Part Number
2 00.8					
C148	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
C149	0180-3751	1	CAP-FXD 1uF +-20% 35 V TA	28480	0180-3751
C150	0180-3751	1	CAP-FXD 1uF +-20% 35 V TA	28480	0180-3751
C151	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
C152	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
1					
C153	0160-6102	1	CAP-FXD 1500pF +-5% 50 V CER C0G	28480	0160-6102
C154	0180-3464	1	CAP-FXD 2.2uF +-20% 100 V AL-ELCTLT	28480	0180-3464
C155	0180-3464	1	CAP-FXD 2.2uF +-20% 100 V AL-ELCTLT	28480	0180-3464
C156	0180-3464	1	CAP-FXD 2.2uF +-20% 100 V AL-ELCTLT	28480	0180-3464
C157	0180-3464	1	CAP-FXD 2.2uF +-20% 100 V AL-ELCTLT	28480	0180-3464
C158	0180-3467	1	CAP-FXD 22uF +-20% 63 V AL-ELCTLT	28480	0180-3467
C159	0180-3467	1	CAP-FXD 22uF +-20% 63 V AL-ELCTLT	28480	0180-3467
C160	0180-3467	1	CAP-FXD 22uF +-20% 63 V AL-ELCTLT	28480	0180-3467
C161	0180-3752	1	CAP-FXD 3.3uF +-20% 35 V TA	28480	0180-3752
C162	0160-5951	1	CAP-FXD 390pF +-5% 50 V CER C0G	28480	0160-5951
C163	0160-5951	1	CAP-FXD 390pF +-5% 50 V CER COG	28480	0160-5951
C164	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C165	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C166	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C167	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
	ţ			ŀ	
C168	0160-5951	1	CAP-FXD 390pF +-5% 50 V CER C0G	28480	0160-5951
C169	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C170	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C171	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C172	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
	1				
C173	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C174	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C175	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C176	0160-5961	1	CAP-FXD 22pF +-5% 50 V CER C0G	28480	0160-5961
C177	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C178	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C179	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C180	0160-5943	1	CAP-FXD 2.7pF +-18.52% 50 V CER COG	28480	0160-5943
C181	0160-6736	1	CAP-FXD 0.01uF +-10% 50 V CER X7R	28480	0160-6736
C182	0160-6735	1	CAP-FXD 4700pF +-10% 50 V CER X7R	28480	0160-6735
		<u> </u>			

Designator		Qty	Description	Mfr	Mfr Part
	Number			Code	Number
C186	0160-6735	1	CAP-FXD 4700pF +-10% 50 V CER X7R	28480	0160-6735
C187	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C188	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C189	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C192	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C193	0160-5957	1	CAP-FXD 47pF +-5% 50 V CER COG	28480	0160-5957
C194	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C195	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C196	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C197	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C198	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER COG	28480	0160-5952
C199	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER COG	28480	0160-5952
C200	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C201	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C202	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C203	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C500	0180-3754	1	CAP-FXD 10uF +-20% 25 V TA	28480	0180-3754
C501	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
C502	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
C503	0180-3754	1	CAP-FXD 10uF +-20% 25 V TA	28480	0180-3754
C504	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C505	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C506	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C507	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER COG	28480	0160-5952
C508	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C509	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER COG	28480	
C510	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C511	0160-5962	1	CAP-FXD 15pF +-5% 50 V CER COG	28480	0160-5962
C512	0160-5978	1	CAP-FXD 2.2pF +-22.73% 50 V CER COG	28480	0160-5978
C513	0160-5979	1	CAP-FXD 1.5pF +-33.33% 50 V CER C0G	28480	0160-5979
C514	0160-7332	1	CAP-FXD 6800pF +-10% 50 V CER X7R	28480	0160-7332
C514 C515	0160-7332	1	CAP-FXD 6800pF +-10% 50 V CER X7R	28480	0160-7332
C516	0160-7332	1	CAP-FXD 6800PF +-10% 50 V CER X/R CAP-FXD 270pF +-5% 50 V CER COG	28480	0160-7332
C516 C517	0160-6734	1	CAP-FXD 2.0047uF +-10% 50 V CER X7R	28480	0160-6734
C517	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
0010	2100 0100	*		20100	2100 0100

Reference	HP Part	Qty	Description	Mfr	Mfr Part
Designator	Number		_	Code	Number
C519	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
C520	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	
C521	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	
C522	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C523	0160-5974	1	CAP-FXD 8.2pF +-6.1% 50 V CER COG	28480	
	0150 00.1	-	0.20 0.20 0.20 0.00 0.00 0.00 0.00 0.00		
C524	0160-5962	1	CAP-FXD 15pF +-5% 50 V CER COG	28480	0160-5962
C526	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER COG	28480	0160-5952
C527	0160-6736	1	CAP-FXD 0.01uF +-10% 50 V CER X7R	28480	0160-6736
C528	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
C529	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
			· ·	!	
C530	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
C531	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C532	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C533	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C534	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C535	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C536	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C537	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C538	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C539	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C540	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C541	0160-6736	1	CAP-FXD 0.01uF +-10% 50 V CER X7R	28480	0160-6736
C542	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
C543	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
C544	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
	<u> </u>				
C545	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C546	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C547	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C548	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C549	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C550	0160-5952	1	CAP-FXD 330 <sub>P</sub> F +-5% 50 V CER C0G	28480	0160-5952
C551	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
C552	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
C553	0160-5952	1	CAP-FXD 330 <sub>P</sub> F +-5% 50 V CER C0G	28480	0160-5952
C554	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
		<u> </u>		l	L

Reference	HP Part	Qty	Description	Mfr	Mfr Part
Designator	Number	∠g υy	Description	Code	Number
C555	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C556	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C557	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C558	0160-6670	1	CAP-FXD 3300pF +-5% 50 V CER C0G	28480	0160-6670
C559	0160-6105	1	CAP-FXD 2700pF +-5% 50 V CER C0G	28480	0160-6105
C561	0160-6104	1	CAP-FXD 2200pF +-5% 50 V CER C0G	28480	0160-6104
C562	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C563	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C564	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C565	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER COG	28480	0160-5952
				,	
C566	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C567	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C568	0160-6727	1	CAP-FXD 0.033uF +-10% 50 V CER X7R	28480	0160-6727
C569	0160-6736	1	CAP-FXD 0.01uF +-10% 50 V CER X7R	28480	0160-6736
C570	0160-5880	1	CAP-FXD 2200pF +-1% 50 V CER C0G	28480	0160-5880
C571	0160-5880	1	CAP-FXD 2200pF +-1% 50 V CER C0G	28480	0160-5880
C572	0160-5880	1	CAP-FXD 2200pF +-1% 50 V CER C0G	28480	0160-5880
C573	0160-5880	1	CAP-FXD 2200pF +-1% 50 V CER C0G	28480	0160-5880
C574	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C575	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C576	0160-5977	1	CAP-FXD 1.2pF +-21% 50 V CER C0G	28480	0160-5977
C577	0160-5977	1	CAP-FXD 1.2 <sub>P</sub> F +-21% 50 V CER C0G	28480	0160-5977
C578	0160-5977	1	CAP-FXD 1.2pF +-21% 50 V CER C0G	28480	0160-5977
C579	0160-5972	1	CAP-FXD 5.6 <sub>P</sub> F +-8.93% 50 V CER C0G	28480	0160-5972
C580	0160-5971	1	CAP-FXD 4.7 <sub>P</sub> F +-10.64% 50 V CER COG	28480	0160-5971
	,				
C581	0160-5979	1	CAP-FXD 1.5pF +-33.33% 50 V CER COG	28480	0160-5979
C582	0160-5975	1	CAP-FXD 10pF +-5% 50 V CER C0G	28480	0160-5975
C583	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C584	0160-6736	1	CAP-FXD 0.01uF +-10% 50 V CER X7R	28480	0160-6736
C585	0160-5952	1	CAP-FXD 330 <sub>p</sub> F +-5% 50 V CER C0G	28480	0160-5952
C586	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C587	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C588	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C589	0160-5972	1	CAP-FXD 5.6 <sub>p</sub> F +-8.93% 50 V CER COG	28480	0160-5972
C590	0160-5972	1	CAP-FXD 5.6pF +-8.93% 50 V CER COG	28480	0160-5972
L		<u> </u>		<u> </u>	<u> </u>

Reference	HP Part	04:-	Description	Mfr	Mfn Dant
Designator	Number	Qty	Description	Code	Mfr Part Number
C591	0160-5972	1	CAP-FXD 5.6pF +-8.93% 50 V CER C0G	28480	0160-5972
C592	0160-5972	1	CAP-FXD 5.6 <sub>P</sub> F +-8.93% 50 V CER C0G	28480	0160-5972
C593	0160-5972	1	CAP-FXD 5.6pF +-8.93% 50 V CER C0G	28480	0160-5972
C594	0160-6736	1	CAP-FXD 0.01uF +-10% 50 V CER X7R	28480	0160-6736
C595	0160-6736	1	CAP-FXD 0.01uF +-10% 50 V CER X7R	28480	0160-6736
C596	0160-6736	1	CAP-FXD 0.01uF +-10% 50 V CER X7R	28480	0160-6736
C597	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C598	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C599	0160-5972	1	CAP-FXD 5.6pF +-8.93% 50 V CER C0G	28480	0160-5972
C600	0160-5972	1	CAP-FXD 5.6pF +-8.93% 50 V CER C0G	28480	0160-5972
C601	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C602	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C603	0160-5952	1 .	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C604	0160-5975	1	CAP-FXD 10pF +-5% 50 V CER COG	28480	0160-5975
C605	0180-3751	1	CAP-FXD 1uF +-20% 35 V TA	28480	0180-3751
C606	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C607	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C608	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C609	0180-3753	1	CAP-FXD 6.8uF +-20% 35 V TA	28480	0180-3753
C610	0160-5975	1	CAP-FXD 10pF +-5% 50 V CER COG	28480	0160-5975
C611	0160-6734	1	CAP-FXD 0.047uF +-10% 50 V CER X7R	28480	0160-6734
C612	0160-5952	1	CAP-FXD 330pF +-5% 50 V CER C0G	28480	0160-5952
C613	0160-6736	1	CAP-FXD 0.01uF +-10% 50 V CER X7R	28480	0160-6736
C614	0160-6222	1	CAP-FXD 0.1uF +-10% 50 V CER X7R	28480	0160-6222
C620	0160-5980	1	CAP-FXD 1.8pF +-27.78% 50 V CER C0G	28480	0160-5980
C621	0160-5942	1	CAP-FXD 1pF +-25% 50 V CER C0G	28480	0160-5942
C622	0160-5980	1	CAP-FXD 1.8pF +-27.78% 50 V CER C0G	28480	0160-5980
C623	0160-5942	1	CAP-FXD 1pF +-25% 50 V CER C0G	28480	0160-5942
CR1	1901-1227	1	DIODE-SWITCHING 75V 200MA 6NS TO-236	28480	1901-1227
CR2	1901-1227	1	DIODE-SWITCHING 75V 200MA 6NS TO-236		1901-1227
	·				
CR3	1901-1227	1	DIODE-SWITCHING 75V 200MA 6NS TO-236	28480	1901-1227
CR4	1901-1227	1	DIODE-SWITCHING 75V 200MA 6NS TO-236		1901-1227
CR5	1901-1227	1	DIODE-SWITCHING 75V 200MA 6NS TO-236	28480	1901-1227
CR6	1901-1227	1	DIODE-SWITCHING 75V 200MA 6NS TO-236	28480	1901-1227
CR7	1901-1227	1	DIODE-SWITCHING 75V 200MA 6NS TO-236	28480	1901-1227

CR8	Reference	HP Part	Qty	Description	Mfr	Mfr Part
CR9	Designator	Number			Code	Number
CR10 1900-0100 1 DIODE-PIN 28480 1900-01 CR11 1900-0100 1 DIODE-PIN 28480 1900-01 CR12 1900-0100 1 DIODE-PIN 28480 1900-01 CR13 1900-0100 1 DIODE-PIN 28480 1900-01 CR14 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR16 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR16 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR17 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR18 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR19 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR20 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR21 1906-0291 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR21 1906-0291 1 DIODE-PIN 28480 1900-01 CR23 1901-100 1 DIODE-PIN 28480 1900-01 CR24 1900-0100 1 DIODE-PIN 28480 1900-01 CR25 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR26 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR27 1906-0375 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR28 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR29 1970-1418 1 CORE-SHIELDING BEAD 28480 1901-12 E1 9170-1418 1 CORE-SHIELDING BEAD 28480 1901-12 E6 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E7 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E8 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E8 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E8 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E9 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E1  9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1-	CR8	1900-0262	1	DIODE-SCHOTTKY SM SIG	28480	1900-0262
CR11         1900-0100         1         DIODE-PIN         28480         1900-01           CR12         1900-0100         1         DIODE-PIN         28480         1900-01           CR13         1900-0100         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR14         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR16         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR17         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR19         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR20         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR21         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR21         1906-0291         1         DIODE-BWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR23         1900-0100         1         DIODE-BWITCHING 75V 200MA 6NS TO-236         28480         1900-02 <t< td=""><td>CR9</td><td>1900-0100</td><td>1</td><td>DIODE-PIN</td><td>28480</td><td>1900-0100</td></t<>	CR9	1900-0100	1	DIODE-PIN	28480	1900-0100
CR12         1900-0100         1         DIODE-PIN         28480         1900-010           CR13         1900-0100         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR15         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR16         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR17         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR18         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR19         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR20         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR21         1906-0291         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1900-02           CR24         1900-0100         1         DIODE-PIN         28480         1900-02           CR25         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           <	CR10	1900-0100	1	DIODE-PIN	28480	1900-0100
CR13 1900-0100 1 DIODE-PIN 28480 1900-01 CR14 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR15 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR16 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR17 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR18 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR19 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR20 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR21 1906-0291 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1900-01 CR21 1906-0291 1 DIODE-PIN 28480 1900-01 CR23 1900-0100 1 DIODE-PIN 28480 1900-02 CR24 1900-0100 1 DIODE-PIN 28480 1900-01 CR25 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR26 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR27 1906-0375 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR28 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR28 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 E1 9170-1418 1 CORE-SHIELDING BEAD 28480 19170-1- E2 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E5 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E6 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E6 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E7 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E8 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E9 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E9 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E9 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E1 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E1 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E1 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E11 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E12 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E13 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E13 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E13 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1-	CR11	1900-0100	1	DIODE-PIN	28480	1900-0100
CR14         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-127         CR15         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-127         CR16         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-127         CR17         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-127         CR19         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-127         28480         1901-127         CR20         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-127         28480         1901-127         28480         1901-127         28480         1901-127         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480	CR12	1900-0100	1	DIODE-PIN	28480	1900-0100
CR14         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-127         CR15         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-127         CR16         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-127         CR17         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-127         CR18         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-127         CR21         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-127         28480         1901-127         28480         1901-127         28480         1901-127         28480         1901-127         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480         1901-128         28480						
CR15         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-127         CR16         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-127         CR17         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-127         CR18         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-127         CR19         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-127         28480         1901-127         CR20         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-127         28480         1901-12         CR21         1906-0291         1         DIODE-DUAL 70V 100MA TO-236AA         28480         1901-12         28480         1901-12         1906-02         1         100DE-DUAL 70V 100MA TO-236AA         28480         1900-02         28480         1900-02         28480         1900-02         28480         1900-02         28480         1900-02         28480         1900-02         28480         1900-02         28480         1900-02         28480         1900-02         28480         1900-02         28480         1900-02         28480         1900-02         28480 <td< td=""><td>CR13</td><td>1900-0100</td><td>1</td><td>DIODE-PIN</td><td>28480</td><td>1900-0100</td></td<>	CR13	1900-0100	1	DIODE-PIN	28480	1900-0100
CR16         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR17         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR18         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR19         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR20         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR21         1906-0291         1         DIODE-PIN         28480         1900-01           CR23         1900-0100         1         DIODE-PIN         28480         1900-02           CR24         1900-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR25         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR26         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           E1         9170-1418         1         CORE-SHIELDING BEAD         28480         1901-12           E2         <	CR14	1901-1227	1	DIODE-SWITCHING 75V 200MA 6NS TO-236	28480	1901-1227
CR17         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR18         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR19         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR20         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR21         1906-0291         1         DIODE-DUAL 70V 100MA TO-236AA         28480         1906-02           CR23         1900-0100         1         DIODE-PIN         28480         1900-02           CR24         1900-0100         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR26         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR27         1906-0375         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           E1         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-1-12           E2         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-1-12           E4	CR15	1901-1227	1	DIODE-SWITCHING 75V 200MA 6NS TO-236	28480	1901-1227
CR18 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR19 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR20 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR21 1906-0291 1 DIODE-DUAL 70V 100MA T0-236AA 28480 1906-02 CR23 1900-0100 1 DIODE-PIN 28480 1900-03 CR24 1900-0100 1 DIODE-PIN 28480 1900-03 CR25 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR26 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR27 1906-0375 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR28 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 E1 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E2 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E3 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E4 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E5 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E6 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E7 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E8 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E8 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E8 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E9 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E9 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E9 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1- E1  9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1-	CR16	1901-1227	1	DIODE-SWITCHING 75V 200MA 6NS TO-236	28480	1901-1227
CR19         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR20         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR21         1906-0291         1         DIODE-DUAL 70V 100MA TO-236AA         28480         1906-02           CR23         1900-0100         1         DIODE-PIN         28480         1900-03           CR24         1900-0100         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR25         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR26         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR27         1906-0375         1         DIODE-SWITCHING 75V 200MA         28480         1901-13           E1         9170-1418         1         CORE-SHIELDING BEAD         28480         1901-13           E2         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-14           E3         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-14           E6         9170-1418 <td< td=""><td>CR17</td><td>1901-1227</td><td>1</td><td>DIODE-SWITCHING 75V 200MA 6NS TO-236</td><td>28480</td><td>1901-1227</td></td<>	CR17	1901-1227	1	DIODE-SWITCHING 75V 200MA 6NS TO-236	28480	1901-1227
CR19         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR20         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR21         1906-0291         1         DIODE-DUAL 70V 100MA TO-236AA         28480         1906-02           CR23         1900-0100         1         DIODE-PIN         28480         1900-03           CR24         1900-0100         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR25         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR26         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR27         1906-0375         1         DIODE-SWITCHING 75V 200MA         28480         1901-13           E1         9170-1418         1         CORE-SHIELDING BEAD         28480         1901-13           E2         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-14           E3         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-14           E6         9170-1418 <td< td=""><td></td><td></td><td>:</td><td></td><td></td><td></td></td<>			:			
CR20         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR21         1906-0291         1         DIODE-DUAL 70V 100MA TO-236AA         28480         1906-02           CR23         1900-0100         1         DIODE-PIN         28480         1900-02           CR24         1900-0100         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR25         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR26         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR27         1906-0375         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           E1         9170-1418         1         CORE-SHIELDING BEAD         28480         1901-12           E1         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-14           E3         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-14           E4         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-14           E6         9170-1421         1	CR18	1901-1227	1	DIODE-SWITCHING 75V 200MA 6NS TO-236	28480	1901-1227
CR21         1906-0291         1         DIODE-DUAL 70V 100MA T0-236AA         28480         1906-02           CR23         1900-0100         1         DIODE-PIN         28480         1900-02           CR24         1900-0100         1         DIODE-PIN         28480         1900-02           CR25         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR26         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR27         1906-0375         1         DIODE-ARRAY 50V 400MA         28480         1901-12           E1         9170-1418         1         CORE-SHIELDING BEAD         28480         1901-12           E1         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-14           E3         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-14           E4         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-14           E5         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-14           E6         9170-1418         1         CORE-SHIELDING BEAD         28480	CR19	1901-1227	1	DIODE-SWITCHING 75V 200MA 6NS TO-236	28480	1901-1227
CR23         1900-0100         1         DIODE-PIN         28480         1900-01           CR24         1900-0100         1         DIODE-PIN         28480         1900-02           CR25         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR26         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR27         1906-0375         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR28         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           E1         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-1-2           E2         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-1-2           E3         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-1-2           E4         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-1-2           E6         9170-1421         1         CORE-SHIELDING BEAD         28480         9170-1-2           E8         9170-1418         1         CORE-SHIELDING BEAD <td>CR20</td> <td>1901-1227</td> <td>1</td> <td>DIODE-SWITCHING 75V 200MA 6NS TO-236</td> <td>28480</td> <td>1901-1227</td>	CR20	1901-1227	1	DIODE-SWITCHING 75V 200MA 6NS TO-236	28480	1901-1227
CR24 1900-0100 1 DIODE-PIN 28480 1900-01 CR25 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR26 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 CR27 1906-0375 1 DIODE-ARRAY 50V 400MA 28480 1906-03 CR28 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12 E1 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E2 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E3 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E4 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E5 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E6 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E7 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E8 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E8 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E9 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E9 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-15 E1 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-15 E1 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-15 E1 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-15 E11 9170-1421 1 CORE-SHIELDING BEAD 28480 9170-15	CR21	1906-0291	1	DIODE-DUAL 70V 100MA T0-236AA	28480	1906-0291
CR25         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR26         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR27         1906-0375         1         DIODE-ARRAY 50V 400MA         28480         1906-03           CR28         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           E1         9170-1418         1         CORE-SHIELDING BEAD         28480         1901-12           E2         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-14           E3         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-14           E4         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-14           E5         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-14           E6         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-14           E8         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-14           E10         9170-1418         1         CORE-SHIELDING BEAD	CR23	1900-0100	1	DIODE-PIN	28480	1900-0100
CR25         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR26         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           CR27         1906-0375         1         DIODE-ARRAY 50V 400MA         28480         1906-03           CR28         1901-1227         1         DIODE-SWITCHING 75V 200MA 6NS TO-236         28480         1901-12           E1         9170-1418         1         CORE-SHIELDING BEAD         28480         1901-12           E2         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-14           E3         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-14           E4         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-14           E5         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-14           E6         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-14           E8         9170-1418         1         CORE-SHIELDING BEAD         28480         9170-14           E10         9170-1418         1         CORE-SHIELDING BEAD						
CR26	CR24	1900-0100	1	DIODE-PIN	28480	1900-0100
CR27 1906-0375 1 DIODE-ARRAY 50V 400MA 28480 1906-03 CR28 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-13  E1 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E2 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E3 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E4 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E5 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E6 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E7 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E8 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E9 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E9 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E10 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E11 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E11 9170-1421 1 CORE-SHIELDING BEAD 28480 9170-14 E12 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-15 E13 9170-1368 1 CORE-SHIELDING BEAD 28480 9170-15	CR25	1901-1227	1	DIODE-SWITCHING 75V 200MA 6NS TO-236	28480	1901-1227
CR28 1901-1227 1 DIODE-SWITCHING 75V 200MA 6NS TO-236 28480 1901-12  E1 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14  E2 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14  E3 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14  E4 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14  E5 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14  E6 9170-1421 1 CORE-SHIELDING BEAD 28480 9170-14  E7 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14  E8 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14  E9 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14  E10 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14  E10 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14  E11 9170-1421 1 CORE-SHIELDING BEAD 28480 9170-15  E11 9170-1421 1 CORE-SHIELDING BEAD 28480 9170-15  E11 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-15  E11 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-15  E12 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-15  E13 9170-1368 1 CORE-SHIELDING BEAD 28480 9170-15	CR26	1901-1227	1	DIODE-SWITCHING 75V 200MA 6NS TO-236	28480	1901-1227
E1 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E2 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E3 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E4 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E5 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E6 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E7 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E8 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E9 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E10 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E10 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E11 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-15 E12 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-15 E13 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-15 E13 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-15 E13 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-15	CR27	1906-0375	1	DIODE-ARRAY 50V 400MA	28480	1906-0375
E2 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E3 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E4 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E5 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E6 9170-1421 1 CORE-SHIELDING BEAD 28480 9170-14 E7 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E8 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E9 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E10 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E10 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E11 9170-1421 1 CORE-SHIELDING BEAD 28480 9170-14 E12 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E13 9170-1368 1 CORE-SHIELDING BEAD 28480 9170-15 E13 9170-1368 1 CORE-SHIELDING BEAD 28480 9170-15	CR28	1901-1227	1	DIODE-SWITCHING 75V 200MA 6NS TO-236	28480	1901-1227
E2 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E3 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E4 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E5 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E6 9170-1421 1 CORE-SHIELDING BEAD 28480 9170-14 E7 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E8 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E9 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E10 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E10 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E11 9170-1421 1 CORE-SHIELDING BEAD 28480 9170-14 E12 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E13 9170-1368 1 CORE-SHIELDING BEAD 28480 9170-15 E13 9170-1368 1 CORE-SHIELDING BEAD 28480 9170-15		1				
E3 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E4 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E5 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E6 9170-1421 1 CORE-SHIELDING BEAD 28480 9170-14 E7 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E8 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E9 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E10 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E11 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E11 9170-1421 1 CORE-SHIELDING BEAD 28480 9170-14 E12 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E13 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E13 9170-1368 1 CORE-SHIELDING BEAD 28480 9170-14		ľ				
E4 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E5 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E6 9170-1421 1 CORE-SHIELDING BEAD 28480 9170-14 E7 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E8 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E9 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E10 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E11 9170-1421 1 CORE-SHIELDING BEAD 28480 9170-14 E12 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E13 9170-1368 1 CORE-SHIELDING BEAD 28480 9170-15		ļ	i			9170-1418
E5 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1410 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1418 1 CORE-SH						
E6 9170-1421 1 CORE-SHIELDING BEAD 28480 9170-14 E7 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E8 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E9 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E10 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E11 9170-1421 1 CORE-SHIELDING BEAD 28480 9170-14 E12 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-14 E13 9170-1368 1 CORE-SHIELDING BEAD 28480 9170-14						9170-1418
E7 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1418 1 CORE-SHIELDING BE	E5	9170-1418	1	CORE-SHIELDING BEAD	28480	9170-1418
E7 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1418 1 CORE-SHIELDING BE	Da.	0170 1401	.	CODE CHIEF DING READ	20400	0170 1491
E8 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1418 1 CORE-SHIELDING BE	1	l .				
E9 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1418 1 CORE-SHIELDING BE			ł			
E10 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1418 1 CORE-SHIELDING B						
E11 9170-1421 1 CORE-SHIELDING BEAD 28480 9170-1 E12 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-1 E13 9170-1368 1 CORE-SHIELDING BEAD 28480 9170-1	<u> </u>					
E12 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-15 E13 9170-1368 1 CORE-SHIELDING BEAD 28480 9170-15	E10	9170-1418	1	CORE-SHIEDDING DEAD	20480	9170-1418
E12 9170-1418 1 CORE-SHIELDING BEAD 28480 9170-15 E13 9170-1368 1 CORE-SHIELDING BEAD 28480 9170-15	F11	9170-1491	1	CORE-SHIELDING BEAD	28480	9170-1421
E13 9170-1368 1 CORE-SHIELDING BEAD 28480 9170-1	1				1	
	ı				1	Į.
E14   9170-1368   1   CORE-SHIELDING BEAD   28480   9170-1		1	i '		ŀ	
					l .	9170-1368
			-			

Reference	HP Part	Qty	Description	Mfr	Mfr Part
Designator	Number			Code	Number
E500	9170-1421	1	CORE-SHIELDING BEAD	28480	9170-1421
E501	9170-1421	1	CORE-SHIELDING BEAD	28480	9170-1421
E502	9170-1421	1	CORE-SHIELDING BEAD	28480	9170-1421
E503	9170-1418	1	CORE-SHIELDING BEAD	28480	9170-1418
E504	9170-1418	1	CORE-SHIELDING BEAD	28480	9170-1418
E506	9170-1418	1	CORE-SHIELDING BEAD	28480	9170-1418
E507	9170-1418	1	CORE-SHIELDING BEAD	28480	9170-1418
E508	9170-1421	1	CORE-SHIELDING BEAD	28480	9170-1421
E509	9170-1418	1	CORE-SHIELDING BEAD	28480	9170-1418
E510	9170-1418	1	CORE-SHIELDING BEAD	28480	9170-1418
E511	9170-1418	1	CORE-SHIELDING BEAD	28480	9170-1418
E512	9170-1418	1	CORE-SHIELDING BEAD	28480	9170-1418
E513	9170-1418	1	CORE-SHIELDING BEAD	28480	9170-1418
E514	9170-1418	1	CORE-SHIELDING BEAD	28480	9170-1418
E515	9170-1418	1	CORE-SHIELDING BEAD	28480	9170-1418
E516	9170-1418	1	CORE-SHIELDING BEAD	28480	9170-1418
E517	9170-1418	1	CORE-SHIELDING BEAD	28480	9170-1418
E518	9170-1418	1	CORE-SHIELDING BEAD	28480	9170-1418
E519	9170-1418	1	CORE-SHIELDING BEAD		9170-1418
E520	9170-1418	1	CORE-SHIELDING BEAD	28480	9170-1418
Eros	0150 1410	١.	CODE CHIEF DING BEAD	00.400	0170 1410
E521	9170-1418	1	CORE-SHIELDING BEAD	l	9170-1418
E522	9170-1418	1	CORE-SHIELDING BEAD		9170-1418
E523	9170-1421	1	CORE-SHIELDING BEAD		9170-1421 9170-1418
E524	9170-1418	] -	CORE-SHIELDING BEAD CORE-SHIELDING BEAD		
E525	9170-1421	1	COMPORTED ING DEAD	28480	9170-1421
E526	9170-1421	1	CORE-SHIELDING BEAD	28480	9170-1421
E527	9170-1421		CORE-SHIELDING BEAD		9170-1421
J1	1250-1986		CONNECTOR-RF SMA RCPT PC-W/O-STDF 50-OHM		1250-1986
J2	1250-1500		CONNECTOR-RF SMB PLUG PC-W-STDFS 50-OHM		1250-1512
J3	1250-1512	-	CONNECTOR-RF SMB PLUG PC-W-STDFS 50-OHM		1250-1512
		-	The state of the s		-200 1012
J4	1250-1986	1	CONNECTOR-RF SMA RCPT PC-W/O-STDF 50-OHM	28480	1250-1986
J5	1251-5033	1	CONN-POST TYPE .100-PIN-SPCG-MTG-END	28480	1251-5033
J6	1251-5033	1	CONN-POST TYPE .100-PIN-SPCG-MTG-END	28480	1251-5033
J7	1251-5033	1	CONN-POST TYPE .100-PIN-SPCG-MTG-END	28480	1251-5033
L1	9100-2574	1	INDUCTOR RF-CH-MLD 1.2MH +-10%	28480	9100-2574

Reference Designator	HP Part Number	Qty	Description	Mfr Code	Mfr Part Number
L2	9100-3922	1	INDUCTOR-FIXED Z > 1200 OHMS 120 TO 650	i	9100-3922
L3	9100-3922	1	INDUCTOR-FIXED Z > 1200 OHMS 120 TO 650	}	9100-3922
L4	9100-3922	1	INDUCTOR-FIXED Z > 1200 OHMS 120 TO 650		9100-3922
L5	9100-3922	1	INDUCTOR-FIXED Z > 1200 OHMS 120 TO 650	28480	9100-3922
L6	9100-3922	1	INDUCTOR-FIXED Z > 1200 OHMS 120 TO 650	28480	9100-3922
L7	9100-3922	1	INDUCTOR-FIXED Z > 1200 OHMS 120 TO 650	28480	9100-3922
L8	9100-3922	1	INDUCTOR-FIXED Z $>$ 1200 OHMS 120 TO 650	28480	9100-3922
L9	9100-3922	1	INDUCTOR-FIXED Z $>$ 1200 OHMS 120 TO 650	28480	9100-3922
L10	9140-1121	1	INDUCTOR 100uH +-5% 3.4W-mmX4.8LG-mm	28480	9140-1121
L11	9140-1121	1	INDUCTOR 100uH +-5% 3.4W-mmX4.8LG-mm	28480	9140-1121
L15	9140-1244	1	INDUCTOR 1mH +-5% 3.4W-mmX4.8LG-mm Q=30	28480	9140-1244
L500	9140-1113	1	INDUCTOR 10uH +-5% 3.4W-mmX4.8LG-mm Q=50		9140-1244
L501	9140-1113	1	INDUCTOR 10uH +-5% 3.4W-mmX4.8LG-mm Q=50		9140-1113
L502	9140-1113	1	INDUCTOR 10uH +-5% 3.4W-mmX4.8LG-mm Q=50		
L502 L503		_	•	28480	
1303	9140-1116	1	INDUCTOR 33uH +-5% 3.4W-mmX4.8LG-mm Q=50	28480	9140-1116
L504	9140-1116	1	INDUCTOR 33uH +-5% 3.4W-mmX4.8LG-mm Q=50	28480	9140-1116
L505	9140-1113	1	INDUCTOR 10uH +-5% 3.4W-mmX4.8LG-mm Q=50	28480	9140-1113
L506	9140-1116	1	INDUCTOR 33uH +-5% 3.4W-mmX4.8LG-mm Q=50	28480	9140-1116
L507	9140-1116	1	INDUCTOR 33uH +-5% 3.4W-mmX4.8LG-mm Q=50	28480	9140-1116
L508	9140-1111	1	INDUCTOR 6.8uH +-5% 3.4W-mmX4.8LG-mm	28480	9140-1111
L509	9140-1111	1	INDUCTOR 6.8uH +-5% 3.4W-mmX4.8LG-mm	28480	9140-1111
L510	9140-1111	1	INDUCTOR 6.8uH +-5% 3.4W-mmX4.8LG-mm	l	9140-1111
L511	9140-1244	1	INDUCTOR 1mH +-5% 3.4W-mmX4.8LG-mm Q=30	l	9140-1244
MP3	08711-20022	1	SHLD-TOP FR SCE	l	08711-20022
MP4	08711-20043	1	GSKT-RF SCE FR	1	08711-20043
<b>.</b>					
MP5	08711-20043	1	GSKT-RF SCE FR	l	08711-20043
MP6	08711-20023	1	SHLD-LWR FR SCE	1	08711-20023
MP7	08711-20024	1	SHLD-TOP RR SCE	l	08711-20024
MP8	08711-20025	1	SHLD-LWR RR SCE	l	08711-20025
MP9	08711-20044	1	RF GSKT-RR SCE	28480	08711-20044
MP10	08711-20044	1	RF GSKT-RR SCE	28480	08711-20044
MP11	0515-0664	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 12MM-LG	05610	
MP12	0515-0664	1	SCREW-MACHINE ASSEMBLY M3 X $0.5\ 12$ MM-LG	05610	
MP13	0515-0664	1	SCREW-MACHINE ASSEMBLY M3 X $0.5\ 12$ MM-LG	05610	
MP14	0515-0664	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 12MM-LG	05610	
				<u> </u>	

		٥.	D 1.11	7.50	3.55 D
Reference Designator	HP Part Number	Qty	Description	Mfr Code	Mfr Part Number
Designator	1 uniber			Juli	
MP15	0515-0664	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 12MM-LG	05610	
MP16	0515-0664	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 12MM-LG	05610	
MP17	0515-0664	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 12MM-LG	05610	
MP18	0515-0664	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 12MM-LG	05610	
MP19	0515-0664	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 12MM-LG	05610	
MP20	0515-0664	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 12MM-LG	05610	
MP21	0515-0664	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 12MM-LG	05610	:
MP22	0515-0664	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 12MM-LG	05610	
MP23	0515-0664	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 12MM-LG	05610	
MP24	0515-0664	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 12MM-LG	05610	
					:
MP25	0515-0664	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 12MM-LG	05610	
MP26	0515-0664	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 12MM-LG	05610	
MP27	0515-0664	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 12MM-LG	05610	
MP28	0515-0664	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 12MM-LG	05610	
MP29	0515-0664	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 12MM-LG	05610	
MP30	0515-0664	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 12MM-LG	05610	
MP31	0515-0664	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 12MM-LG	05610	
MP32	0515-0664	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 12MM-LG	05610	
MP33	1400-1661	1	CLAMP-COMPONENT SST	13522	
MP34	1400-1661	1	CLAMP-COMPONENT SST	13522	
ļ					
MP35	1400-1661	1	CLAMP-COMPONENT SST	13522	
MP36	1400-1662	1	CLAMP-COMPONENT SST	13522	
MP37	1400-1662	1	CLAMP-COMPONENT SST	13522	
MP38	0590-1637	1	THREADED INSERT-NUT M2 X 0.4 1.5-MM-LG	03981	KFS2-M2
MP39	0590-1637	1	THREADED INSERT-NUT M2 X 0.4 1.5-MM-LG	03981	KFS2-M2
MP40	0590-1637	1	THREADED INSERT-NUT M2 X 0.4 1.5-MM-LG	03981	KFS2-M2
MP41	0590-1637	1	THREADED INSERT-NUT M2 X 0.4 1.5-MM-LG	03981	KFS2-M2
MP42	0590-1637	1	THREADED INSERT-NUT M2 X 0.4 1.5-MM-LG	03981	KFS2-M2
MP43	0590-1637	1	THREADED INSERT-NUT M2 X 0.4 1.5-MM-LG	03981	KFS2-M2
MP44	0590-1637	1	THREADED INSERT-NUT M2 X 0.4 1.5-MM-LG	03981	KFS2-M2
MP45	0590-1637	1	THREADED INSERT-NUT M2 X 0.4 1.5-MM-LG	03981	KFS2-M2
MP46	0590-1637	1	THREADED INSERT-NUT M2 X 0.4 1.5-MM-LG	03981	KFS2-M2
MP47	0590-1637	1	THREADED INSERT-NUT M2 X 0.4 1.5-MM-LG	03981	KFS2-M2
MP48	0515-0658	1	SCREW-MACHINE ASSEMBLY M2 X 0.4 6MM-LG	05610	
MP49	0515-0658	1	SCREW-MACHINE ASSEMBLY M2 X 0.4 6MM-LG	05610	
			<u> </u>	<u> </u>	<u> </u>

Reference Designator	HP Part Number	Qty	Description	Mfr Code	Mfr Part Number
MP50	0515-0658	1	SCREW-MACHINE ASSEMBLY M2 X 0.4 6MM-LG	05610	
MP51	0515-0658	1	SCREW-MACHINE ASSEMBLY M2 X 0.4 6MM-LG	05610	
MP52	0515-0658	1	SCREW-MACHINE ASSEMBLY M2 X 0.4 6MM-LG	05610	
MP53	0515-0658	1	SCREW-MACHINE ASSEMBLY M2 X 0.4 6MM-LG	05610	
MP54	0515-0658	1	SCREW-MACHINE ASSEMBLY M2 X 0.4 6MM-LG	05610	
MP55	0515-0658	1	SCREW-MACHINE ASSEMBLY M2 X 0.4 6MM-LG	05610	
MP56	0515-0658	1	SCREW-MACHINE ASSEMBLY M2 X 0.4 6MM-LG	05610	
MP57	0515-0658	1	SCREW-MACHINE ASSEMBLY M2 X 0.4 6MM-LG	05610	
MP58	1205-0639	1	HEAT SINK SGL TO-220-CS	07179	576802B03100
MP59	1205-0639	1	HEAT SINK SGL TO-220-CS	07179	576802B03100
MP60	1205-0639	1	HEAT SINK SGL TO-220-CS	07179	576802B03100
MP61	1205-0639	1	HEAT SINK SGL TO-220-CS	07179	576802B03100
MP62	1205-0639	1	HEAT SINK SGL TO-220-CS	07179	576802B03100
MP63	08711-20017	1	PLATE-MTG TRANS	28480	08711-20017
MP64	2580-0003	1	NUT-HEX-W/LKWR 8-32-THD .125-IN-THK	04805	511-081800-00-0280-2580
MP65	0515-0430	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 6MM-LG	05610	
MP66	0515-0430	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 6MM-LG	05610	
MP67	0515-0430	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 6MM-LG	05610	
MP68	0515-0430	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 6MM-LG	05610	
MP69	0515-0430	1	SCREW-MACHINE ASSEMBLY M3 X 0.5 6MM-LG	05610	
MP70	0590-1095	1	THREADED INSERT-NUT M3 X 0.5 1.5-MM-LG	03981	KF2-M3-ZI
MP71	0590-1095	1	THREADED INSERT-NUT M3 X 0.5 1.5-MM-LG	03981	KF2-M3-ZI
MP72	0590-1095	1	THREADED INSERT-NUT M3 X 0.5 1.5-MM-LG	03981	KF2-M3-ZI
MP73	08712-60007	1	SHLD AY-SOURCE	28480	08712-60007
MP74	0590-1095	1	THREADED INSERT-NUT M3 X 0.5 1.5-MM-LG	03981	KF2-M3-ZI
MP75	0590-1095	1	THREADED INSERT-NUT M3 X 0.5 1.5-MM-LG	03981	KF2-M3-ZI
MP76	1400-1669	1	BRACKET L-BRACKET; ALUMINUM; W/M3X0.5	13522	
MP77	0515-0430	3	SCREW-MACHINE ASSEMBLY M3 X 0.5 6MM-LG	05610	
MP78	0515-0430	3	SCREW-MACHINE ASSEMBLY M3 X 0.5 6MM-LG	05610	
MP79	2190-0124	1	WASHER-LK INTL T NO. 10 .195-IN-ID	02788	500222
MP80	2190-0124	1	WASHER-LK INTL T NO. 10 .195-IN-ID	02788	500222
MP81	2950-0078	1	NUT-HEX-DBL-CHAM 10-32-THD .067-IN-THK	00904	
MP82	2950-0078	1	NUT-HEX-DBL-CHAM 10-32-THD .067-IN-THK	00904	
NONE	08711-80034	1	LBL IN SOURCE	28480	08711-80034
P1	1252-2356	1	CONN-POST TYPE 2.54-PIN-SPCG-MTG-END	28480	1252-2356

		r		<u> </u>	i .
Reference Designator	HP Part Number	Qty	Description	Mfr Code	Mfr Part Number
Designator	rumber			Code	Number
Q1	1853-0581	1	TRANSISTOR PNP SI SOT-23 (TO-236AB)	28480	1853-0581
Q2	1854-1226	1	TRANSISTOR NPN SI TO-253 PD=400MW	28480	1854-1226
Q3	1854-1037	1	TRANSISTOR NPN SI TO-236AA PD=350MW	28480	1854-1037
Q4	1854-1037	1	TRANSISTOR NPN SI TO-236AA PD=350MW	28480	1854-1037
Q5	1854-1037	1	TRANSISTOR NPN SI TO-236AA PD=350MW	28480	1854-1037
Q6	1854-1248	1	TRANSISTOR NPN SI SOT-23 (TO-236AB)	28480	1854-1248
Q7	1854-1037	1	TRANSISTOR NPN SI TO-236AA PD=350MW	28480	1854-1037
Q8	1854-1188	1	TRANSISTOR NPN SI SOT-23 (TO-236AB)	28480	1854-1188
Q9	1854-1226	1	TRANSISTOR NPN SI TO-253 PD=400MW	28480	1854-1226
Q10	1853-0581	1	TRANSISTOR PNP SI SOT-23 (TO-236AB)	28480	1853-0581
Q11	1854-1047	1	TRANSISTOR NPN SI PD=5W FT=5.5GHZ	28480	1854-1047
Q12	1854-1032	1	TRANSISTOR NPN SI PD=2.5W	28480	1854-1032
Q13	1854-1226	1	TRANSISTOR NPN SI TO-253 PD=400MW	28480	1854-1226
Q14	1853-0581	1	TRANSISTOR PNP SI SOT-23 (TO-236AB)	28480	1853-0581
Q15	1854-0828	1	TRANSISTOR NPN SI TO-220AB PD=65W	28480	1854-0828
Q16	1854-1037	1	TRANSISTOR NPN SI TO-236AA PD=350MW	28480	1854-1037
Q17	1854-1095	1	TRANSISTOR NPN SI SOT-23 (TO-236AB)	28480	1854-1095
Q18	1854-1270	1	TRANSISTOR NPN SI TO-261AA (SOT-223)	28480	1854-1270
Q19	1854-1037	1	TRANSISTOR NPN SI TO-236AA PD=350MW	28480	1854-1037
Q20	1855-0082	1	TRANSISTOR J-FET P-CHAN D-MODE SI	28480	1855-0082
		ļ			
Q21	1854-1251	1	TRANSISTOR-DUAL NPN	28480	1854-1251
Q22	1854-1251	1	TRANSISTOR-DUAL NPN	28480	1854-1251
Q23	1854-1037	1	TRANSISTOR NPN SI TO-236AA PD=350MW	28480	1854-1037
Q24	1854-1037	1	TRANSISTOR NPN SI TO-236AA PD=350MW	28480	1854-1037
Q25	1854-1270	1	TRANSISTOR NPN SI TO-261AA (SOT-223)	28480	1854-1270
Q26	1854-1095	1	TRANSISTOR NPN SI SOT-23 (TO-236AB)	28480	1854-1095
Q27	1854-0828	1	TRANSISTOR NPN SI TO-220AB PD=65W	28480	1854-0828
R1	0699-1427	l	RESISTOR 316 +-1% .125W TKF TC=0+-100	28480	0699-1427
R2	0699-1318		RESISTOR 1K +-1% .125W TKF TC=0+-100	28480	0699-1318
R4	0699-1366	1	RESISTOR 82.5 +-1% .125W TKF TC=0+-100	28480	0699-1366
D.	1010 105	] _	NEWWORK BEG 40 GMD 4 GM GYPL M 4 T		
R5	1810-1065	1	NETWORK-RES 16-SMD 1.0K OHM X 15	28480	
R6	0699-1388	ļ	RESISTOR 7.5K +-1% .125W TKF TC=0+-100	28480	
R8	1810-1064	l	NETWORK-RES 16-SMD 10.0K OHM X 15	28480	
R10	0699-1320	1	RESISTOR 19.6K +-1% .125W TKF TC=0+-100	28480	0699-1320
R11	0699-1318		RESISTOR 1K +-1% .125W TKF TC=0+-100	28480	0699-1318
	l	<b></b>	<u> </u>	!	I

Reference	HP Part	Qty	Description	Mfr	Mfr Part
Designator	Number			Code	Number
R12	0699-1318	1	RESISTOR 1K +-1% .125W TKF TC=0+-100	28480	0699-1318
R13	0699-1318	1	RESISTOR 1K +-1% .125W TKF TC=0+-100	28480	0699-1318
R14	0699-1369	1	RESISTOR 1.1K +-1% .125W TKF TC=0+-100	28480	0699-1369
R15	0699-1389	1	RESISTOR 8.25K +-1% .125W TKF TC=0+-100	28480	0699-1389
R16	0699-1389	1	RESISTOR 8.25K +-1% .125W TKF TC=0+-100	28480	0699-1389
R17	0699-1382	1	RESISTOR 3.83K +-1% .125W TKF TC=0+-100	28480	0699-1382
R18	0699-1385	1	RESISTOR 5.11K +-1% .125W TKF TC=0+-100	28480	0699-1385
R19	0699-1394	1	RESISTOR 14.7K +-1% .125W TKF TC=0+-100	28480	0699-1394
R20	0699-1391	1	RESISTOR 10K +-1% .125W TKF TC=0+-100	28480	0699-1391
R21	0699-1320	1	RESISTOR 19.6K +-1% .125W TKF TC=0+-100	28480	0699-1320
R22	0699-1785	1	RESISTOR 13.3K +-1% .125W TKF TC=0+-100	28480	0699-1785
R23	0699-1329	1	RESISTOR 6.19K +-1% .125W TKF TC=0+-100	28480	0699-1329
R24	0699-1408	1	RESISTOR 51.1K +-1% .125W TKF TC=0+-100	28480	0699-1408
R25	0699-1408	1	RESISTOR 51.1K +-1% .125W TKF TC=0+-100	28480	0699-1408
R26	0699-1329	1	RESISTOR 6.19K +-1% .125W TKF TC=0+-100	28480	0699-1329
R27	0699-1391	1	RESISTOR 10K +-1% .125W TKF TC=0+-100	28480	0699-1391
R28	0699-1399	1	RESISTOR 23.7K +-1% .125W TKF TC=0+-100	28480	0699-1399
R29	0699-1396	1	RESISTOR 17.8K +-1% .125W TKF TC=0+-100	28480	0699-1396
R30	0699-1401	1	RESISTOR 28.7K +-1% .125W TKF TC=0+-100	28480	0699-1401
R31	0699-1407	1	RESISTOR 46.4K +-1% .125W TKF TC=0+-100	28480	0699-1407
R32	0699-1401	1	RESISTOR 28.7K +-1% .125W TKF TC=0+-100		0699-1401
R33	0699-1376	1	RESISTOR 2.15K +-1% .125W TKF TC=0+-100	28480	
R34	0699-1433	1	RESISTOR 562 +-1% .125W TKF TC=0+-100		0699-1433
R35	0699-1436	1	RESISTOR 750 +-1% .125W TKF TC=0+-100	28480	
R36	0699-1318	1	RESISTOR 1K +-1% .125W TKF TC=0+-100	28480	0699-1318
D	0000 - 07-		DDGGGGGG 4 0017 1 4M	20:25	0000 105
R37	0699-1375	1	RESISTOR 1.96K +-1% .125W TKF TC=0+-100	1	0699-1375
R38	0699-1329	1	RESISTOR 6.19K +-1% .125W TKF TC=0+-100	1	0699-1329
R39	0699-1386	1	RESISTOR 5.62K +-1% .125W TKF TC=0+-100	28480	
R41	0699-1426	1	RESISTOR 287 +-1% .125W TKF TC=0+-100		0699-1426
R42	0699-1375	1	RESISTOR 1.96K +-1% .125W TKF TC=0+-100	28480	0699-1375
R43	0699-1319	1	RESISTOR 12.1K +-1% .125W TKF TC=0+-100	28480	0699-1319
R44	0699-1378	1	RESISTOR 2.61K +-1% .125W TKF TC=0+-100	28480	0699-1378
R45	0699-1319		RESISTOR 12.1K +-1% .125W TKF TC=0+-100	28480	i
R46	0699-1315	1	RESISTOR 5.11K +-1% .125W TKF TC=0+-100	28480	0699-1315
R47	0699-1418	1	RESISTOR 133 +-1% .125W TKF TC=0+-100	28480	0699-1418
		-	2011 100   1/0 1120 11 1111 10—01-100	100	

Doforce	UD Dans	04	Description	Mfr	Mfr Part
Reference Designator	HP Part Number	Qty	Description	Code	Number
Designator	114111001				
R48	0699-1432	1	RESISTOR 511 +-1% .125W TKF TC=0+-100	28480	0699-1432
R49	0699-1318	1	RESISTOR 1K +-1% .125W TKF TC=0+-100	28480	0699-1318
R50	0764-0033	1	RESISTOR 33 +-5% 2W MO TC=0+-200	28480	0764-0033
R51	0699-1375	1	RESISTOR 1.96K +-1% .125W TKF TC=0+-100	28480	0699-1375
R52	0699-1400	1	RESISTOR 26.1K +-1% .125W TKF TC=0+-100	28480	0699-1400
R53	0699-1380	1	RESISTOR 3.16K +-1% .125W TKF TC=0+-100	28480	0699-1380
R54	0699-1408	1	RESISTOR 51.1K +-1% .125W TKF TC=0+-100	28480	0699-1408
R55	0699-1330	1	RESISTOR 100K +-1% .125W TKF TC=0+-100	28480	0699-1330
R56	0764-0033	1	RESISTOR 33 +-5% 2W MO TC=0+-200	28480	0764-0033
R57	0699-1355	1	RESISTOR 28.7 +-1% .125W TKF TC=0+-100	28480	0699-1355
R58	0699-1344	1	RESISTOR 10 +-1% .125W TKF TC=0+-100	28480	0699-1344
R59	0699-1344	1	RESISTOR 10 +-1% .125W TKF TC=0+-100	28480	0699-1344
R61	0699-1318	1	RESISTOR 1K +-1% .125W TKF TC=0+-100	28480	0699-1318
R62	0699-1318	1	RESISTOR 1K +-1% .125W TKF TC=0+-100	28480	0699-1318
R63	0699-1318	1	RESISTOR 1K +-1% .125W TKF TC=0+-100	28480	0699-1318
R64	0699-1369	1	RESISTOR 1.1K +-1% .125W TKF TC=0+-100	28480	0699-1369
R65	0699-1377	1	RESISTOR 2.37K +-1% .125W TKF TC=0+-100	28480	0699-1377
R66	0699-1377	1	RESISTOR 2.37K +-1% .125W TKF TC=0+-100	28480	0699-1377
R67	0699-1320	1	RESISTOR 19.6K +-1% .125W TKF TC=0+-100	28480	0699-1320
R68	0698-8805	1	RESISTOR 10.35K +-0.1% .125W TF TC=0+-25	28480	0698-8805
R69	0698-8805	1	RESISTOR 10.35K +-0.1% .125W TF TC=0+-25	28480	0698-8805
R70	0698-8805	1	RESISTOR 10.35K +-0.1% .125W TF TC=0+-25	28480	0698-8805
R71	0698-8805	1	RESISTOR 10.35K +-0.1% .125W TF TC=0+-25	28480	0698-8805
R72	0698-8805	1	RESISTOR 10.35K +-0.1% .125W TF TC=0+-25	28480	0698-8805
R73	0698-8805	1	RESISTOR 10.35K +-0.1% .125W TF TC=0+-25	28480	0698-8805
R74	0698-8805	1	RESISTOR 10.35K +-0.1% .125W TF TC=0+-25	28480	0698-8805
R75	0698-8805	1	RESISTOR 10.35K +-0.1% .125W TF TC=0+-25	28480	0698-8805
R76	0699-1436	1	RESISTOR 750 +-1% .125W TKF TC=0+-100	28480	0699-1436
R77	0699-1436	1	RESISTOR 750 +-1% .125W TKF TC=0+-100	28480	0699-1436
R78	0699-1385	1	RESISTOR 5.11K +-1% .125W TKF TC=0+-100	28480	0699-1385
		1			
R79	0699-1385	1	RESISTOR 5.11K +-1% .125W TKF TC=0+-100	28480	0699-1385
R80	0699-1408	1	RESISTOR 51.1K +-1% .125W TKF TC=0+-100	28480	0699-1408
R81	0699-1408	1	RESISTOR 51.1K +-1% .125W TKF TC=0+-100	28480	0699-1408
R82	0699-1329	1	RESISTOR 6.19K +-1% .125W TKF TC=0+-100	28480	0699-1329
R83	0699-1369	1	RESISTOR 1.1K +-1% .125W TKF TC=0+-100	28480	0699-1369
	<u> </u>			<u> </u>	

Reference Designator	HP Part Number	Qty	Description	Mfr Code	Mfr Part Number
R84	0699-1369	1	RESISTOR 1.1K +-1% .125W TKF TC=0+-100	28480	0699-1369
R86	0699-1399	1	RESISTOR 23.7K +-1% .125W TKF TC=0+-100	28480	0699-1399
R87	0699-1380	1	RESISTOR 3.16K +-1% .125W TKF TC=0+-100	28480	0699-1380
R88	0699-1423	1	RESISTOR 215 +-1% .125W TKF TC=0+-100	28480	0699-1423
R89	0699-1391	1	RESISTOR 10K +-1% .125W TKF TC=0+-100	28480	0699-1391
R90	0699-1385	1	RESISTOR 5.11K +-1% .125W TKF TC=0+-100	28480	0699-1385
R91	0699-1391	1	RESISTOR 10K +-1% .125W TKF TC=0+-100	28480	0699-1391
R92	0699-1391	1	RESISTOR 10K +-1% .125W TKF TC=0+-100	28480	0699-1391
R93	0699-1391	1	RESISTOR 10K +-1% .125W TKF TC=0+-100	28480	0699-1391
R95	0699-1365	1	RESISTOR 75 +-1% .125W TKF TC=0+-100	28480	0699-1365
R96	0699-1344	1	RESISTOR 10 +-1% .125W TKF TC=0+-100	28480	0699-1344
R97	0699-1365	1	RESISTOR 75 +-1% .125W TKF TC=0+-100	28480	0699-1365
R98	0699-1344	1	RESISTOR 10 +-1% .125W TKF TC=0+-100	28480	0699-1344
R99	0699-1423	1	RESISTOR 215 +-1% .125W TKF TC=0+-100	28480	0699-1423
R100	0699-1423	1	RESISTOR 215 +-1% .125W TKF TC=0+-100	28480	0699-1423
R101	0699-1352	1	RESISTOR 21.5 +-1% .125W TKF TC=0+-100	28480	0699-1352
R102	0699-1318	1	RESISTOR 1K +-1% .125W TKF TC=0+-100	28480	0699-1318
R103	0699-1318	1	RESISTOR 1K +-1% .125W TKF TC=0+-100	28480	0699-1318
R104	0699-1375	1	RESISTOR 1.96K +-1% .125W TKF TC=0+-100	28480	0699-1375
R105	0699-1318	1	RESISTOR 1K +-1% .125W TKF TC=0+-100	28480	0699-1318
R118	0699-1399	1	RESISTOR 23.7K +-1% .125W TKF TC=0+-100	28480	0699-1399
R120	0699-1435	1	RESISTOR 681 +-1% .125W TKF TC=0+-100	28480	0699-1435
R121	0699-1435	1	RESISTOR 681 +-1% .125W TKF TC=0+-100	28480	0699-1435
R122	0699-1435	1	RESISTOR 681 +-1% .125W TKF TC=0+-100	28480	0699-1435
R123	0699-1436	1	RESISTOR 750 +-1% .125W TKF TC=0+-100	28480	0699-1436
R124	0699-1320	1	RESISTOR 19.6K +-1% .125W TKF TC=0+-100	28480	0699-1320
R125	0699-1388	1	RESISTOR 7.5K +-1% .125W TKF TC=0+-100	28480	0699-1388
R126	0699-1388	1	RESISTOR 7.5K +-1% .125W TKF TC=0+-100	28480	0699-1388
R127	0699-1432	1	RESISTOR 511 +-1% .125W TKF TC=0+-100	28480	0699-1432
R128	0699-1388	1	RESISTOR 7.5K +-1% .125W TKF TC=0+-100	28480	0699-1388
R129	0699-1391	1	RESISTOR 10K +-1% .125W TKF TC=0+-100	28480	0699-1391
R130	0699-1385	1	RESISTOR 5.11K +-1% .125W TKF TC=0+-100	28480	0699-1385
R131	0699-1415	1	RESISTOR 100 +-1% .125W TKF TC=0+-100	28480	0699-1415
R132	0699-1318	1	RESISTOR 1K +-1% .125W TKF TC=0+-100	28480	0699-1318
R133	0699-1399	1	RESISTOR 23.7K +-1% .125W TKF TC=0+-100	28480	0699-1399

ъ.		<u> </u>	D	7.55	1.50 -
Reference Designator	HP Part Number	Qty	Description	Mfr Code	Mfr Part Number
Designator	Mumber			Code	Tumber
R134	0699-1408	1	RESISTOR 51.1K +-1% .125W TKF TC=0+-100	28480	0699-1408
R135	0699-1408	1	RESISTOR 51.1K +-1% .125W TKF TC=0+-100	28480	0699-1408
R136	0699-1329	1	RESISTOR 6.19K +-1% .125W TKF TC=0+-100	28480	0699-1329
R137	0699-1391	1	RESISTOR 10K +-1% .125W TKF TC=0+-100	28480	0699-1391
R138	0699-1391	1	RESISTOR 10K +-1% .125W TKF TC=0+-100	28480	0699-1391
R139	0699-1385	1 .	RESISTOR 5.11K +-1% .125W TKF TC=0+-100	28480	0699-1385
R140	0699-1344	1	RESISTOR 10 +-1% .125W TKF TC=0+-100	28480	0699-1344
R141	0699-1344	1	RESISTOR 10 +-1% .125W TKF TC=0+-100	28480	0699-1344
R142	0699-1365	1	RESISTOR 75 +-1% .125W TKF TC=0+-100	28480	0699-1365
R143	0699-1425	1	RESISTOR 261 +-1% .125W TKF TC=0+-100	28480	0699-1425
R144	0699-1318	1	RESISTOR 1K +-1% .125W TKF TC=0+-100	28480	0699-1318
R145	0699-1423	1	RESISTOR 215 +-1% .125W TKF TC=0+-100	28480	0699-1423
R146	0699-1423	1	RESISTOR 215 +-1% .125W TKF TC=0+-100	28480	0699-1423
R147	0699-1351	1	RESISTOR 19.6 +-1% .125W TKF TC=0+-100	28480	0699-1351
R148	0699-1380	1	RESISTOR 3.16K +-1% .125W TKF TC=0+-100	28480	0699-1380
R149	0699-1365	1	RESISTOR 75 +-1% .125W TKF TC=0+-100	28480	0699-1365
R150	0699-1375	1	RESISTOR 1.96K +-1% .125W TKF TC=0+-100	28480	0699-1375
R151	0699-1423	1	RESISTOR 215 +-1% .125W TKF TC=0+-100	28480	0699-1423
R152	0699-1375	1	RESISTOR 1.96K +-1% .125W TKF TC=0+-100	28480	0699-1375
R153	0699-1423	1	RESISTOR 215 +-1% .125W TKF TC=0+-100	28480	0699-1423
R161	0699-1424	1	RESISTOR 237 +-1% .125W TKF TC=0+-100	28480	0699-1424
R162	0699-1424	1	RESISTOR 237 +-1% .125W TKF TC=0+-100	28480	0699-1424
R163	0699-1424	1	RESISTOR 237 +-1% .125W TKF TC=0+-100	28480	0699-1424
R164	0699-1424	1	RESISTOR 237 +-1% .125W TKF TC=0+-100	28480	0699-1424
R165	0699-1424	1	RESISTOR 237 +-1% .125W TKF TC=0+-100	28480	0699-1424
R166	0699-1424	1	RESISTOR 237 +-1% .125W TKF TC=0+-100	28480	0699-1424
R167	0699-1424	1	RESISTOR 237 +-1% .125W TKF TC=0+-100	28480	0699-1424
R168	0699-1424	1	RESISTOR 237 +-1% .125W TKF TC=0+-100	28480	0699-1424
R170	0699-1416	1	RESISTOR 110 +-1% .125W TKF TC=0+-100	28480	0699-1416
R172	0699-1416	1	RESISTOR 110 +-1% .125W TKF TC=0+-100	28480	0699-1416
ļ					
R173	0699-1424	1	RESISTOR 237 +-1% .125W TKF TC=0+-100	28480	0699-1424
R174	0699-1363	1	RESISTOR 61.9 +-1% .125W TKF TC=0+-100	28480	0699-1363
R175	0699-1363	1	RESISTOR 61.9 +-1% .125W TKF TC=0+-100	28480	0699-1363
R176	0699-1318	1	RESISTOR 1K +-1% .125W TKF TC=0+-100	28480	0699-1318
R177	0699-1318	1	RESISTOR 1K +-1% .125W TKF TC=0+-100	28480	0699-1318

Reference Designator	HP Part Number	Qty	Description	Mfr Code	Mfr Part Number
R178	0699-1432	1	RESISTOR 511 +-1% .125W TKF TC=0+-100	28480	0699-1432
R179	0699-1432	1	RESISTOR 511 +-1% .125W TKF TC=0+-100	28480	0699-1432
R180	0699-1375	1	RESISTOR 1.96K +-1% .125W TKF TC=0+-100	28480	0699-1375
R181	0699-1375	1	RESISTOR 1.96K +-1% .125W TKF TC=0+-100	28480	0699-1375
R182	0699-1355	1	RESISTOR 28.7 +-1% .125W TKF TC=0+-100	28480	0699-1355
R183	0699-1355	1	RESISTOR 28.7 +-1% .125W TKF TC=0+-100	28480	0699-1355
R184	0699-1355	1	RESISTOR 28.7 +-1% .125W TKF TC=0+-100	28480	0699-1355
R185	0699-1355	1	RESISTOR 28.7 +-1% .125W TKF TC=0+-100	28480	0699-1355
R186	0699-1355	1	RESISTOR 28.7 +-1% .125W TKF TC=0+-100	28480	0699-1355
R187	0699-1355	1	RESISTOR 28.7 +-1% .125W TKF TC=0+-100	28480	0699-1355
1					
R188	0699-1355	1	RESISTOR 28.7 +-1% .125W TKF TC=0+-100	28480	0699-1355
R189	0699-1355	1	RESISTOR 28.7 +-1% .125W TKF TC=0+-100	28480	0699-1355
R190	0699-1427	1	RESISTOR 316 +-1% .125W TKF TC=0+-100	28480	0699-1427
R191	0699-1427	1	RESISTOR 316 +-1% .125W TKF TC=0+-100	28480	0699-1427
R192	0699-1385	1	RESISTOR 5.11K +-1% .125W TKF TC=0+-100	28480	0699-1385
R193	0699-1381	1	RESISTOR 3.48K +-1% .125W TKF TC=0+-100	28480	0699-1381
R194	0699-1425	1	RESISTOR 261 +-1% .125W TKF TC=0+-100	28480	0699-1425
R195	0699-1425	1	RESISTOR 261 +-1% .125W TKF TC=0+-100	28480	0699-1425
R196	0699-1425	1	RESISTOR 261 +-1% .125W TKF TC=0+-100	28480	0699-1425
R197	0699-2064	1	RESISTOR 6.8 +-5% .125W TKF TC=0+-500	28480	0699-2064
R198	0811-1085	1	RESISTOR 33 +-5% 3W PWI TC=0+-30	28480	0811-1085
R199	0699-1425	1	RESISTOR 261 +-1% .125W TKF TC=0+-100	28480	0699-1425
R200	0699-2064	1	RESISTOR 6.8 +-5% .125W TKF TC=0+-500	28480	0699-2064
R201	0699-1366	1	RESISTOR 82.5 +-1% .125W TKF TC=0+-100	28480	0699-1366
R202	0699-1432	1	RESISTOR 511 +-1% .125W TKF TC=0+-100	28480	0699-1432
	,		·		
R203	0699-1391	1	RESISTOR 10K +-1% .125W TKF TC=0+-100	28480	0699-1391
R205	0699-1424	1	RESISTOR 237 +-1% .125W TKF TC=0+-100	28480	0699-1424
R206	0699-1424	1	RESISTOR 237 +-1% .125W TKF TC=0+-100	28480	0699-1424
R207	0699-1424	1	RESISTOR 237 +-1% .125W TKF TC=0+-100	28480	0699-1424
R208	0699-1424	1	RESISTOR 237 +-1% .125W TKF TC=0+-100	28480	0699-1424
R213	0699-1375	1	RESISTOR 1.96K +-1% .125W TKF TC=0+-100	28480	0699-1375
R215	0699-1431	1	RESISTOR 464 +-1% .125W TKF TC=0+-100	28480	0699-1431
R216	0699-1375	1	RESISTOR 1.96K +-1% .125W TKF TC=0+-100	28480	0699-1375
R218	0699-1320	1	RESISTOR 19.6K +-1% .125W TKF TC=0+-100	28480	0699-1320
R219	0699-1327	1	RESISTOR 1M +-1% .125W TKF TC=0+-100	28480	0699-1327
		<u> </u>			

Reference	HP Part	Qty	Description	Mfr	Mfr Part
Designator	Number	Qty	Description	Code	Number
R220	0699-1390	1	RESISTOR 9.09K +-1% .125W TKF TC=0+-100	28480	0699-1390
R221	0811-3403	1	RESISTOR 1K +-5% .25W PWN TC=+3400+-300	28480	0811-3403
R222	0699-1375	1	RESISTOR 1.96K +-1% .125W TKF TC=0+-100	28480	0699-1375
R223	0699-1375	1	RESISTOR 1.96K +-1% .125W TKF TC=0+-100	28480	0699-1375
R224	0699-1383	1	RESISTOR 4.22K +-1% .125W TKF TC=0+-100	28480	0699-1383
R225	0699-1327	1	RESISTOR 1M +-1% .125W TKF TC=0+-100	28480	0699-1327
R226	0699-1414	1	RESISTOR 90.9K +-1% .125W TKF TC=0+-100	28480	0699-1414
R229	0699-1319	1	RESISTOR 12.1K +-1% .125W TKF TC=0+-100	28480	0699-1319
R230	0699-1432	1	RESISTOR 511 +-1% .125W TKF TC=0+-100	28480	0699-1432
R232	0699-1330	1	RESISTOR 100K +-1% .125W TKF TC=0+-100	28480	0699-1330
R233	0699-1415	1	RESISTOR 100 +-1% .125W TKF TC=0+-100	28480	0699-1415
R234	0699-1372	1	RESISTOR 1.47K +-1% .125W TKF TC=0+-100	28480	0699-1372
R235	0699-1320	1	RESISTOR 19.6K +-1% .125W TKF TC=0+-100	28480	0699-1320
R236	0699-1425	1	RESISTOR 261 +-1% .125W TKF TC=0+-100	28480	0699-1425
R237	0699-1391	1	RESISTOR 10K +-1% .125W TKF TC=0+-100	28480	0699-1391
1					
R239	0699-1415	1	RESISTOR 100 +-1% .125W TKF TC=0+-100	28480	0699-1415
R240	0699-1415	1	RESISTOR 100 +-1% .125W TKF TC=0+-100	28480	0699-1415
R241	0699-1415	1	RESISTOR 100 +-1% .125W TKF TC=0+-100	28480	0699-1415
R242	0699-1415	1	RESISTOR 100 +-1% .125W TKF TC=0+-100	28480	0699-1415
R245	0699-1425	1	RESISTOR 261 +-1% .125W TKF TC=0+-100	28480	0699-1425
R246	0699-1377	1	RESISTOR 2.37K +-1% .125W TKF TC=0+-100	28480	0699-1377
R247	0699-1329	1	RESISTOR 6.19K +-1% .125W TKF TC=0+-100	28480	0699-1329
R252	0699-1377	1	RESISTOR 2.37K +-1% .125W TKF TC=0+-100	28480	0699-1377
R253	0699-1425	1	RESISTOR 261 +-1% .125W TKF TC=0+-100	28480	0699-1425
R259	0699-1356	1	RESISTOR 31.6 +-1% .125W TKF TC=0+-100	28480	0699-1356
	1	1			
R260	0699-1356	1	RESISTOR 31.6 +-1% .125W TKF TC=0+-100	28480	0699-1356
R270	0699-1385	1	RESISTOR 5.11K +-1% .125W TKF TC=0+-100	28480	0699-1385
R271	0699-1391	1	RESISTOR 10K +-1% .125W TKF TC=0+-100	28480	0699-1391
R272	0699-1391	1	RESISTOR 10K +-1% .125W TKF TC=0+-100	28480	0699-1391
R273	0699-1385	1	RESISTOR 5.11K +-1% .125W TKF TC=0+-100	28480	0699-1385
					[
R274	0699-1318	1	RESISTOR 1K +-1% .125W TKF TC=0+-100	28480	0699-1318
R275	0699-1443	1	RESISTOR 147K +-1% .125W TKF TC=0+-100	28480	0699-1443
R283	0699-1385	1	RESISTOR 5.11K +-1% .125W TKF TC=0+-100	28480	0699-1385
R284	0699-1385	1	RESISTOR 5.11K +-1% .125W TKF TC=0+-100	28480	0699-1385
R285	0699-1375	1	RESISTOR 1.96K +-1% .125W TKF TC=0+-100	28480	0699-1375

Designator	HP Part Number	Qty	Description	Mfr Code	Mfr Part Number
Designator	Mulliber			Code	Number
R286	0698-3622	1	RESISTOR 120 +-5% 2W MO TC=0+-200	28480	0698-3622
R288	0699-1386	1	RESISTOR 5.62K +-1% .125W TKF TC=0+-100	28480	0699-1386
R289	0699-1432	1	RESISTOR 511 +-1% .125W TKF TC=0+-100	28480	0699-1432
R500	0699-1416	1	RESISTOR 110 +-1% .125W TKF TC=0+-100	28480	0699-1416
R501	0699-1416	1	RESISTOR 110 +-1% .125W TKF TC=0+-100	28480	0699-1416
R502	0699-1416	1	RESISTOR 110 +-1% .125W TKF TC=0+-100	28480	0699-1416
R503	0699-1416	1	RESISTOR 110 +-1% .125W TKF TC=0+-100	28480	0699-1416
R504	0699-1424	1	RESISTOR 237 +-1% .125W TKF TC=0+-100	28480	0699-1424
R505	0699-1424	1	RESISTOR 237 +-1% .125W TKF TC=0+-100	28480	0699-1424
R506	0699-1424	1	RESISTOR 237 +-1% .125W TKF TC=0+-100	28480	0699-1424
R507	0699-1424	1	RESISTOR 237 +-1% .125W TKF TC=0+-100	28480	0699-1424
R509	0699-1416	1	RESISTOR 110 +-1% .125W TKF TC=0+-100	28480	0699-1416
R510	0699-1416	1	RESISTOR 110 +-1% .125W TKF TC=0+-100	28480	0699-1416
R511	0699-1416	1	RESISTOR 110 +-1% .125W TKF TC=0+-100	28480	0699-1416
R513	0699-1416	1	RESISTOR 110 +-1% .125W TKF TC=0+-100	28480	0699-1416
ł					
l :	0699-1416	1	RESISTOR 110 +-1% .125W TKF TC=0+-100	28480	0699-1416
R515	0699-1416	1	RESISTOR 110 +-1% .125W TKF TC=0+-100	28480	0699-1416
R516	0699-1426	1	RESISTOR 287 +-1% .125W TKF TC=0+-100	28480	0699-1426
R517	0699-1426	1	RESISTOR 287 +-1% .125W TKF TC=0+-100	28480	0699-1426
R518	0699-1350	1	RESISTOR 17.8 +-1% .125W TKF TC=0+-100	28480	0699-1350
-					
	0699-1385	1	RESISTOR 5.11K +-1% .125W TKF TC=0+-100		0699-1385
l	0699-1445	1	RESISTOR 215K +-1% .125W TKF TC=0+-100		0699-1445
i i	0699-1432	1	RESISTOR 511 +-1% .125W TKF TC=0+-100		0699-1432
] }	0699-1391	1	RESISTOR 10K +-1% .125W TKF TC=0+-100		0699-1391
R523	0699-1391	1	RESISTOR 10K +-1% .125W TKF TC=0+-100	28480	0699-1391
R524	0699-1320	1	RESISTOR 19.6K +-1% .125W TKF TC=0+-100	99400	0600 1000
			RESISTOR 19.6K +-1% .125W TKF TC=0+-100		
l I	0699-1320 0699-1318	1 1	RESISTOR 18.6K +-1% .125W TKF TC=0+-100		0699-1320
l i	0699-1310	1	RESISTOR 18 +-1% .125W TKF TC=0+-100	28480	0699-1318 0699-1320
	0699-1375	1	RESISTOR 1.96K +-1% .125W TKF TC=0+-100		0699-1375
16520	0099-1019	1	10101011 1.30K 7-1% .120W 1KF 10=0+-100	20400	0099-1373
R529	0699-1391	1	RESISTOR 10K +-1% .125W TKF TC=0+-100	28480	0699-1391
İ	0699-1362	1	RESISTOR 56.2 +-1% .125W TKF TC=0+-100	28480	
	0699-1318	1	RESISTOR 1K +-1% .125W TKF TC=0+-100	28480	0699-1318
	0699-1386	1	RESISTOR 5.62K +-1% .125W TKF TC=0+-100	28480	0699-1386
1	0699-1415	1	RESISTOR 100 +-1% .125W TKF TC=0+-100	28480	0699-1415

Reference Designator	HP Part Number	Qty	Description	Mfr Code	Mfr Part Number
R534	0699-1359	1	RESISTOR 42.2 +-1% .125W TKF TC=0+-100	28480	0699-1359
R535	0699-1415	1	RESISTOR 100 +-1% .125W TKF TC=0+-100	28480	0699-1415
R536	0699-1370	1	RESISTOR 1.21K +-1% .125W TKF TC=0+-100	28480	0699-1370
R537	0699-1369	1	RESISTOR 1.1K +-1% .125W TKF TC=0+-100	28480	0699-1369
R538	0757-0438	1	RESISTOR 5.11K +-1% .125W TF TC=0+-100	28480	0757-0438
R539	0757-0438	1	RESISTOR 5.11K +-1% .125W TF TC=0+-100	28480	0757-0438
R540	0699-1375	1	RESISTOR 1.96K +-1% .125W TKF TC=0+-100	28480	0699-1375
R541	0699-1385	1	RESISTOR 5.11K +-1% .125W TKF TC=0+-100	28480	0699-1385
R542	0699-1378	1	RESISTOR 2.61K +-1% .125W TKF TC=0+-100	28480	0699-1378
R543	0699-1352	1	RESISTOR 21.5 +-1% .125W TKF TC=0+-100	28480	0699-1352
1000		1	100000 2010 2110   177 0120 11 2010 20 0   1010		
R544	0699-1385	1	RESISTOR 5.11K +-1% .125W TKF TC=0+-100	28480	0699-1385
R545	0699-1385	1	RESISTOR 5.11K +-1% .125W TKF TC=0+-100	28480	0699-1385
R546	0699-1385	1	RESISTOR 5.11K +-1% .125W TKF TC=0+-100	28480	0699-1385
R547	0699-1427	1	RESISTOR 316 +-1% .125W TKF TC=0+-100	28480	0699-1427
R548	0699-1422	1	RESISTOR 196 +-1% .125W TKF TC=0+-100	28480	0699-1422
R549	0699-1422	1	RESISTOR 196 +-1% .125W TKF TC=0+-100	28480	0699-1422
R550	0699-1426	1	RESISTOR 287 +-1% .125W TKF TC=0+-100	28480	0699-1426
R551	0699-1415	1	RESISTOR 100 +-1% .125W TKF TC=0+-100	'	0699-1415
R552	0699-1415	1	RESISTOR 100 +-1% .125W TKF TC=0+-100		0699-1415
R553	0699-1375	1	RESISTOR 1.96K +-1% .125W TKF TC=0+-100	28480	0699-1375
R554	0699-1375	1	RESISTOR 1.96K +-1% .125W TKF TC=0+-100	28480	0699-1375
R555	0699-1375	1	RESISTOR 1.96K +-1% .125W TKF TC=0+-100	28480	0699-1375
R556	0699-1384	1	RESISTOR 4.64K +-1% .125W TKF TC=0+-100	28480	0699-1384
R557	0699-1388	1	RESISTOR 7.5K +-1% .125W TKF TC=0+-100	28480	0699-1388
R558	0699-1388	1	RESISTOR 7.5K +-1% .125W TKF TC=0+-100	28480	0699-1388
R559	0699-1421	1	RESISTOR 178 +-1% .125W TKF TC=0+-100	28480	0699-1421
R560	0699-1364	1	RESISTOR 68.1 +-1% .125W TKF TC=0+-100	28480	0699-1364
R561	0699-1415	1	RESISTOR 100 +-1% .125W TKF TC=0+-100	28480	0699-1415
R562	0699-1375	1	RESISTOR 1.96K +-1% .125W TKF TC=0+-100	28480	0699-1375
R563	0698-3607	1	RESISTOR 18 +-5% 2W MO TC=0+-200	28480	0698-3607
R564	0699-1318	1	RESISTOR 1K +-1% .125W TKF TC=0+-100	28480	0699-1318
R565	0699-1432	ı	RESISTOR 511 +-1% .125W TKF TC=0+-100		0699-1432
R566	0699-1433		RESISTOR 562 +-1% .125W TKF TC=0+-100		0699-1433
R567	0699-1415		RESISTOR 100 +-1% .125W TKF TC=0+-100	28480	
R568	0699-1415		RESISTOR 100 +-1% .125W TKF TC=0+-100	28480	
				ļ	

Reference Designator	HP Part Number	Qty	Description	Mfr Code	Mfr Part Number
R569	0699-1364	1	RESISTOR 68.1 +-1% .125W TKF TC=0+-100	28480	0699-1364
R570	0699-1344	1	RESISTOR 10 +-1% .125W TKF TC=0+-100	28480	0699-1344
R571	0698-3622	1	RESISTOR 120 +-5% 2W MO TC=0+-200	28480	0698-3622
RT1	0839-0011	1	THERMISTOR DISC 100-OHM TC=-3.8%/C-DEG	05098	21E23/7
TP1	1251-0600	1	CONNECTOR-SGL CONT PIN 1.14-MM-BSC-SZ SQ	01136	928-196-004140
TP2	1251-0600	1	CONNECTOR-SGL CONT PIN 1.14-MM-BSC-SZ SQ	01136	928-196-004140
TP3	1251-0600	1	CONNECTOR-SGL CONT PIN 1.14-MM-BSC-SZ SQ	01136	928-196-004140
TP4	1251-0600	1	CONNECTOR-SGL CONT PIN 1.14-MM-BSC-SZ SQ	01136	928-196-004140
TP5	1251-0600	1	CONNECTOR-SGL CONT PIN 1.14-MM-BSC-SZ SQ	01136	928-196-004140
TP6	1251-0600	1	CONNECTOR-SGL CONT PIN 1.14-MM-BSC-SZ SQ	01136	928-196-004140
TP7	1251-0600	1	CONNECTOR-SGL CONT PIN 1.14-MM-BSC-SZ SQ	01136	928-196-00414
TP8	1251-0600	1	CONNECTOR-SGL CONT PIN 1.14-MM-BSC-SZ SQ	01136	928-196-00414
TP9	1251-0600	1	CONNECTOR-SGL CONT PIN 1.14-MM-BSC-SZ SQ	01136	928-196-00414
TP10	1251-0600	1	CONNECTOR-SGL CONT PIN 1.14-MM-BSC-SZ SQ	01136	928-196-00414
TP11	1251-0600	1	CONNECTOR-SGL CONT PIN 1.14-MM-BSC-SZ SQ	01136	928-196-00414
TP12	1251-0600	1	CONNECTOR-SGL CONT PIN 1.14-MM-BSC-SZ SQ	01136	928-196-00414
TP13	1251-0600	1	CONNECTOR-SGL CONT PIN 1.14-MM-BSC-SZ SQ	01136	928-196-00414
TP14	1251-0600	1	CONNECTOR-SGL CONT PIN 1.14-MM-BSC-SZ SQ	01136	928-196-00414
TP15	1251-0600	1	CONNECTOR-SGL CONT PIN 1.14-MM-BSC-SZ SQ	01136	928-196-00414
TP16	1251-0600	1	CONNECTOR-SGL CONT PIN 1.14-MM-BSC-SZ SQ	01136	928-196-00414
TP17	1251-0600	1	CONNECTOR-SGL CONT PIN 1.14-MM-BSC-SZ SQ	01136	928-196-00414
TP18	1251-0600	1	CONNECTOR-SGL CONT PIN 1.14-MM-BSC-SZ SQ	01136	928-196-00414
TP19	1251-0600	1	CONNECTOR-SGL CONT PIN 1.14-MM-BSC-SZ SQ	01136	928-196-00414
TP20	1251-0600	1	CONNECTOR-SGL CONT PIN 1.14-MM-BSC-SZ SQ	01136	928-196-00414
TP21	1251-0600	1	CONNECTOR-SGL CONT PIN 1.14-MM-BSC-SZ SQ	01136	928-196-00414
TP22	1251-0600	1	CONNECTOR-SGL CONT PIN 1.14-MM-BSC-SZ SQ	01136	928-196-00414
TP23	1251-0600	1	CONNECTOR-SGL CONT PIN 1.14-MM-BSC-SZ SQ	01136	928-196-00414
U1	1826-1912	1	IC OP AMP H-SLEW-RATE DUAL 8 PIN	28480	1826-1912
U2	1826-2168	1	IC RF/IF AMPL HIGH-GAIN SINGLE 4 PIN	28480	1826-2168
U3	1826-2175	1	IC RF/IF AMPL SINGLE 4 PIN U-WAVE-PILL	28480	1826-2175
U4	1826-2175	1	IC RF/IF AMPL SINGLE 4 PIN U-WAVE-PILL	28480	1826-2175
U5	0955-0588		U-WAVE MIXER 3.8 GHZ MAX		WJ-M2G-8
U6	1820-5605	l	IC GATE ECL/10KH NOR QUAD 2-INP		1820-5605
U7	1820-5629	1	IC FF ECL/10KH D-M/S POS-EDGE-TRIG		1820-5629
U8	1813-0751		IC VCO 3 PIN TO-8		1813-0751

Reference	HP Part	Qty	Description	Mfr	Mfr Part
Designator	Number	4.5		Code	Number
***	1000 1010		IG OD AMD LOW DIAG II DADD CONCLE O DIN	00.400	1000 1010
U9	1826-1810	1	IC OP AMP LOW-BIAS-H-IMPD SINGLE 8 PIN		1826-1810
U10	1820-5629	1	IC FF ECL/10KH D-M/S POS-EDGE-TRIG		1820-5629
U11	1826-1328	1	IC OP AMP LOW-NOISE DUAL 8 PIN DIP-P		1826-1328
U12	1826-1572	1	IC COMPARATOR PRCN DUAL 8 PIN PLSTC-SOIC		1826-1572
U13	1820-7311	1	IC PRESCR ECL	28480	1820-7311
U14	1826-2224	1	IC ECL DIV-X-4 BFR	28480	1826-2224
U15	1826-1844	1	IC OP AMP HS 8 PIN DIP-C		1826-1844
U16	1826-1365	1	IC TEMP XDCR 3 PIN TO-92		1826-1365
U17	1826-1912	1	IC OP AMP H-SLEW-RATE DUAL 8 PIN		1826-1912
U18	1826-2168	1	IC RF/IF AMPL HIGH-GAIN SINGLE 4 PIN		1826-2168
010	1020 2200	_			
U19	1826-2175	1	IC RF/IF AMPL SINGLE 4 PIN U-WAVE-PILL	28480	1826-2175
U20	1826-2175	1	IC RF/IF AMPL SINGLE 4 PIN U-WAVE-PILL	28480	1826-2175
U21	0955-0588	1	U-WAVE MIXER 3.8 GHZ MAX	02686	WJ-M2G-8
U22	1826-0393	1	IC PWR MGT-V-REG-ADJ-POS 1.2/37V 3 PINS	28480	1826-0393
U23	1813-0825	1	U-WAVE 2.4 GHZ MAX	03291	VO90-3177
U24	1820-6957	1	IC PRESCR ECL	28480	1820-6957
U25	1820-7311	1	IC PRESCR ECL	28480	1820-7311
U26	1820-5951	1	IC GATE CMOS/AC AND QUAD 2-INP	28480	1820-5951
U27	08711-80011	1	PAL-U27 IC PRGM	28480	08711-80011
U28	1820-2096	1	IC CNTR TTL/LS BIN ASYNCHRO	28480	1820-2096
U29	1820-4291	1	IC GATE TTL/ALS NAND QUAD 2-INP	28480	1820-4291
U30	1820-4275	1	IC FF TTL/ALS D-TYPE POS-EDGE-TRIG	28480	1820-4275
U31	1820-6158	1	IC CNTR TTL/F BIN SYNCHRO POS-EDGE-TRIG	28480	1820-6158
U32	1826-1572	1	IC COMPARATOR PRCN DUAL 8 PIN PLSTC-SOIC	28480	1826-1572
U33	1826-1328	1	IC OP AMP LOW-NOISE DUAL 8 PIN DIP-P	28480	1826-1328
U34	1826-1328	1	IC OP AMP LOW-NOISE DUAL 8 PIN DIP-P	28480	1826-1328
U35	1826-1328	1	IC OP AMP LOW-NOISE DUAL 8 PIN DIP-P	28480	1826-1328
U36	1826-1328	1	IC OP AMP LOW-NOISE DUAL 8 PIN DIP-P	28480	1826-1328
U37	1826-1328	1	IC OP AMP LOW-NOISE DUAL 8 PIN DIP-P	28480	1826-1328
U38	1826-1328	1	IC OP AMP LOW-NOISE DUAL 8 PIN DIP-P	28480	1826-1328
U39	1826-1912	1	IC OP AMP H-SLEW-RATE DUAL 8 PIN		1826-1912
U40	1826-2146	1	IC OP AMP PRCN SINGLE 8 PIN PLSTC-SOIC	28480	1826-2146
U41	1826-1912	1	IC OP AMP H-SLEW-RATE DUAL 8 PIN	28480	1826-1912
U42	1813-0825	1	U-WAVE 2.4 GHZ MAX	03291	VO90-3177
U43	1826-1912	1	IC OP AMP H-SLEW-RATE DUAL 8 PIN	28480	1826-1912
	<u> </u>	L		L	

Reference Designator	HP Part Number	Qty	Description	Mfr Code	Mfr Part Number
U44	1826-2144	1	IC OP AMP LOW-NOISE SINGLE 8 PIN	28480	1826-2144
U45	1826-1572	1	IC COMPARATOR PRCN DUAL 8 PIN PLSTC-SOIC	28480	1826-1572
U46	1820-5937	1	IC FF CMOS/AC D-TYPE POS-EDGE-TRIG	28480	1820-5937
U47	1820-7218	1	IC CNTR CMOS/AC BIN SYNCHRO	28480	1820-7218
U48	1820-5938	1	IC GATE CMOS/ACT NAND QUAD 2-INP	28480	1820-5938
U49	1820-6957	1	IC PRESCR ECL	28480	1820-6957
U50	1820-7311	1	IC PRESCR ECL	28480	1820-7311
U51	1826-0221	1	IC PWR MGT-V-REG-FXD-NEG -11.5/-12.5V	28480	1826-0221
U52	1826-0393	1	IC PWR MGT-V-REG-ADJ-POS 1.2/37V 3 PINS	28480	1826-0393
U53	1820-4275	1	IC FF TTL/ALS D-TYPE POS-EDGE-TRIG	28480	1820-4275
U54	1820-6158	1	IC CNTR TTL/F BIN SYNCHRO POS-EDGE-TRIG	28480	1820-6158
U55	1820-4291	1	IC GATE TTL/ALS NAND QUAD 2-INP	28480	1820-4291
U56	1820-4966	1	IC FF CMOS/HC D-TYPE POS-EDGE-TRIG	28480	1820-4966
U57	1820-4692	1	IC GATE CMOS/HC NAND QUAD 2-INP	28480	1820-4692
U58	1820-4966	1	IC FF CMOS/HC D-TYPE POS-EDGE-TRIG	28480	1820-4966
U59	1826-2147	1	ANALOG MULTIPLEXER 8 CHNL 16 -P-SOIC	28480	1826-2147
U60	1826-2404	1	D/A 12-BIT 20-PLCC CMOS	28480	1826-2404
U61	1826-1646	1	IC PWR MGT-V-REG-FXD-POS 4.975/5.025V	28480	1826-1646
U62	1826-1912	1	IC OP AMP H-SLEW-RATE DUAL 8 PIN	28480	1826-1912
U63	1820-5732	1	IC LCH CMOS/HC D-TYPE OCTL	28480	1820-5732
U64	1820-5808	1	IC FF CMOS/HC D-TYPE POS-EDGE-TRIG COM	28480	1820-5808
U65	1820-5808	1	IC FF CMOS/HC D-TYPE POS-EDGE-TRIG COM	28480	1820-5808
U66	1820-4215	1	IC DCDR-DEMUXR CMOS/HC BIN 3-TO-8-LINE	28480	1820-4215
U67	1820-4291	1	IC GATE TTL/ALS NAND QUAD 2-INP	28480	1820-4291
U68	1826-2496	1	IC RF/IF AMPL GP 4 PIN U-WAVE-PILL	28480	1826-2496
VR1	1902-0029	1	DIODE-ZNR 12V 5% PD=1W IR=5UA	28480	1902-0029
VR2	1902-0955	1	DIODE-ZNR 7.5V 5% DO-35 PD=.4W TC=+.062%	28480	1902-0955
VR3	1902-0953	1	DIODE-ZNR 6.2V 5% DO-35 PD=.4W TC=+.053%	28480	1902-0953
VR4	1902-0953	1	DIODE-ZNR 6.2V 5% DO-35 PD=.4W TC=+.053%	28480	1902-0953
VR5	1902-0950	1	DIODE-ZNR 4.7V 5% DO-35 PD=.4W TC=+.025%	28480	1902-0950
VR6	1902-0176	1	DIODE-ZNR 47V 5% PD=1W IR=5UA	l	1902-0176
VR7	1902-0958	1	DIODE-ZNR 10V 5% DO-35 PD=.4W TC=+.075%	28480	1902-0958
W1	1258-0141	1	JUMPER-REMOVABLE FOR 0.025 IN SQ PINS	01380	530153-2
W2	1258-0141		JUMPER-REMOVABLE FOR 0.025 IN SQ PINS	l	530153-2
W3	1258-0141	1	JUMPER-REMOVABLE FOR 0.025 IN SQ PINS	01380	530153-2













