

Sample Document DB2LaTeX
Full Blown

Blah blah blah
Yet Blah blha blah

Ramon Casellas
Ecole Nationale Supérieure des Télécommunications
Dept. Informatique et Réseaux
46, rue Barrault
75634 Paris Cedex 13

DB2LaTeX Sample Document
Jun 2002
F45EFRR434535 - SDFSDFSDFSFDSD

Revision History

Revision - 0.1 -	2002/06/01 -	- RC casellas@infres.enst.fr
Structure Initiale		
Revision - 0.2 -	2002/06/01 -	- RC casellas@infres.enst.fr
Structure Initiale		
Revision - 0.3 -	2002/06/01 -	- RC casellas@infres.enst.fr
Structure Initiale		
Revision - 0.4 -	2002/06/01 -	- RC casellas@infres.enst.fr
Structure Initiale		

Copyright © 2000, 2001, 2002 Ramon Casellas, Rcas

Contents

1. Introduction	9
1.1. Introduction and framework	9
2. L'architecture GMPLS	11
2.1. Towards a Multi-Service asynchronooous network	11
3. Table Tests	15
3.1. Title	15
3.2. Alternate Alignment on Entry	17
3.3. Absolute Widths	18
3.4. Relative Widths	19
3.5. Complex	19
3.6. With Footnotes	20
4. Conclusions et Perspectives	21
4.1. Global Approach	21
A. Software	23
A.1. Generic Programming in C++	23
A.1.1. C++ Templates	23
A.1.1.1. Containers	23
A.1.1.2. Traits	23
A.1.2. Binding Statique en temps de compilation	24
A.2. Librairies utilisés	24
A.2.1. Standard Template Library (STL)	24
A.2.2. ActiveX/Windows Template Library (ATL/WTL)	24
A.2.3. Boost Library et Boost Graph Library (BGL)	24
B. Techniques des Grandes Déviations	25
B.1. Motivation	25
B.1.1. Notation	25
B.4. La Loi des Grandes Nombres	25
. Bibliography	27

Thanks

[illegible]

Abstract


kldsflkjsdlkfjklsdjfklds fkljds fkljds lfj qslidf lkdsj klj kldsflkjsdlkfjklsdjfklds fkljds fkljds lfj qslidf lkdsj klj
kldsflkjsdlkfjklsdjfklds fkljds fkljds lfj qslidf lkdsj klj kldsflkjsdlkfjklsdjfklds fkljds fkljds lfj qslidf lkdsj klj
kldsflkjsdlkfjklsdjfklds fkljds fkljds lfj qslidf lkdsj klj kldsflkjsdlkfjklsdjfklds fkljds fkljds lfj qslidf lkdsj klj
kldsflkjsdlkfjklsdjfklds fkljds fkljds lfj qslidf lkdsj klj kldsflkjsdlkfjklsdjfklds fkljds fkljds lfj qslidf lkdsj klj
kldsflkjsdlkfjklsdjfklds fkljds fkljds lfj qslidf lkdsj klj kldsflkjsdlkfjklsdjfklds fkljds fkljds lfj qslidf lkdsj klj
kldsflkjsdlkfjklsdjfklds fkljds fkljds lfj qslidf lkdsj klj kldsflkjsdlkfjklsdjfklds fkljds fkljds lfj qslidf lkdsj klj
kldsflkjsdlkfjklsdjfklds fkljds fkljds lfj qslidf lkdsj klj kldsflkjsdlkfjklsdjfklds fkljds fkljds lfj qslidf lkdsj klj
kldsflkjsdlkfjklsdjfklds fkljds fkljds lfj qslidf lkdsj klj kldsflkjsdlkfjklsdjfklds fkljds fkljds lfj qslidf lkdsj klj
kldsflkjsdlkfjklsdjfklds fkljds fkljds lfj qslidf lkdsj klj kldsflkjsdlkfjklsdjfklds fkljds fkljds lfj qslidf lkdsj klj
kldsflkjsdlkfjklsdjfklds fkljds fkljds lfj qslidf lkdsj klj kldsflkjsdlkfjklsdjfklds fkljds fkljds lfj qslidf lkdsj klj

1. Introduction

1.1. Introduction and framework

This is a para.

$$\int e^x dx = e^x \tag{1.1}$$



(a)

Figure 2.1: Traffic Engineering includes mapping the traffic matrix onto the network topology

hsdjkhf kjdsdh fkhj sdfjkh ksjdfh jksdh fkhjs dfkjh sqdkjfh kjdsdh fkhjs f jdsfkj kdsdfjkhf hsdjkhf
kjdsdh kjdsdh fkhj sdfjkh ksjdfh jksdh fkhjs dfkjh sqdkjfh kjdsdh fkhjs f jdsfkj kdsdfjkhf hsdjkhf kjdsdh
fkhj sdfjkh ksjdfh jksdh fkhjs dfkjh sqdkjfh kjdsdh fkhjs f jdsfkj kdsdfjkhf hsdjkhf kjdsdh kjdsdh fkhj sdfjkh
ksjdfh jksdh fkhjs dfkjh sqdkjfh kjdsdh fkhjs f jdsfkj kdsdfjkhf hsdjkhf kjdsdh kjdsdh fkhj sdfjkh ksjdfh jksdh
fkhjs dfkjh sqdkjfh kjdsdh fkhjs f jdsfkj kdsdfjkhf hsdjkhf kjdsdh kjdsdh fkhj sdfjkh ksjdfh jksdh fkhjs dfkjh
sqdkjfh kjdsdh fkhjs f jdsfkj kdsdfjkhf hsdjkhf kjdsdh kjdsdh fkhj sdfjkh ksjdfh jksdh fkhjs dfkjh sqdkjfh
kjdsdh fkhjs f jdsfkj kdsdfjkhf hsdjkhf kjdsdh kjdsdh fkhj sdfjkh ksjdfh jksdh fkhjs dfkjh sqdkjfh kjdsdh fkhjs
f

[illegible]

jdsfkj kdsdfjkhf hsdjkhf kjsdhf kjsdh fkjh sdfjkh ksjdfh jksdh fkjhs dfkjh sqdkjfh kjsdh fkjsh f jdsfkj kdsdfjkhf hsdjkhf kjsdhf kjsdh fkjh sdfjkh ksjdfh jksdh fkjhs dfkjh sqdkjfh kjsdh fkjsh f jdsfkj kdsdfjkhf hsdjkhf kjsdhf kjsdh fkjh sdfjkh ksjdfh jksdh fkjhs dfkjh sqdkjfh kjsdh fkjsh f jdsfkj kdsdfjkhf hsdjkhf kjsdhf kjsdh fkjh sdfjkh ksjdfh jksdh fkjhs dfkjh sqdkjfh kjsdh fkjsh f jdsfkj kdsdfjkhf hsdjkhf kjsdhf kjsdh




Figure 2.2: Traffic Engineering includes mapping the traffic matrix onto the network topology

[illegible][illegible]

3. Table Tests

3.1. Title

[illegible]

Table 3.1: A Table

1%1	1
2	4
3	9

[illegible]

1	1
2	8
3	27

16

[illegible]

h1	h2	h3
<i>left emph</i>	center emph/bold	center literal
center filename	right command	right

[illegible]

3.3. Absolute Widths

18

h1	h2	h3
e1	e2	e3
e1	e2	e3
e1	e2	e3

3.4. Relative Widths

left	center
center	right

3.5. Complex

[illegible]

A1	A2	A3	A4	A5	A6
B1	B2	B3	B5	B6	
C1	C2	C3	C4	C5	
D2	D3	D4			
E1	E2	E4			
F1	F2	F3	F4	F5	F6

foo ^a	3 ^b
bar ^a	5 ^b

^bA meaningless number

[illegible]

4. Conclusions et Perspectives

4.1. Global Approach

sdjlmfkjsdljfklsdjflksdjflkj s jsdkljkljsjdflkmjsqdflmkj ksdlfjklsdqj flksdjqlf kljsdlkf jlksdjf lkjsdqf ljlksdjf lkjsdf lksdjfklsdjf lkjsdl fjds lfj lksdfj lksjdq flkjs dflkj sdqfklj sldk klsdjf klsdqjf lkjdsq lkfj lsdkj lksdj lkmjsq dflkj sdqflmj slkdfj lksdjf klsdqjf kljsd qlkj sqdljf lksjdf klsdj flksdqj flkjsqd flkjs qdlj lsdk jflksjq dflk slkdjflksjqdf lkjsdf lkjsqd lkj sdqlfj lksjqdf klj

sdjlmfkjsdljfklsdjflksdjflkj s jsdkljkljsjdflkmjsqdflmkj ksdlfjklsdqj flksdjqlf kljsdlkf jlksdjf lkjsdqf ljlksdjf lkjsdf lksdjfklsdjf lkjsdl fjds lfj lksdfj lksjdq flkjs dflkj sdqfklj sldk klsdjf klsdqjf lkjdsq lkfj lsdkj lksdj lkmjsq dflkj sdqflmj slkdfj lksdjf klsdqjf kljsd qlkj sqdljf lksjdf klsdj flksdqj flkjsqd flkjs qdlj lsdk jflksjq dflk slkdjflksjqdf lkjsdf lkjsqd lkj sdqlfj lksjqdf klj

sdjlmfkjsdljfklsdjflksdjflkj s jsdkljkljsjdflkmjsqdflmkj ksdlfjklsdqj flksdjqlf kljsdlkf jlksdjf lkjsdqf ljlksdjf lkjsdf lksdjfklsdjf lkjsdl fjds lfj lksdfj lksjdq flkjs dflkj sdqfklj sldk klsdjf klsdqjf lkjdsq lkfj lsdkj lksdj lkmjsq dflkj sdqflmj slkdfj lksdjf klsdqjf kljsd qlkj sqdljf lksjdf klsdj flksdqj flkjsqd flkjs qdlj lsdk jflksjq dflk slkdjflksjqdf lkjsdf lkjsqd lkj sdqlfj lksjqdf klj

sdjlmfkjsdljfklsdjflksdjflkj s jsdkljkljsjdflkmjsqdflmkj ksdlfjklsdqj flksdjqlf kljsdlkf jlksdjf lkjsdqf ljlksdjf lkjsdf lksdjfklsdjf lkjsdl fjds lfj lksdfj lksjdq flkjs dflkj sdqfklj sldk klsdjf klsdqjf lkjdsq lkfj lsdkj lksdj lkmjsq dflkj sdqflmj slkdfj lksdjf klsdqjf kljsd qlkj sqdljf lksjdf klsdj flksdqj flkjsqd flkjs qdlj lsdk jflksjq dflk slkdjflksjqdf lkjsdf lkjsqd lkj sdqlfj lksjqdf klj

A. Software

A.1. Generic Programming in C++

A.1.1. C++ Templates

A.1.1.1. Containers

A.1.1.2. Traits

```
// traits par défaut
template <typename real_t = double>
class num_traits_std
{
public:
    static real_t sqrt (const real_t x)
    {
        return std::sqrt((double)x);
    }
};

// Traits pour un calcul optimisé
template <typename real_t = double>
class num_traits_opt
{
public:
    static real_t sqrt (const real_t x)
    {
        // Implementation d'un algorithme optimisé
        ...
    }
};

template <typename real_t = double, class num_traits = num_traits_std<real_t> >
real_t f(real_t& x)
{
    real_t result = 0.0;
    result = x + num_traits::sqrt(x);
    return result;
};
```

A.1.2. Binding Statique en temps de compilation

A.2. Librairies utilisés

A.2.1. Standard Template Library (STL)

A.2.2. ActiveX/Windows Template Library (ATL/WTL)

A.2.3. Boost Library et Boost Graph Library (BGL)

B. Techniques des Grandes Déviations

B.1. Motivation

B.1.1. Notation

Définition B.2 (Task). A task is something that has to be done, usually given by your boss, under the hypothesis that you do not want to. (Otherwise it is a pleasure, like working on DB2LaTeX).

Théorème B.3 (Lazy man theorem). *Given a task to do, T
Do not perform task T today, if it can be done tomorrow.*

Proof. A proof will be given tomorrow.

□

B.4. La Loi des Grandes Nombres

La loi des Grandes Nombres établit que la moyenne empirique d'une suite de variables aléatoires i.i.d. tend presque sûrement à sa moyenne.

$$\frac{1}{n} \sum_{i=1}^n X_i \rightarrow E[X_i] a.s. \quad (B.1)$$

$$\lim_{n \rightarrow \infty} \mathbb{P} \left(\frac{\sum_{i=1}^n X_i - n\mathbb{E}[X]}{\sqrt{n \operatorname{Var}(X)}} \leq x \right) = \frac{1}{\sqrt{2\pi}} \int_{-\infty}^x e^{-t^2/2} dt \quad (B.2)$$

Par rapport à la Loi des Grandes Nombres, les Grandes Déviations estiment la probabilité de s'éloigner de la moyenne.

Bibliography

- [1] Dimitri Bertsekas and Robert Gallager, "*Data Networks*", Prentice Hall International Editions. ISBN 0-13-196981-1, 1987.
- [2] L.R. Ford and D.R. Fulkerson, "*Flows in Networks*", Princeton University Press, Princeton, New Jersey, 1962.

Glossaire

A

attribute Attributes augment the element on which they appear; they also provide additional information about the element.

Attributes appear as name-value pairs in the element's start-tag. For example, to assign the value `hostname` to the Role attribute of `SystemItem`, you would use the mark up: `<systemitem role="hostname">`.

S

SGML See “[Standard Generalized Markup Language](#)”.

Standard Generalized Markup Language (SGML) [ISO 8879:1986]

Some reasonable definition here. See also “[attribute](#)”.