

```
import mysql.connector

db = mysql.connector.connect(
    host="localhost",
    port=3306,
    user="root",
    password="sec@123",
    database="employees"
)

cursor = db.cursor()
print("Successfully connected to MySQL!")

def add_employees():
    id = int(input("Enter ID: "))
    name = input("Enter Name: ")
    age = int(input("Enter Age: "))
    salary = input("Enter Salary: ")
    city = input("Enter City: ")
    sql = "INSERT INTO employees VALUES (%s, %s, %s, %s,%s)"
    values = (id, name, age, salary, city)
    cursor.execute(sql, values)
    db.commit()
    print("Employees Added Successfully!\n")

def view_employees():
    cursor.execute("SELECT * FROM employees")
    records = cursor.fetchall()
    print("\nEmployees Records")
    print("-----")
    for row in records:
        print(row)
    print()

def update_employees():
    id = int(input("Enter Employees ID: "))
    new_salary = input("Enter New salary: ")
    sql = "UPDATE employees SET salary=%s WHERE id=%s"
    values = (new_salary, id)
    cursor.execute(sql, values)
    db.commit()
    print("Employees Updated Successfully!\n")

def delete_employees():
    id = int(input("Enter Employees ID: "))
    sql = "DELETE FROM employees WHERE id=%s"
    cursor.execute(sql, (id,))
    db.commit()
```

```
db.commit()
print("Employees Added Successfully!\n")

def view_employees():
    cursor.execute("SELECT * FROM employees")
    records = cursor.fetchall()
    print("\nEmployees Records")
    print("-----")
    for row in records:
        print(row)
    print()

def update_employees():
    id = int(input("Enter Employees ID: "))
    new_salary = input("Enter New salary: ")
    sql = "UPDATE employees SET salary=%s WHERE id=%s"
    values = (new_salary, id)
    cursor.execute(sql, values)
    db.commit()
    print("Employees Updated Successfully!\n")

def delete_employees():
    id = int(input("Enter Employees ID: "))
    sql = "DELETE FROM employees WHERE id=%s"
    cursor.execute(sql, (id,))
    db.commit()
    print("Employees Deleted Successfully!\n")

while True:
    print("===== EMPLOYEES MANAGEMENT =====")
    print("1. Add Employees")
    print("2. View Employees")
    print("3. Update Employees")
    print("4. Delete Employees")
    print("5. Exit")
    choice = input("Enter Choice: ")
    if choice == "1":
        add_employees()
    elif choice == "2":
        view_employees()
    elif choice == "3":
        update_employees()
    elif choice == "4":
        delete_employees()
    elif choice == "5":
        print("Program Ended.")
        break
    else:
        print("Invalid Choice!\n")
cursor.close()
db.close()
```

```
(5, 'saravana', 20, 10000000, 'salem')
```

```
===== EMPLOYEES MANAGEMENT =====
```

1. Add Employees
2. View Employees
3. Update Employees
4. Delete Employees
5. Exit

Enter Choice: 3

Enter Employees ID: 5

Enter New salary: 5000000

Employees Updated Successfully!

```
===== EMPLOYEES MANAGEMENT =====
```

1. Add Employees
2. View Employees
3. Update Employees
4. Delete Employees
5. Exit

Enter Choice: 2

Employees Records

```
-----  
(0, 'saro', 19, 100000000, 'pudukottai')  
(1, 'itachi', 28, 10000000, 'konohagakure')  
(2, 'madara', 39, 5000000, 'konohagakure')  
(3, 'kakashi', 30, 5000000, 'hidden leaf')  
(5, 'saravana', 20, 5000000, 'salem')
```

```
===== EMPLOYEES MANAGEMENT =====
```

1. Add Employees
2. View Employees
3. Update Employees
4. Delete Employees
5. Exit

Enter Choice: 2

Employees Records

```
-----  
(0, 'saro', 19, 100000000, 'pudukottai')  
(1, 'itachi', 28, 10000000, 'konohagakure')  
(2, 'madara', 39, 5000000, 'konohagakure')  
(3, 'kakashi', 30, 5000000, 'hidden leaf')  
(5, 'saravana', 20, 5000000, 'salem')
```

```
===== EMPLOYEES MANAGEMENT =====
```

1. Add Employees
2. View Employees
3. Update Employees
4. Delete Employees
5. Exit