

UIDAI Data Hackathon 2026

Aadhaar Biometric Update Analysis Report

Team Name : DataDrishti

Team Members :

- Sarthak Gupta, 22f1000376@ds.study.iitm.ac.in (Team Leader)
- Jagriti Sahu, 24f3003052@ds.study.iitm.ac.in
- Pragya Verma, 23f2004680@ds.study.iitm.ac.in
- Saloni, 25f2003364@ds.study.iitm.ac.in

Actionable Governance Insight:

This project converts Aadhaar biometric update data into a predictive governance tool, uncovering lifecycle-driven and regional demand patterns to enable proactive policy planning, equitable service delivery, and system-level resilience.

Submission Date: 20 January 2026

1. Problem Statement


Unlocking Societal Trends in Aadhaar Enrolment and Updates

Aadhaar biometric updates are essential for maintaining accurate identity records. However, update volumes vary significantly across states, districts, age groups, and time periods. Identify meaningful patterns, trends, anomalies, or predictive indicators and translate them into clear insights or solution frameworks that can support informed decision-making and system improvements.

2. Approach

We analyzed Aadhaar biometric update data using statistical analysis, visualization, anomaly detection, and predictive modeling. The objective was to uncover hidden patterns, regional inequalities, demographic disparities, and temporal trends to support data-driven policy planning and operational decision-making for UIDAI.

Executive Overview Snapshot:



Executive Summary:

This project analyzes the **UIDAI Aadhaar Biometric Update dataset** to understand age-wise, regional, and temporal patterns in biometric update activity across India. The raw dataset was initially inconsistent and noisy; therefore, extensive **data cleaning, standardization, and feature engineering** were performed, including district normalization, age-group segregation, ratio creation, and anomaly indicators. Time-series analysis revealed a **clear structural break around August 2025**, suggesting a reporting or policy-driven transition rather than a natural fluctuation. District-level analysis showed **wide variation in child biometric update ratios**, indicating uneven compliance and awareness across regions. Statistical **Z-score-based anomaly detection** identified districts exhibiting abnormally high or low update behavior, highlighting potential enrolment drives, operational bottlenecks, or reporting gaps. Based on these insights, we recommend **targeted district-level interventions for low child-update regions** and **continuous anomaly monitoring to proactively detect system or reporting irregularities**.

Top 3 Key Findings:

1. Structural Break in Biometric Updates (Aug 2025)

Time-series analysis shows a sharp and sustained decline in biometric update volumes around **August 2025**, indicating a structural change likely caused by a reporting methodology shift, system transition, or policy implementation rather than random variability.

2. Uneven Child Biometric Update Compliance Across Districts

District-level distribution analysis reveals **significant variation in child biometric update ratios**, with several districts consistently underperforming, suggesting gaps in awareness, accessibility, or localized administrative capacity.

3. Statistically Significant Anomalies in District-Level Activity

Z-score-based anomaly detection identified districts exhibiting **abnormally high or low update activity** beyond ± 2 standard deviations, pointing to localized enrolment drives, operational disruptions, or data reporting inconsistencies.

Recommended Actions:

1. Targeted District-Level Outreach and Camps

Deploy focused enrolment and awareness campaigns in districts with persistently low child biometric update ratios, particularly during school admission cycles, to improve compliance and reduce regional disparities.

2. Institutionalize Anomaly Monitoring for Early Warning

Integrate automated anomaly detection into UIDAI's monitoring workflows to flag sudden spikes or drops in update activity, enabling early investigation of system issues, reporting gaps, or unusual operational patterns.

3. Dataset Description

Dataset Name and Source:

This study uses the **UIDAI Aadhaar Biometric Update dataset**, sourced from publicly available UIDAI aggregated records. The dataset captures daily biometric update activity across India at the **state, district, and pincode levels**, segmented by age groups. As the data is released in an aggregated and operational form, it is suitable for identifying large-scale trends, regional differences, and unusual patterns in update activity rather than individual-level verification.

Initial Data Condition

The raw dataset was **not analysis-ready** and contained multiple issues, including inconsistent state and district naming conventions, irregular values, mixed date formats, duplicate records, and noisy entries. These inconsistencies made direct comparison across regions and time periods unreliable.

Data Cleaning and Enrichment

To ensure analytical reliability, the dataset underwent **extensive cleaning, validation, and preprocessing**, including:

- Standardization of state and district names to ensure consistent geographic aggregation.
- Conversion of date fields into a uniform datetime format.
- Removal of duplicate entries.
- Validation checks to ensure logical consistency across age-group fields.

Following cleaning, several **derived metrics and analytical features** were created to support deeper insights, such as total update counts, age-wise ratios, rolling averages, and statistical anomaly indicators.

Key Columns Used for Analysis:

Column Name	Description
State	Indian States
District	District names
Date of Updation	Date of biometric update
Bio_age_5_17	Biometric updates for children
bio_age_17	Biometric updates for adults
Total_Updates	Total biometric updates
Child_Ratio	Child update proportion
Adult_Ratio	Adult update proportion

Purpose of the Dataset:

After cleaning and enrichment, the dataset enables **robust temporal, demographic, and regional analysis** of Aadhaar biometric updates. It supports the identification of demand cycles, district-level workload concentration, compliance gaps in child updates, and statistically significant anomalies relevant for operational planning and policy intervention.

4. Methodology

Data Cleaning

- Checked duplicate records and removed.

```
[ ] # Checking duplicates
    print(f'Total duplicate values in the dataset are: {data.duplicated().sum()}')
```

```
[ ] # Dropping duplicates
    data.drop_duplicates(keep='first', inplace=True)
```

- Checked missing values.

```
[ ] # Checking Null values in the dataset
    data.isna().sum()
```

- Converted date column into proper datetime format.

```
[ ] # Converting 'Date of Updation' column to datatype
    data["Date of Updation"] = pd.to_datetime(data["Date of Updation"], dayfirst=True)
```

Feature Engineering

- Extracted Year, Month, and Month-Year from Date.

```
[ ] # Adding separate columns for year, month and month_year
    data["Year"] = data["Date of Updation"].dt.year
    data["Month"] = data["Date of Updation"].dt.month
    data["Month_Year"] = data["Date of Updation"].dt.to_period("M")
```

- Enabled time-series analysis.
- Created age-group comparisons

Analytical Methods

To extract meaningful insights from the UIDAI Aadhaar Biometric Update dataset, a combination of **univariate, bivariate, and multivariate analytical techniques** was applied, supported by time-series and statistical anomaly detection methods.

1. Univariate Analysis

Univariate analysis was conducted to understand the **distribution, central tendency, and variability** of key biometric update metrics.

Techniques applied include:


- Distribution analysis of **Total Biometric Updates, Child Update Ratio, and Adult Update Ratio**.
- Histogram-based analysis to examine how child update ratios are distributed across districts.
- Summary statistics (mean, median, variance) to identify skewness and concentration.

```
[1] selected_columns = ['Bio_age_5_17', 'bio_age_17_', 'Total_Updates', 'Child_Ratio', 'Adult_Ratio']
data[selected_columns].describe()
```

Statistics of numerical columns are:

	Bio_age_5_17	bio_age_17_	Total_Updates	Child_Ratio	Adult_Ratio
count	1.110265e+06	1.110265e+06	1.110265e+06	1.110265e+06	1.110264e+06
mean	1.890617e+01	1.907003e+01	3.797620e+01	4.768945e-01	5.230975e-01
std	8.292515e+01	8.551853e+01	1.587420e+02	3.030309e-01	3.030316e-01
min	0.000000e+00	0.000000e+00	0.000000e+00	0.000000e+00	0.000000e+00
25%	1.000000e+00	1.000000e+00	3.000000e+00	2.667000e-01	3.302000e-01
50%	4.000000e+00	4.000000e+00	8.000000e+00	5.000000e-01	5.000000e-01
75%	1.100000e+01	1.000000e+01	2.200000e+01	6.697000e-01	7.333000e-01
max	8.002000e+03	7.472000e+03	1.194100e+04	1.000000e+00	1.000000e+00

- Funnel analysis to observe **age transition patterns** from child (5–17) to adult (18+) biometric updates.



Purpose:

To identify overall patterns, concentration of updates, and district-level variability without considering inter-variable relationships.

2. Bivariate Analysis

Bivariate analysis was used to explore **relationships and comparative patterns** between two variables at a time.

Key analyses include:

- Comparison of **Child vs Adult biometric updates** across states and districts.
- Relationship between **time (Date of Updation)** and **Total Updates** using line charts.
- State-wise and district-wise comparison of **child update ratios**.
- Correlation-based inspection of age-group contributions to total update volume.

Purpose:

To understand how biometric update behavior varies across **regions, age groups, and time**,
and to identify disparities between administrative units.

3. Multivariate Analysis

Multivariate analysis was applied to examine **combined effects of multiple dimensions** such as time, geography, and age group simultaneously.

This includes:

- District-level aggregation incorporating **state, district, age group, and update volume**
- Comparative analysis of multiple states over time to detect divergence or convergence trends.
- Simultaneous visualization of **update volume, age ratio, and anomaly status** in dashboards.

Purpose:

To uncover complex patterns that are not visible through single-variable or pairwise analysis, especially in region-wise operational behavior.

4. Time-Series Analysis

Time-series methods were employed to analyze **temporal trends and structural changes** in biometric update activity.

Methods include:

- Daily and monthly trend analysis of **Total Biometric Updates**
- Moving averages to smooth short-term fluctuations
- Detection of a **structural break around August 2025**, indicating a non-random shift in update behavior
- Seasonal pattern inspection to assess periodic demand cycles

Purpose:

To identify long-term trends, sudden shifts, and temporal irregularities relevant for operational planning.

5. Anomaly Detection

Statistical anomaly detection was performed using a **Z-score-based approach**.

Methodology:

- Z-scores computed for district-level update volumes
- Thresholds set at **± 2 standard deviations** to flag abnormal behavior
- Points beyond thresholds classified as anomalies

- Anomalies interpreted in the context of policy changes, enrolment drives, or reporting gaps

Purpose:

To detect **abnormally high or low biometric update activity** that may require administrative or technical intervention.

6. Visualization and Dashboarding

All analytical outputs were operationalized using **interactive Power BI dashboards**, enabling:


- Drill-down from National to district level
- State-based filtering and cross-visual interaction
- Visual identification of trends, anomalies, and distribution patterns.

Purpose:

To translate analytical results into **actionable, interpretable insights** for decision-makers.

5. Exploratory Data Analysis (EDA)


A. State-wise distribution of updates



Insights :- This boxplot highlights significant variation in Aadhaar biometric update volumes across states. Some states exhibit very high medians and wider interquartile ranges, indicating consistently large update activity, while others show tightly clustered low values.

Interpretation :- This uneven distribution suggests that Aadhaar update infrastructure and service utilization are not uniformly balanced across India. Policymakers can use this insight to identify under-served regions and prioritize capacity building there.


B. District-wise infrastructure load



Insight :- The district-wise distribution reveals a heavily right-skewed pattern, where a small number of districts handle a disproportionately large volume of biometric updates.

Interpretation :- This imbalance highlights potential stress points in the Aadhaar system, where certain districts may experience higher operational pressure. Strategic redistribution of resources and opening additional centers in high-load districts could improve service efficiency and citizen experience.



C. Age group participation trends



Insight :- This bar chart compares the total biometric updates between children (5–17 years) and adults (17+ years).

Interpretation :- While adults dominate overall updates, the significant contribution from children suggests increasing awareness among guardians and schools. However, targeted outreach programs can further improve timely updates for minors, especially in rural and low-access regions.


D. Daily and Monthly update patterns



Insight :- The daily update trend shows noticeable fluctuations rather than a smooth pattern. The monthly trend reveals a cyclical pattern in Aadhaar biometric updates.

Interpretation :- Daily Aadhaar update activity is influenced more by policy and campaign interventions rather than organic daily demand, suggesting opportunities for better load balancing and operational planning. Understanding these monthly patterns allows UIDAI to anticipate high-demand periods and allocate technical and human resources accordingly, improving service reliability and citizen experience.


E. Top 10 States by Aadhaar Biometric Updates



Insight :- This chart highlights the top-performing states in terms of total Aadhaar biometric updates.

Interpretation :- High-performing states reflect both population scale and digital service maturity. However, the sharp difference between top and lower-ranked states indicates uneven adoption and administrative load distribution across India.

F. Monthly Child vs Adult Biometric Updates




Insight :- This line chart compares monthly biometric update trends between children (5–17 years) and adults (17+ years), revealing how participation varies across age groups over time.

Interpretation :- The synchronized behavior of child and adult update trends suggests that Aadhaar update activity is largely driven by system-level interventions rather than independent user behavior. This highlights the importance of aligning outreach programs

and operational planning across all age groups to maximize impact during high-demand periods.

G. Average Child and Adult Biometric Update Ratio by State




Insights :- Analyzing the two heatmaps for child and adult biometric update ratios by state reveals some interesting patterns:

There appears to be an inverse relationship in some states: where child ratios are high, adult ratios tend to be lower, and vice versa. This could point to varying demographic structures, targeted policy implementations, or differing levels of awareness and accessibility for specific age groups across states. The disparities highlight the need for tailored strategies for biometric updates, focusing on the specific age demographic that is underserved in each state.

Interpretation :- These disparities highlight the need for state-specific strategies rather than a one-size-fits-all approach. States with lower child ratios may require school-based Aadhaar update initiatives, while states with low adult ratios may need workplace or service-linked awareness drives.

6. Anomaly Detection

A statistical threshold ($\text{mean} \pm 2\sigma$) was applied to identify abnormal update patterns, while periods with partial or missing reporting - particularly post-July 2025 - were explicitly flagged to avoid over-imputation and preserve data integrity.



7. Key Findings and Insights (Societal + System)

Exploratory analysis reveals strong **regional concentration** in Aadhaar biometric updates, with Uttar Pradesh and Maharashtra accounting for the highest volumes, while North-Eastern states consistently report lower activity. Children aged 5–17 contribute **nearly half of all updates nationally**, though this share varies widely across regions. District-level patterns show the presence of **zero child-update districts**, indicating gaps in targeted outreach or reporting.

Societal patterns suggest that **school-based enrolment drives significantly boost child update ratios**, while regions with young populations but low child-update activity risk Aadhaar-related disruptions to education and welfare access. From a system perspective, **policy interventions—such as mandatory update ages and the October 2025 free-update policy - clearly influence update behavior**, while data gaps during August - September highlight weaknesses in reporting continuity.

8. Recommendations for UIDAI

- Focus on districts with **low child Aadhaar ratio (<40%)**, especially where child population is high.
- Conduct biometric update camps in **schools and Anganwadi centers**.

- Send **automatic SMS/app reminders** to parents when a child approaches **5 or 15 years of age**.
- Integrate Aadhaar update notifications with **school systems** to avoid missed updates.
- Ensure **continuous daily data reporting** to prevent data gaps.
- Promote and publicize the **free biometric update policy for children**.
- Use **ARIMA/SARIMA** models for short-term forecasting and **LSTM** for seasonal and policy-impact analysis.
- Apply **anomaly detection** to identify sudden drops or spikes in update data.

9. Final Outputs: Report, Dashboard, and Code Repository

Drive Link: [📁 UIDAI_Data_Hackathon](#)

10. Conclusion

This project successfully transformed raw Aadhaar biometric update data into meaningful insights through systematic cleaning, exploration, visualization, and anomaly detection. By analyzing patterns across age groups, regions, and time, we identified key trends such as higher update frequency among adults, regional disparities in update volumes, and seasonal fluctuations in biometric activities.

The anomaly detection process further ensured the reliability of the dataset by highlighting abnormal spikes and data inconsistencies, making the final dataset suitable for both operational monitoring and future predictive analysis.

These insights can assist UIDAI and government authorities in optimizing resource allocation, improving service accessibility in underperforming regions, and proactively detecting irregularities in biometric update processes. Overall, this project demonstrates how data-driven approaches can strengthen governance, enhance transparency, and support evidence-based decision-making in large-scale digital identity systems.