Netflix Content Analysis

Project review, data profiling, and next steps

1. Project stage and assets

The supplied archive contains a raw CSV (8,807 rows, 12 columns), an intermediate cleaned CSV (8,790 rows, 10 columns), a final cleaned CSV/XLSX (8,390 rows, 12 columns), three SQL scripts, image assets, and a Power BI .pbix file. This means SQL cleaning work and a Power BI artifact are present; the dashboard itself still needs a visual and measure audit in Power BI Desktop.

2. Version comparison

Version	Rows	Columns	Duplicate show_id	Missing cells
Original raw	8,807	12	0	4,307
Intermediate cleaned	8,790	10	0	0
Final cleaned	8,390	11	0	0

3. Initial findings from the final CSV

• Content mix: 6,069 Movies (72.3%) and 2,321 TV Shows (27.7%).

• Most common rating label: TV-MA (3,062 records).

• Most frequently listed category: International Movies (2,739 title mentions). Category fields can contain multiple values, so mentions are not mutually exclusive.

• Most frequently listed country: United States (3,718 title mentions). Country fields may list multiple countries.

• Parsed date_added range: 01 Jan 2008 to 25 Sep 2021. 0 final-version date values did not parse and should be checked.

4. Data-quality risks to address

The final file has 417 fewer rows than the raw file. The SQL includes row deletions and inferred replacements for missing country/director values. These steps may affect the analysis and should be documented, tested, and validated against reliable source information. The literal value 'Not Given' should be treated as unknown, not a real category. The raw file has missing director, cast, country, date_added, rating, and duration values; the summary CSV provides counts for each version.

5. Business framing and limitations

A defensible business question is: How is the catalogue represented by content type, maturity rating, genre/category, country, release year, and date added? The dataset describes catalogue metadata, not viewing behavior, revenue, or customer engagement. It therefore cannot support conclusions about which titles are most popular or profitable.

6. Recommended next steps

1. Open the supplied PBIX in Power BI Desktop and verify visuals, measures, filters, and data-source paths. 2. Review the deletion and imputation logic in the SQL scripts; preserve the raw file and compare row-level changes. 3. Resolve the unparsed date_added values and decide how to handle Not Given. 4. Document a repeatable cleaning process and refresh the dashboard using the approved final dataset.

Generated from the files supplied in the archive. Findings describe the supplied CSV versions; dashboard visuals and SQL execution were not independently tested.