Completed Shift Report (26-06-2026 06:00 - 26-06-2026 14:00)

Group 1 (Total Wound Length 5791 km / 170.8 kg)

Ref. Value : Relative

First Spindle	1 None	**Article**	20S COM None
Last Spindle	35 None	**Machine Name**	VICTORY-U2-M.10 None
Lot	20S COM None	**Machine Type**	Saurer AC5/ACX5/AC6/ACX6 None
Yarn Count	20 Ne	**Software Version**	5.10.21081.6 None
Material	100% VSF None	**Firmware Version**	4.2.51.68 None

Settings


D Channel/Class

D Channel

Clearing	On
N	4.3
DS	2.10
LS	2.0 cm
DL	1.22
LL	27 cm
-D	14 %
-L	27 cm
Alarm Limit	12

D Class

Clearing	On



Splice Channel/Class

Splice Channel


Clearing	On
N	4.3
DS	2.10
LS	2.0 cm
DL	1.22
LL	27 cm
-D	14 %
-L	27 cm
Check Length	40 cm
DefaultCheckLength	35 cm

Splice Class

Clearing	On

Upper Yarn

Monitoring	On
Limit	1.60



Foreign Matter

F Configuration


Clearing Dark	On
Clearing Bright	Off
Alarm Limit	6
Filter Organic	Off
Class/Cluster	Class

F Cluster Dark

Clearing	On
Obs. Length	80 m
Faults	1
Alarm Limit	3
Act. Faults	0

F Cluster Bright

Clearing	Off
Obs. Length	80 m
Faults	1
Alarm Limit	3
Act. Faults	0



Completed Shift Report (26-06-2026 06:00 - 26-06-2026 14:00)

Group 1 (Total Wound Length 5791 km / 170.8 kg) Ref. Value : Relative

First Spindle	1 None	**Article**	20S COM None
Last Spindle	35 None	**Machine Name**	VICTORY-U2-M.10 None
Lot	20S COM None	**Machine Type**	Saurer AC5/ACX5/AC6/ACX6 None
Yarn Count	20 Ne	**Software Version**	5.10.21081.6 None
Material	100% VSF None	**Firmware Version**	4.2.51.68 None


P Settings

P Configuration

Clearing	Off
Alarm Limit	6

P Curve

0 cm	100
0.5 cm	100
1 cm	100
1.5 cm	100
2 cm	100
3 cm	100
4 cm	100
6 cm	100
8 cm	100



Yarn Count

OffCount

Clearing	On
+ DiaDiff	11.0%
- DiaDiff	10.0%
Coarse	16.0
Fine	25.0
Obs. Length	10 m
Alarm Limit	3
OffCount Cuts +	0.1
OffCount Cuts -	0.1

Short OffCount

Clearing	On
+ DiaDiff	13.0%
- DiaDiff	12.0%
Coarse	16.0
Fine	26.0
Obs. Length	6m
Alarm Limit	3
Short OffCount Cuts +	0.1
Short OffCount Cuts -	0

Cluster

Short Cluster

Clearing	On
Diameter	1.23
Length	1.5cm
Obs. Length	3m
Faults	20
Alarm Limit	3
Act. Faults	0

Long Cluster

Clearing	On
Diameter	1.13
Length	15cm
Obs. Length	10m
Faults	12
Alarm Limit	3
Act. Faults	0

Thin Cluster

Clearing	On
Diameter	12%
Length	15cm
Obs. Length	10m
Faults	10
Alarm Limit	3
Act. Faults	0

Nep Cluster

Clearing	On
Diameter	2.0
Obs. Length	2m
Faults	15
Alarm Limit	3
Act. Faults	0

LabPack

SFI/D

Clearing	On
Reference	Floating
SFI/D	11.3
+ Limit	22%
- Limit	22%
Obs. Length	80 m
Alarm Limit	3
SFI/D Cuts +	0.2
SFI/D Cuts -	0.1
Difference SFI/D	6.0 %
Variance Like	2963

VCV

Clearing	On
+ Limit	25%
- Limit	25%
Obs. Length	20m
Alarm Limit	3
VCV Cuts +	2
VCV Cuts -	0.6
Difference VCV	1.0 %

Settings Group

Pilot Spindles	3
Sensing Head Type	DF

Settings Optional

Drum Pulse Length	9.2mm
Reduction Fine Adjust	0%
Reduction Cone Change	0%
Bunch Monitoring	On
Threshold Static Yarn Signal	40%
Threshold Dynamic Yarn Signal	25%
Fine Adjust Mode	Single
Suction after Adjust	On
TK Display Mode	Class
Drift Limit Fine Adjust Continuous	Off
Drum Wrap Detection Mode	Off
Dust Compensation Speed	Normal
Repetitive Splice Removal	On
Cuts Before Bobbin Change	Off
F Clearing during Splice	On
P Climate Compensation	Off

Data Acquisition

Window Length	1000km

Completed Shift Report (26-06-2026 06:00 - 26-06-2026 14:00)

Group 1 (Total Wound Length 5791 km / 170.8 kg)

Ref. Value : Relative

First Spindle	1 None	**Article**	20S COM None
Last Spindle	35 None	**Machine Name**	VICTORY-U2-M.10 None
Lot	20S COM None	**Machine Type**	Saurer AC5/ACX5/AC6/ACX6 None
Yarn Count	20 Ne	**Software Version**	5.10.21081.6 None
Material	100% VSF None	**Firmware Version**	4.2.51.68 None

Off Limit Alarm

Set 1		Set 2		Set 3	
Active	☐	Active	☐	Active	☐
Monitoring	D Cuts	Monitoring	D Cuts	Monitoring	D Cuts
Limit	10	Limit	10	Limit	10

Set 4		Set 5	
Active	☐	Active	☐
Monitoring	D Cuts	Monitoring	D Cuts
Limit	10	Limit	10

Monitoring

Cuts

Total Cuts	79
D Cuts	72
F Cuts	7
P Cuts	0

NSLT

Nep Cuts	14
Short Cuts	29
Long Cuts	8
Thin Cuts	5

Splice

Splices	136
Splice Cuts	22
Splice Repetitions	34

OffCount

OffCount Cuts +	0.1
OffCount Cuts -	0.1
Short OffCount Cuts +	0.1
Short OffCount Cuts -	0

Cluster

Nep Cluster Cuts	0.0
Short Cluster Cuts	11
Long Cluster Cuts	2
Thin Cluster Cuts	0.1

Foreign Matter

F Cuts Dark	7
F Cuts Bright	0
F Cluster Cuts Dark	0
F Cluster Cuts Bright	0

LabPack

SFI/D Cuts +	0.2
SFI/D Cuts -	0.1
VCV Cuts +	2
VCV Cuts -	0.6
Difference SFI/D	6.0
Difference VCV	1.0
Variance Like	2963

Special

Bunch Cuts	1
Upper Yarn Cuts	2
Yarn Breaks	7

Alarms

NSLT	0.0
OffCount	0.0
Short OffCount	0
Nep Cluster	0
Short Cluster	2
Long Cluster	0.1
Thin Cluster	0
SFI/D	0
VCV	0.3
F Cluster	0
F	0
P	0

Off Limit Alarm

Total	0
Threshold 1 (not def.)	0
Threshold 2 (not def.)	0
Threshold 3 (not def.)	0
Threshold 4 (not def.)	0
Threshold 5 (not def.)	0

Cuts Before Bobbin Change

Total	5
Number per 100 bobbins	7.6

Quality

P Class

P Class

Total Cuts	0

LabPack IPI

IPI Diameter

Neps	8 /km
Thick	8 /km
Thin	0 /km
Small	0.1 /m

IPI Length

2 - 4 cm	65 /km
4 - 8 cm	13 /km
8 - 20 cm	1 /km
20 - 70 cm	0 /km


Completed Shift Report (26-06-2026 06:00 - 26-06-2026 14:00)

Group 1 (Total Wound Length 5791 km / 170.8 kg) Ref. Value : Relative


First Spindle	1 None	**Article**	20S COM None
Last Spindle	35 None	**Machine Name**	VICTORY-U2-M.10 None
Lot	20S COM None	**Machine Type**	Saurer AC5/ACX5/AC6/ACX6 None
Yarn Count	20 Ne	**Software Version**	5.10.21081.6 None
Material	100% VSF None	**Firmware Version**	4.2.51.68 None

Quality

D Class Total Cuts 55



Splice Class Total Cuts 21




Completed Shift Report (26-06-2026 06:00 - 26-06-2026 14:00)

Group 1 (Total Wound Length 5791 km / 170.8 kg) Ref. Value : Relative


First Spindle	1 None	**Article**	20S COM None
Last Spindle	35 None	**Machine Name**	VICTORY-U2-M.10 None
Lot	20S COM None	**Machine Type**	Saurer AC5/ACX5/AC6/ACX6 None
Yarn Count	20 Ne	**Software Version**	5.10.21081.6 None
Material	100% VSF None	**Firmware Version**	4.2.51.68 None

F Class Total Cuts 7



0.1	0.1	0		0			
0.4	0.1	0.1		0	0		
2	0.3	0.1	0.1	0.1			
3	0.4	0.2	0.1	0.1	0		
25	1	1	0.5	0.3	0.1	0.1	0.1
80	5	8	3	1	0.2	0.2	0.4
427	50	32	9	10	3	4	4
1134	116	11	4	3	0.8	1	0

P Class Total Cuts 0



Group History

Start	End	First Spindle	Last Spindle	Wound Length	Reason
26-06-2026 06:00:00	26-06-2026 10:43:33	1	30	6956 km	Group stop
26-06-2026 10:44:30	26-06-2026 14:00:00	1	35	5791 km	Shift End