Python Advanced Course

Part II

Stefano Alberto Russo

Outline

- Part I: Object Oriented Programming
  - What is OOP?
  - Logical Example
  - Attributes and methods
  - Why to use objects
  - Defining objects

- Part II: Improving your code
  - Extending objects
  - Lambdas
  - Comprehensions
  - Iterables
  - Properties

- Part III: Exceptions
  - What are exceptions?
  - Handling exceptions
  - Raising exceptions
  - Creating custom exceptions

- Part IV: logging and testing
  - The Python logging module
  - Basics about testing
  - The Python unit-testing module
  - Test-driven development

Improving your code
→ *Extending objects*

```
objects.py

class Person():
    ...

class Student(Person):

    def __str__(self):
        return 'Student "{} {}"'.format(self.name, self.surname)


class Professor(Person):

    def __str__(self):
        return 'Prof. "{} {}"'.format(self.name, self.surname)

    def say_hi(self):
        print('Hello, I am professor {} {}.'.format(self.name, self.surname))
```

Improving your code
→ *Extending objects*

```python
class Person():

    def __init__(self, name, surname):

        # Set name and surname
        self.name     = name
        self.surname  = surname

    def __str__(self):
        return 'Person "{} {}""'.format(self.name, self.surname)

    def say_hi(self):

        # Generate a random number between 0, 1 and 2.
        random_number = random.randint(0,2)

        # Choose a random greeting
        if random_number == 0:
            print('Hello, I am {} {}.'.format(self.name, self.surname))
        elif random_number == 1:
            print('Hi, I am {}!'.format(self.name))
        elif random_number == 2:
            print('Yo bro! {} here!'.format(self.name))
```

Improving your code
➔ *Extending objects*

objects.py

```python
class Person():
    ...

class Student(Person):

    def __str__(self):
        return 'Student "{} {}"'.format(self.name, self.surname)


class Professor(Person):

    def __str__(self):
        return 'Prof. "{} {}"'.format(self.name, self.surname)

    def say_hi(self):
        print('Hello, I am professor {} {}.'.format(self.name, self.surname))
```

I extend the Person object by declining it into Student and Professor. All the methods that the Person object owned are automatically inherited from the Person and Professor objects. I can overwrite them or add others.

I override the string representation of the Person object to include the title.

I override the greeting method of the Person object to have a more appropriate greeting for a professor.

Improving your code
➜ *Extending objects*

```
objects.py

class Person():
    ...

class Student(Person):

    def __str__(self):
        return 'Student "{} {}"'.format(self.name, self.surname)


class Professor(Person):

    def __str__(self):
        return 'Prof. "{} {}"'.format(self.name, self.surname)

    def say_hi(self):
        print('Hello, I am professor {} {}.'.format(self.name, self.surname))

    def original_say_hi(self):
        super().say_hi()
```

Improving your code
→ *Extending objects*

```python
objects.py

class Person():
    ...

class Student(Person):

    def __str__(self):
        return 'Student "{} {}"'.format(self.name, self.surname)


class Professor(Person):

    def __str__(self):
        return 'Prof. "{} {}"'.format(self.name, self.surname)

    def say_hi(self):
        print('Hello, I am professor {} {}.'.format(self.name, self.surname))

    def original_say_hi(self):
        super().say_hi()
```

With the "super" I can access the function of the parent object, even if I have overwritten it

Stefano Alberto Russo - @stefanoarusso - sarusso.github.io

Improving your code
➜ *Extending objects*

Esempio

objects.py

```python
class Person():
    ...

class Student(Person):

    def __str__(self):
        return 'Student "{} {}"'.format(self.name, self.surname)


class Professor(Person):

    def __str__(self):
        return 'Prof. "{} {}"'.format(self.name, self.surname)

    def say_hi(self):
        print('Hello, I am professor {} {}.'.format(self.name, self.surname))

    def original_say_hi(self):
        super().say_hi()
```

```python
print('----------------------------')

person = Person('Mario', 'Rossi')

print(person)
person.say_hi()

print('----------------------------')

prof = Professor('Pippo', 'Baudo')

print(prof)
prof.say_hi()
prof.original_say_hi()

print('----------------------------')
```

```
> python objects.py
----------------------------
Person "Mario Rossi""
Yo bro! Mario here!
----------------------------
Prof. "Pippo Baudo"
Hello, I am professor Pippo Baudo.
Yo bro! Pippo here!
----------------------------
```

Improving your code
→ *Reusing code*

- In general, if you write twice the same logic in your code, you should create a support function (or object)

    → Use class / static methods

    → Write external support functions

    → Generalize Objects in parents

Improving your code
→ *Lambdas*

A lambda function is a small "anonymous" function (not declared)

It can take any number of arguments, but can only have one expression.

Example:

```
x = lambda a : a + 10

print(x(5))
```

Improving your code
➜ *Lambdas*

They are particularly useful for operating quickly inside other operations,

```
def key(x):
    return x[1]

a = [(1, 2), (3, 1), (5, 10)]
a.sort(key=key)
```

V.S.

```
a = [(1, 2), (3, 1), (5, 10)]
a.sort(key=lambda x: x[1])
```

Improving your code
➜ *List comprehension*

List comprehension allows to quickly create new lists starting from an iterable object (as a list, dictionary, etc).

```python
sales_thousands_units = [123.65, 43.67, 124.87]

sales_units = [value*1000 for value in sales_thousands_units]

print(sales_units)
```

```
[123650.0, 43670.0, 124870.0]
```

Improving your code
→ *List comprehension*

List comprehension allows to quickly create new lists starting from an iterable object (as a list, dictionary, etc).

```python
my_dict = {'Venice':10, 'Rome':15}

dict_keys_uppercase = [key.upper() for key in my_dict]

print(dict_keys_uppercase)
```

```
['VENICE', 'ROME']
```

Improving your code
→ *List comprehension*

It works similarly with dictionaries as well, and a lot of operations get much easier and compact, which improves readability:

```python
my_dict = {'Venice':'10', 'Rome':'15'}

new_dict = {int(item):key for key, item in my_dict.items()}

print(new_dict)
```

```
{10: 'Venice', 15: 'Rome'}
```

Improving your code
→ *Creating iterable objects*

Any object in python can behave as an iterable.

This requires to implement two specific magic methods:

- the `__iter__` to initialize the iteration

- the `__next__` to provide the items for the iteration

Example

```python
class DataSet():

    def __init__(self):
        self.data = []

    def add(self, item):
        self.data.append(item)

    def __iter__(self):
        self.count = 0
        return self

    def __next__(self):
        if self.count == len(self.data):
            raise StopIteration()
        item = self.data[self.count]
        self.count += 1
        return item
```

Example

```python
class DataSet():

    def __init__(self):
        self.data = []

    def add(self, item):
        self.data.append(item)

    def __iter__(self):
        self.count = 0
        return self

    def __next__(self):
        if self.count == len(self.data):
            raise StopIteration()
        item = self.data[self.count]
        self.count += 1
        return item
```

```python
data_set = DataSet()

data_set.add(1)

data_set.add(2)

data_set.add(3)


for item in data_set:

    print(item)
```

Example

```python
class DataSet():

    def __init__(self):
        self.data = []

    def add(self, item):
        self.data.append(item)

    def __iter__(self):
        self.count = 0
        return self

    def __next__(self):
        if self.count == len(self.data):
            raise StopIteration()
        item = self.data[self.count]
        self.count += 1
        return item
```

```python
data_set = DataSet()

data_set.add(1)

data_set.add(2)

data_set.add(3)


for item in data_set:

    print(item)
```

```
1
2
3
```

Improving your code
→ *Properties*

Python object can have a special type of attributes, the *properties*.

These are functions which behave as attributes.

Very useful to wrap some logic when accessing /setting an attribute, or to provide alternative view of the data stored inside the object.

Example

```python
class Point():
    def __init__(self, x, y):
        self.x = x
        self.y = y

    @property
    def coordinates(self):
        return( (self.x, self.y) )

    @coordinates.setter
    def coordinates(self, coordinates):
        self.x = coordinates[0]
        self.y = coordinates[1]
```

```python
point = Point(2,3)
print(point.x)
print(point.y)
print(point.coordinates)

point.coordinates = (4,5)
print(point.x)
print(point.y)
print(point.coordinates)
```

```
2
3
(2, 3)

4
5
(4, 5)
```

End of part II

→ *Questions?*

Next: exercise 2

Exercise 2

We want to extend our predictive model for monthly shampoo sales.

Now we also want to implement a fit function which computes the average increment over the entire dataset

Our model is extremely simple:

- the sales at **t+1** are given by:

    - the historical average increment *averaged with* the average increment computed over the previous **n** months of the window

    - summed to the last point (**t**) of the window

Exercise 2

➜ *Example*

Month	Step	Sales
May	not relevant	8
June	not relevant	19
July	not relevant	31
August	not relevant	41
September	t-2	50
October	t-1	52
November	t (now)	60
December	t+1	?

Exercise 2

→ *Example*   60 + ((((11+12+10) / 3) + ((2+8) / 2)) / 2)

Month	Step	Sales
May	not relevant	8
June	not relevant	19
July	not relevant	31
August	not relevant	41
September	t-2	50
October	t-1	52
November	t (now)	60
December	t+1	**68**

Exercise 2

The FitIncrementModel() class must have a *fit()* method and a *predict()* method. Both methods must take a "data" argument.

excercise.py

```python
class FitIncrementModel():

    def __init__(self, window)
        self.window = window

    def fit(self, data):
        # Compute and store the avg hist. increment
        self.hist_avg_increment = ...

    def predict(self, data):
        # Compute and return the prediction
        prediction = ...
        return prediction
```

Exercise 2

The FitIncrementModel() class must have a $fit()$ method and a $predict()$ method. Both methods must take a "data" argument.

```python
# excercise.py

class FitIncrementModel():

    def __init__(self, window)
        self.window = window

    def fit(self, data):
        # Compute and store the avg hist. increment
        self.hist_avg_increment = ...

    def predict(self, data):
        # Compute and return the prediction
        prediction = ...
        return prediction
```

```python
class Model():

    def fit(self, data):
        pass

    def predict(self, data):
        pass

class IncrementModel(Model):

    def fit(self, data):
        pass

    def predict(self, data):
        pass

class FitIncrementModel(IncrementModel):

    def fit(self, data):
        pass

    def predict(self, data):
        pass
```