## 2<sup>nd</sup> Sem. 2017-18 CS F211 Data Structures & Algorithms Lab 1 (Week of 7<sup>th</sup> Jan. - 12<sup>th</sup> Jan.)

\_\_\_\_\_\_

Topic: Interface vs. Implementation

<u>Learning Outcomes</u>: The student should be able to (i) implement a given interface and (ii) use the interface without being dependent on the implementation. The student should be able to enable modular access while providing efficient implementation.

<u>Implementation Platform</u>: All implementation must be done in C on Linux using *gcc* to compile code.

<u>Exercise 1:</u> Define the data type **SeqList** (to denote a Sequential Access List i.e. a list where elements are accessible only one after the other in a sequence) with the following interface:

- SeqList newList() // creates an empty list
- SeqList insertInOrder(SeqList sl, Element e) // add e to sl in order of key assuming sl is ordered; return the modified list
- SeqList insertAtFront(SeqList sl, Element e) // add e at the front of the list; return the modified list
- SegList insertAtEnd(SegList sl, Element e) // add e at the end of the list; return the modified list
- SeqList delete(SeqList sl, Element e) // delete e from sl; return the modified list
- SegList deleteAtFront(SegList sl) // delete the first element from sl; return the modified list
- Element find(SegList sl, Key k) // find the element e with key k in sl; return e

Use the header file <u>SeqList.h</u> for the interface.

[Hint: Efficient Addition at front and rear – will require two pointers – to the first and the last nodes. End of Hint.]

<u>Exercise 2</u>: Implement the interface (i.e. the operations listed above) in file <u>SeqList.c</u> using a linked list as the representation. Compile SeqList.c into a separate module.

<u>Exercise 3</u>: (a) Write a procedure *merge* that takes two ordered sequential lists and merges them into a single ordered sequential list.

(b) Write a procedure *insertionSort* that takes an unordered sequential list and sorts the elements according to a key.

Note that both these procedures must use only the interface given above i.e. should not touch the underlying implementation. This also implies that no allocation / de-allocation is to be done in these procedures.

Implement these procedures in the file SeqListUses.c and compile this into a separate module.

<u>Exercise 4</u>: Write a main procedure to test the procedures insertionSort and merge. Implement this procedure in file SeqListTest.c. Compile this along with the other two modules to build an executable.