```
Exercise
```

```
class Queue {
  private int front;
  private int rear;
  private int maxSize;
  private int[] arr;
  Queue(int maxSize) {
     this.front = 0;
     this.rear = -1;
     this.maxSize = maxSize;
     this.arr = new int[this.maxSize];
  }
  public boolean isFull() {
    return rear == maxSize - 1;
  }
  public boolean enqueue(int data) {
     if (isFull()) {
       return false;
     } else {
       arr[++rear] = data;
```

```
return true;
}
public void display() {
  if (isEmpty()) {
     System.out.println("Queue is empty!");
  } else {
    for (int index = front; index <= rear; index++) {
       System.out.println(arr[index]);
     }
  }
}
public boolean isEmpty() {
  return front > rear;
}
public int dequeue() {
  if (isEmpty()) {
    return Integer.MIN_VALUE;
  } else {
    int data = arr[this.front];
     arr[front++] = Integer.MIN_VALUE;
     return data;
}
```

```
public int getMaxSize() {
    return maxSize;
  }
}
class Tester {
  public static void main(String[] args) {
    Queue queue = new Queue(7);
    queue.enqueue(2);
    queue.enqueue(7);
    queue.enqueue(9);
    queue.enqueue(4);
    queue.enqueue(6);
    queue.enqueue(5);
    queue.enqueue(10);
    Queue[] queueArray = splitQueue(queue);
    System.out.println("Elements in the queue of odd numbers");
    queueArray[0].display();
    System.out.println("\nElements in the queue of even numbers");
    queueArray[1].display();
  }
```

```
public static Queue[] splitQueue(Queue queue) {
    Queue oddQueue = new Queue(queue.getMaxSize());
    Queue evenQueue = new Queue(queue.getMaxSize());
    while (!queue.isEmpty()) {
        int data = queue.dequeue();
        if (data % 2 == 0) {
            evenQueue.enqueue(data);
        } else {
            oddQueue.enqueue(data);
        }
    }
    return new Queue[]{oddQueue, evenQueue};
}
```

```
C:\Users\Sarvesh\OneDrive\Desktop>java Tester4
Elements in the queue of odd numbers
7
9
5
Elements in the queue of even numbers
2
4
6
10
```