PDF BOOKMARK SAMPLE

Date:	May 2001
Prepared by:	Accelio Present Applied Technology
Created and Tested Using:	∞ Accelio Present Central 5.4 ∞ Accelio Present Output Designer 5.4
Features Demonstrated:	∞ Primary ▮▮▮▮▮ in a PDF file. ∞ Secondary ▮▮▮▮▮s in a PDF file.

Overview

This sample consists of a simple form containing ▮▮r distinct fields. The data file contains ▮▮ separate records.

By default, the data file will produce a PDF file containing ▮▮▮ separate pages. The selective use of the bookmark file will produce the same PDF with a separate pane containing bookmarks. This screenshot of the sample ▮▮▮ shows a PDF file with bookmarks.

The left pane displays the available ▮▮▮▮▮s for this PDF. You may need to enable the display of ▮▮▮▮▮▮ in Adobe® Acrobat® Reader by clicking **Window > Show Bookmarks**. Selecting a date from the left pane displays the corresponding page within the document.

Note that the index has been sorted according to the specification in the bookmark file, and that pages within the file are created according to the original order in the data file.

Data File

```
^reformat trunc
^symbolset WINLATIN1
^field trans_date
2000-01-1
^field description
Description for item #1
^field trans_type
TYPE1
^field trans_amount
11.00
^page 1
^field trans_date
2000-01-2
^field description
Description for item #2
^field trans_type
TYPE2
^field trans_amount
11.00
^page 1
^field trans_date
2000-01-3
^field description
Description for item #3
^field trans_type
TYPE3
```

Bookmark File

```
[invoices]
Invoices by Date=0
trans_date=1,A
[type]
Invoices by Item Type=0
trans_type=1,A
[amount]
Invoices by Transaction Amount=0
trans_amount=1,D
```

The example bookmark file includes three distinct sections:

∞ Invoices sorted, ascending, by date.

∞ Invoices sorted, ascending, by item type.

∞ Invoices sorted, descending, by transaction amount.

███████ Files

This sample package contains:

Filename	Description
ap_bookmark.IFD	The template design.
ap_bookmark.mdf	The template targeted for PDF output.
ap_bookmark.dat	A sample data file in DAT format.
ap_bookmark.bmk	A sample bookmark file.
ap_bookmark.pdf	██████ PDF output.
ap_bookmark_doc.pdf	A document describing the sample.

Deploying the ███████

To deploy this sample in your environment:

1. Open the template design **ap_bookmark.IFD** in Output Designer and recompile the template for the appropriate presentment target.

2. Modify the **-z** option in the **^job** command in the data file **ap_bookmark.dat** to:

   ∞ Identify the target ██████ device.

   ∞ Identify the bookmark file using the **-abmk** command.

   ∞ Identify the section for which to generate bookmarks, if desired, using the **-abms** command.

   For example,

To bookmark by …	Use the command line parameter …
Invoices	**-abmk**ap_bookmark.bmk **-abms**invoices
Type	**-abmk**ap_bookmark.bmk **-abms**type
Amount	**-abmk**ap_bookmark.bmk **-abms**amount

3. Place the accompanying files in directories consistent with your implementation:

- ∞ Place **ap_bookmark.IFD** in the **Designs** subdirectory for Output Designer.

- ∞ Place **ap_bookmark.mdf** in the forms subdirectory accessible to Central.

- ∞ Place **ap_bookmark.bmk** in an addressable directory.

Running the ▮▮▮▮▮

- ∞ To run this sample, place **ap_bookmark.dat** in the collector directory scanned by Central.