

MENU

Google Discussi	ions	
Exam Associate Cloud Engineer All Questions View all questions & answers for the Associate Cloud Engineer exam Go to Exam		

EXAM ASSOCIATE CLOUD ENGINEER TOPIC 1 QUESTION 189 DISCUSSION

Actual exam question from Google's Associate Cloud Engineer

Question #: 189

Topic #: 1

[All Associate Cloud Engineer Questions]

You are assigned to maintain a Google Kubernetes Engine (GKE) cluster named 'dev' that was deployed on Google Cloud. You want to manage the GKE configuration using the command line interface (CLI). You have just downloaded and installed the Cloud SDK. You want to ensure that future CLI commands by default address this specific cluster What should you do?

- A. Use the command gcloud config set container/cluster dev.
- B. Use the command gcloud container clusters update dev.
- C. Create a file called gke.default in the ~/.gcloud folder that contains the cluster name.
- D. Create a file called defaults.json in the ~/.gcloud folder that contains the cluster name.

Show Suggested Answer

by Maltb at May 4, 2022, 4:06 p.m.

Comments

Type your comment...

Submit

```
73173v2 Highly Voted 2 years, 1 month ago
```

Selected Answer: A

To set a default cluster for gcloud commands, run the following command: https://cloud.google.com/kubernetes-engine/docs/how-to/managing-clusters

upvoted 12 times

ccpmad Most Recent 5 months ago

Selected Answer: A

https://cloud.google.com/kubernetes-engine/docs/how-to/managing-clusters#default_cluster_gcloud

To set a default cluster for gcloud commands, run the following command: gcloud config set container/cluster CLUSTER_NAME

upvoted 3 times

Jonassamr 5 months, 1 week ago

Selected Answer: A

https://cloud.google.com/kubernetes-engine/docs/how-to/managing-clusters?hl=fr upvoted 1 times

scanner2 1 year, 1 month ago

Selected Answer: A

Answer = A

upvoted 1 times

snkhatri 2 years, 1 month ago

Selected Answer: A

A looks right to me

upvoted 1 times

AzureDP900 2 years, 4 months ago

A is right

To set a default cluster for gcloud commands, run the following command:

gcloud config set container/cluster CLUSTER_NAME

upvoted 4 times

ggupton1 2 years, 5 months ago

Selected Answer: A

Set a default cluster forgcloud

To set a default cluster for commands gcloud, run the following command:

Per https://cloud.google.com/kubernetes-engine/docs/how-to/managing-clusters?hl=fr gcloud config set container/cluster CLUSTER_NAME

upvoted 3 times

Akash7 2 years, 5 months ago

Answer is A,

To set a default cluster for gcloud commands, run the following command:

gcloud config set container/cluster CLUSTER_NAME

https://cloud.google.com/kubernetes-engine/docs/how-to/managing-clusters?hl=en

upvoted 1 times

MadMikedD 2 years, 5 months ago

Selected Answer: A

To set a default cluster for gcloud commands, run the following command:

gcloud config set container/cluster CLUSTER_NAME

upvoted 3 times

cheeseburger12388 2 years, 5 months ago

https://cloud.google.com/kubernetes-engine/docs/how-to/managing-clusters#default_cluster_kubectl upvoted 1 times

aswinachu 2 years, 5 months ago

Selected Answer: B

Correct Ans B

https://cloud.google.com/sdk/gcloud/reference/container/clusters/update


- ? ? vympelGRU 2 years, 5 months ago
 - B sounds right.
 ? ? upvoted 2 times
- ? Maltb 2 years, 5 months ago

Selected Answer: A

https://cloud.google.com/kubernetes-engine/docs/how-to/managing-clusters?hl=fr

? ? upvoted 3 times

Start Learning for free



? ? ? ?

© 2024 ExamTopics

ExamTopics doesn't offer Real Microsoft Exam Questions. ExamTopics doesn't offer Real Amazon Exam Questions. ExamTopics

Materials do not contain actual questions and answers from Cisco's Certification Exams.

CFA Institute does not endorse, promote or warrant the accuracy or quality of ExamTopics. CFA® and Chartered Financial Analyst® are registered trademarks owned by CFA Institute.