

**■** MENU

Q

**G** Google Discussions

# **Exam Professional Data Engineer All Questions**

View all questions & answers for the Professional Data Engineer exam

**Go to Exam** 

# **EXAM PROFESSIONAL DATA ENGINEER TOPIC 1 QUESTION 133 DISCUSSION**

Actual exam question from Google's Professional Data Engineer

Question #: 133

Topic #: 1

[All Professional Data Engineer Questions]

A data scientist has created a BigQuery ML model and asks you to create an ML pipeline to serve predictions. You have a REST API application with the requirement to serve predictions for an individual user ID with latency under 100 milliseconds. You use the following query to generate predictions: SELECT predicted\_label, user\_id FROM ML.PREDICT (MODEL 'dataset.model', table user\_features). How should you create the ML pipeline?

- A. Add a WHERE clause to the query, and grant the BigQuery Data Viewer role to the application service account.
- B. Create an Authorized View with the provided query. Share the dataset that contains the view with the application service account.
- C. Create a Dataflow pipeline using BigQueryIO to read results from the query. Grant the Dataflow Worker role to the application service account.
- D. Create a Dataflow pipeline using BigQueryIO to read predictions for all users from the query. Write the results to Bigtable using BigtableIO. Grant the Bigtable Reader role to the application service account so that the application can read predictions for individual users from Bigtable.

**Show Suggested Answer** 

by A rickywck at *March 20, 2020, 3:49 a.m.* 

# **Comments**

Type your comment...

#### **Submit**

# ☐ 🏜 rickywck Highly Voted 👪 4 years, 7 months ago

I think the key reason for pick D is the 100ms requirement.

upvoted 30 times

### AzureDP900 1 year, 10 months ago

D. Create a Dataflow pipeline using BigQueryIO to read predictions for all users from the query. Write the results to Bigtable using BigtableIO. Grant the Bigtable Reader role to the application service account so that the application can read predictions for individual users from Bigtable.

upvoted 2 times

☐ ♣ [Removed] Highly Voted 4 years, 7 months ago

Answer: D

Description: Bigtable provides lowest latency

upvoted 14 times

■ MaxNRG Most Recent ② 10 months, 3 weeks ago

#### **Selected Answer: D**

The key requirements are serving predictions for individual user IDs with low (sub-100ms) latency.

Option D meets this by batch predicting for all users in BigQuery ML, writing predictions to Bigtable for fast reads, and allowing the application access to query Bigtable directly for low latency reads.

Since the application needs to serve low-latency predictions for individual user IDs, using Dataflow to batch predict for all users and write to Bigtable allows low-latency reads. Granting the Bigtable Reader role allows the application to retrieve predictions for a specific user ID from Bigtable.

upvoted 6 times

# ☐ ▲ MaxNRG 10 months, 3 weeks ago

The other options either require changing the query for each user ID (higher latency, option A), reading directly from higher latency services like BigQuery (option B), or writing predictions somewhere without fast single row access (options A, B, C).

Option A would not work well because the WHERE clause would need to be changed for each user ID, increasing latency. Option B using an Authorized View would still read from BigQuery which has higher latency than Bigtable for individual rows.

Option C writes predictions to BigQuery which has higher read latency compared to Bigtable for individual rows. So option D provides the best pipeline by predicting for all users in BigQueryML, batch writing to Bigtable for low latency reads, and granting permissions for the application to retrieve predictions. This meets the requirements of sub-100ms latency for individual user predictions.

https://cloud.google.com/dataflow/docs/concepts/access-control

upvoted 2 times

🗏 🏝 Nirca 1 year ago

# Selected Answer: D

I think the key reason for pick D is the 100ms requirement/ me too

upvoted 1 times

■ barnac1es 1 year, 1 month ago

# **Selected Answer: B**

To create an ML pipeline for serving predictions to individual user IDs with latency under 100 milliseconds using the given BigQuery ML query, the most suitable approach is:

B. Create an Authorized View with the provided query. Share the dataset that contains the view with the application service account.

upvoted 2 times

■ Lanro 1 year, 3 months ago

# Selected Answer: D

Always use Bigtable as an endpoint for client-facing applications (Low latency - high throughput)

📩 🤚 🎮 upvoted 2 times

🗖 🏜 midgoo 1 year, 7 months ago

#### Selected Answer: D

One of the way to improve the efficient of ML pipeline is to generate cache (store predictions). In this question, only D is doing that.

upvoted 3 times

🖯 🏜 musumusu 1 year, 8 months ago

what is wrong with B? View can be precomputed and cached and it can definitely satisfy the 100 miliseconds request. create a pipeline to send data to bigtable .. don't you think its too much to run a simple prediction query? upvoted 2 times E cheos71 1 year, 2 months ago I think if there is too many concurrent requests the 100ms latency will def not hold reading from bigguery upvoted 1 times 😑 🏜 vaga1 1 year, 4 months ago and the view has to make a query in real-time which adds potential latency upvoted 1 times 🖃 🏜 vaga1 1 year, 4 months ago I would say that Bigtable is simply more suited to serve applications upvoted 1 times 🗏 🌡 hiromi 1 year, 11 months ago Selected Answer: D Vote for D upvoted 1 times 🖃 🏜 HarshKothari21 2 years, 1 month ago Selected Answer: D Option D upvoted 1 times 😑 🏜 sumanshu 3 years, 4 months ago Vote for D, requirement to serve predictions with in 100 ms upvoted 6 times Tanmoyk 4 years, 1 month ago D is correct, 100ms is most critical factor here. upvoted 6 times sh2020 4 years, 2 months ago writing it to BigTable and then allowing application access will introduce more delays. I think answer should be C upvoted 1 times E 4 f839 3 years, 9 months ago Predictions are computed in advance for all users and written to BigTable for low-latency serving. upvoted 3 times 😑 🏜 haroldbenites 4 years, 2 months ago D is correct upvoted 4 times Rajokkiyam 4 years, 7 months ago Answer D. upvoted 6 times Removed] 4 years, 7 months ago Should be D upvoted 7 times



