Test Plan

Data Quality Field Highlighting

Portfolio sample by Sarwat Farabee. Based on a real funded development project; client and product details have been generalized.

Field	Detail
Project	Data quality field highlighting feature
Client	A mid-size bank (name withheld)
Related document	Business Requirements Document: Data Quality Field Highlighting (FR-01 to FR-14)
Prepared by	Sarwat Farabee, Business Analyst
Version	1.0

1. Introduction and Objectives

This test plan describes how the data quality field highlighting feature was tested before release. The goal was to confirm that every requirement in the BRD (FR-01 to FR-14) works as specified, and that the feature helps end users identify required fields without disrupting their existing workflow.

2. Scope

In scope

- All new functionality defined in the BRD (FR-01 to FR-14): rule configuration, on-screen highlighting, tooltips, and API status checks.
- Regression testing to confirm existing functionality was not affected by the new feature.
- Browser testing on Chrome and Edge.

Out of scope

- Performance testing.
- Browsers other than Chrome and Edge.

Test cycles

- The internal team tested the feature in each sprint.
- The client then tested the preview (CTP) and general availability (GA) releases.

3. Test Approach

Test types

- **Functional testing:** Verifies that rules, highlighting, tooltips, and API statuses behave as described in the BRD.
- **Negative testing:** Verifies that invalid input, such as an incorrectly written formula, is rejected.

- **API testing:** Verifies the status (Blocked, Warning, or Passed) and the list of failed rules returned for a single customer.
- **Regression testing:** Verifies that existing functionality continues to work.

Execution

All testing was performed manually. Test cases were organized and executed by sprint.

Scenarios covered

- Rules passing and failing, including values exactly at the boundary (for example, revenue of exactly 50k).
- Mandatory and desired rules failing together.
- A single rule highlighting multiple fields.
- A rule highlighting a different field from the one it tests.

4. Test Environment, Data, and Tools

- **Environment:** Testing was done in a separate test environment, isolated from any live system.
- **Test data:** Made-up data was created to suit each test scenario. No real customer data was used.
- **Tools:** Test cases and defects were both managed in Jira.

5. Entry and Exit Criteria

Entry criteria (before testing a sprint)

- The feature has been developed and deployed to the test environment.
- The requirements for the sprint have been agreed.

Exit criteria (before releasing to the client)

- All planned test cases have been executed.
- All defects found have been fixed and retested.
- Regression testing has passed.

6. Defect Management

1. The tester logs the defect in Jira.
2. A developer fixes it.
3. The tester retests the fix and, if it passes, closes the defect.

All defects found were fixed. No severity levels were used.

7. Sample Test Cases

Representative test cases, mapped to the BRD requirements.

ID	Req	Scenario	Expected result
TC-01	FR-01, 02, 05	Admin creates a mandatory rule for an industry template with a formula, description, and highlight field.	Rule is saved and appears in the template.

ID	Req	Scenario	Expected result
TC-02	FR-14	Admin enters an invalid formula.	Rule is rejected and cannot be saved.
TC-03	FR-03	Rule fails when revenue is below 50k. Enter revenue of 49,999 and run the check.	Rule fails and the field is highlighted.
TC-04	FR-03	Same rule with revenue of exactly 50,000 (boundary).	Rule does not fail; no highlight.
TC-05	FR-03	Desired rule: cost above 100k with no comment entered.	Rule fails as a warning. Adding a comment and re-running clears it.
TC-06	FR-04	Revenue rule is set to highlight net income instead.	Net income is highlighted and revenue is not.
TC-07	FR-04	One rule is set to highlight several fields.	All selected fields are highlighted.
TC-08	FR-06	Open a record containing failing data without pressing the check button.	No highlights appear until the button is pressed.
TC-09	FR-07	Run the check with one mandatory and one desired failure.	Both are highlighted with a halo, in different colors.
TC-10	FR-08	Hover over a highlighted field.	Tooltip shows the rule description text.
TC-11	FR-09	Fix one failing field and press the button again.	The fixed field's highlight clears; unfixed fields stay highlighted.
TC-12	FR-13	Run the check on a record where all rules pass.	No highlights and no message.
TC-13	FR-12	Save and progress a record with failing rules.	Save and progress are allowed.
TC-14	FR-10, 11	API call for a customer with a failed mandatory rule.	Status is Blocked; failed rules are listed.
TC-15	FR-11	API call for a customer with only desired rules failing.	Status is Warning; failed rules are listed.
TC-16	FR-11	API call for a customer with mandatory and desired rules both failing.	Status is Blocked; all failed rules are listed.
TC-17	FR-11	API call for a customer where no rules fail.	Status is Passed.
TC-18	FR-10	API call that includes multiple customers.	Request is not supported.
TC-19	Regression	Save records and open existing admin screens in Chrome and Edge.	Existing behavior is unchanged.

8. Progress Tracking and Reporting

Progress was tracked on the Jira sprint board. At the end of each sprint, the board was closed only after confirming that all work was verified as working. Any work that was not finished on time moved to the next sprint.

Known limitations

- Performance testing was not performed.

- Only Chrome and Edge were tested.