



CSE370 LAB PROJECT


Project Name: ONLINE FOOD DELIVERY

Sec - 09

Members-

Name	ID
H.M. Sarwer Alam	20301224
Shudeb Ghosh Barno	20301222
MD. Shakib Molla	20301231
Sheikh Farid	20201221

ER Diagram



Schema

tbadmin

<u>fld_id</u>	fld_username	fld_password
---------------	--------------	--------------

tbfood

<u>food_id</u>	fldvendor_id	foodname	cost	cuisines	paymentmode	fldimage
----------------	--------------	----------	------	----------	-------------	----------

tblcart

<u>fld_cart_id</u>	fld_product_id	fld_customer_id
--------------------	----------------	-----------------

tblcustomer

fld_cust_id	fld_name	<u>fld_email</u>	fld_mobile	password
-------------	----------	------------------	------------	----------

tblmessage

<u>fld_msg_id</u>	fld_name	fld_email	fld_phone	fld_msg
-------------------	----------	-----------	-----------	---------

tblorder

<u>fld_order_id</u>	fld_cart_id	fld_vendor_id	fld_food_id	fld_email_id	fld_payment	fldstatus
---------------------	-------------	---------------	-------------	--------------	-------------	-----------

tblvendor

<u>fld_vendor_id</u>	fld_name	fld_email	fld_password	fld_mob	fld_phone	fld_address	fld_logo
----------------------	----------	-----------	--------------	---------	-----------	-------------	----------

Feature List and Work Distribution

Website Part	Feature List	Worked by
Restaurant	1. Restaurant Sign In 2. Restaurant Sign Up 3. View & Manage Orders 4. Modify Information	MD. Shakib Molla
Customer	1. Customer Login 2. Add to Cart 3. Customer Account Management 4. Manage Order	Shudeb Ghosh Barno
Food Management	1. Add Food 2. Remove Food 3. Update Food 4. Food Search	Sheikh Farid
Admin and contact	1. Admin login interface 2. View order, Food items & vendor manage 3. Account Settings manage 4. Contact	H.M. Sarwer Alam

CODE Snippets of Important Features

Create account

Customer

```

<!--new account Section-- starts-->
<div class="tab-pane fade" id="signup" role="tabpanel" aria-labelledby="profile-tab">
  <form method="post" enctype="multipart/form-data">
    <div class="form-group">
      <label for="name">Name</label>
      <input type="text" id="name" class="form-control" name="name" required="required"/>
    </div>

    <div class="form-group">
      <label for="email">Email</label>
      <input type="email" id="email" name="email" class="form-control" required/>
    </div>

    <div class="form-group">
      <label for="pwd">Password:</label>
      <input type="password" name="password" class="form-control" id="pwd" required/>
    </div>

    <div class="form-group">
      <label for="mobile">Mobile</label>
      <input type="tel" id="mobile" class="form-control" name="mobile" pattern="[0-1]{1}[0-9]{10}" placeholder="" required/>
    </div>

    <button type="submit" name="register" style="background:#ED2553; border:1px solid #ED2553;" class="btn btn-primary">Create New Account</button>
    <div class="footer" style="color:red;"><?php if(isset($errmsg)) { echo $errmsg; }?><?php if(isset($errmsg2)) { echo $errmsg2; }?></div>
  </form>
</div>

```

Vendor / Seller

```

<div class="tab-content" id="myTabContent">
  <div class="tab-pane fade show active" id="register" role="tabpanel" aria-labelledby="home-tab">
    <div class="form" style="color:red;"><?php if(isset($loginmsg)){ echo $loginmsg; }?></div>
    <form action="" method="post" enctype="multipart/form-data">
      <div class="form-group">
        <label for="name">Name:</label>
        <input type="text" class="form-control" id="name" value="<?php if(isset($r_name)) { echo $r_name; }?>" placeholder="Enter Restaurant Name" name="r_name" required/>
      </div>
      <div class="form-group">
        <label for="name">Email Id:</label>
        <input type="email" class="form-control" id="email" value="<?php if(isset($email)) { echo $email; }?>" placeholder="Enter Email" name="email" required/>
        <span style="color:red;"><?php if(isset($email_error)){ echo $email_error; }?></span>
      </div>
      <div class="form-group">
        <label for="pswd">Password:</label>
        <input type="password" class="form-control" id="pswd" placeholder="Enter Password" name="pswd" required/>
      </div>
      <div class="form-group">
        <label for="mob">Mobile:</label>
        <input type="tel" class="form-control" pattern="[0-9]{1}[0-9]{10}" value="<?php if(isset($mob)) { echo $mob; }?>" id="mob" placeholder="EX 01689271421" name="mob" required/>
      </div>
      <div class="form-group">
        <label for="phone">Phone:</label>
        <input type="tel" class="form-control" pattern="[0-9]{1}[0-9]{10}" id="phone" value="<?php if(isset($phone)) { echo $phone; }?>" placeholder="EX 01706050875" name="phone" required/>
      </div>
      <div class="form-group">
        <label for="add">Address:</label>
        <input type="text" class="form-control" id="add" placeholder="Enter Address" value="<?php if(isset($address)) { echo $address; }?>" name="address" required/>
      </div>
      <div class="form-group">
        <input type="file" name="logo" required/>Upload Logo
      </div>
      <button type="submit" id="register" name="register" class="btn btn-outline-primary">Register</button>
    </form>
  </div>
  <div class="tab-pane fade show" id="login" role="tabpanel" aria-labelledby="home-tab">
    <a href="vendor_login.php">button type="button" style="padding:10px; width:200px; margin-top:30%; margin-left:40%; margin:0px auto;" class="btn btn-outline-primary" name="login" value="Log In">Log In</a>
  </div>

```

Login

```
<?php
session_start();
include("connection.php");
extract($_REQUEST);
if(isset($login))
{
$sql=mysqli_query($con,"select * from tbadmin where fld_username='$username' && fld_password='$pswd' ");
if(mysqli_num_rows($sql))
{
$_SESSION['admin']=$username;

header('location:dashboard.php');

}
else
{
$admin_login_error="Invalid Username or Password";
}
}
```

Order list

```
<!--tab 3 starts-->
<div class="tab-pane fade" id="orders" role="tabpanel" aria-labelledby="orders-tab">
<table class="table">
<tr>
<th>Order Number</th>
<th>Item Name</th>
<th>Price</th>
<th>Cancel order</th>
</tr>
<tbody>
<?php
$quer_res=mysqli_query($con,"select * from tblorder where fld_email_id='$cust_id' && fldstatus='In Process'");
while($roww=mysqli_fetch_array($quer_res))
{
    $fid=$roww['fld_food_id'];
    $qr=mysqli_query($con,"select * from tbfood where food_id='$fid'");
    $qrr=mysqli_fetch_array($qr);

    ?>
    <tr>
    <td><?php echo $roww['fld_order_id']; ?></td>
    <?php
    if(empty($qrr['foodname']))
    {
        ?>
        <td><span style="color:red;">Product Not Available Now</span></td>
        <?php
    }
    else
    {
        ?>
        <td><?php echo $qrr['foodname']; ?></td>
        <?php
    }
    ?>

    <td><?php echo $qrr['cost']; ?></td>
    <td><a href="#" onclick="del(<?php echo $roww['fld_order_id']; ?>);"><button type="button" class="btn btn-danger">Cancel Order</button></a></td>
    </tr>
</tbody>
<?php
}
?>
</table>
</div>
<!--tab 3 ends-->
```

Search Food

```
//search product function
$(document).ready(function(){

    $("#search_text").keypress(function()
    {
        load_data();
        function load_data(query)
        {
            $.ajax({
                url:"fetch2.php",
                method:"post",
                data:{query:query},
                success:function(data)
                {
                    $('#result').html(data);
                }
            });
        }

        $('#search_text').keyup(function(){
            var search = $(this).val();
            if(search != '')
            {
                load_data(search);
            }
            else
            {
                $('#result').html(data);
            }
        });
    });

    //Restaurant search
    $(document).ready(function(){

        $("#search_Restaurant").keypress(function()
        {
            load_data();
            function load_data(query)
            {
                $.ajax({
                    url:"fetch.php",
                    method:"post",
                    data:{query:query},
                    success:function(data)
                    {
                        $('#resultRestaurant').html(data);
                    }
                });
            }

            $('#search_Restaurant').keyup(function(){
                var search = $(this).val();
                if(search != '')
                {
                    load_data(search);
                }
                else
                {
                    load_data();
                }
            });
        });
    });
});
```

Search Restaurant

```
//Restaurant search
$(document).ready(function(){

    $("#search_Restaurant").keypress(function()
    {
        load_data();
function load_data(query)
    {
        $.ajax({
            url:"fetch.php",
            method:"post",
            data:{query:query},
            success:function(data)
            {
                $('#resultRestaurant').html(data);
            }
        });
    }

    $('#search_Restaurant').keyup(function(){
var search = $(this).val();
        if(search != '')
        {
            load_data(search);
        }
        else
        {
            load_data();
        }
    });
    });
});
```


Update Cart

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Cart </title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css">
  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
  <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js"></script>
  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"></script>
  <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js" integrity="sha384-JjSmVgy
    <link href="https://fonts.googleapis.com/css?family=Lobster" rel="stylesheet">

  <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.8.1/css/all.css" integrity="sha384-50c
  <script src="https://ajax.googleapis.com/ajax/libs/jquery/2.1.3/jquery.min.js"></script>
  <style>
    ul li{list-style:none;}
    ul li a {color:black;text-decoration:none; }
    ul li a:hover {color:black;text-decoration:none; }

  </style>
  <script>
    function del(id)
    {
      if(confirm('are you sure you want to cancel order')== true)
      {
        window.location.href='cancelorder.php?id=' +id;
      }
    }
  </script>
```

Contact

```
if(isset($message))
{
  echo $name;
  echo $msgtxt;
  echo $email;
  echo $phone;
  if(mysqli_query($con,"insert into tblmessage(fld_name,fld_email,fld_phone,fld_msg) values ('$name','$email','$phone','$msgtxt')"))
  {
    echo "<script> alert('We will be Connecting You shortly')</script>";
  }
  else
  {
    echo "failed";
  }
}
```

Password Change

```
<div class="tab-pane fade" id="manageaccount" role="tabpanel" aria-labelledby="manageaccount-tab">
  <form method="post" enctype="multipart/form-data">
    <div class="form-group">
      <label for="name">Name</label>
      <input type="text" id="username" value="<?php if(isset($user)){ echo $user; }?>" class="form-control" name="name" readonly="readonly"/>
    </div>

    <div class="form-group">
      <label for="pwd">Password:</label>
      <input type="password" name="password" class="form-control" value="<?php if(isset($pass)){ echo $pass; }?>" id="pwd" required/>
    </div>

    <button type="submit" name="update" style="background:#ED2553; border:1px solid #ED2553;" class="btn btn-primary">Update</button>
    <div class="footer" style="color:red;"><?php if(isset($errmsg)) { echo $errmsg; }?><?php if(isset($errmsg2)) { echo $errmsg2; }?></div>
  </form>
</div>
```

Queries Used

General part

Database Connection:

```
<?php
$hostname="localhost";
$user_name="root";
$password="";
$db="dbfood";
$con=mysqli_connect($hostname,$user_name,$password,$db);
?>
```

Index:

- `$query=mysqli_query($con,"select tblvendor.fld_name,tblvendor.fldvendor_id,tblvendor.fld_email,tblvendor.fld_mob,tblvendor.fld_address,tblvendor.fld_logo,tbfood.food_id,tbfood.foodname,tbfood.cost,tbfood.cuisines,tbfood.paymentmode from tblvendor inner join tbfood on tblvendor.fldvendor_id=tbfood.fldvendor_id;");`
- `$query=mysqli_query($con,"select tbfood.foodname,tbfood.fldvendor_id,tbfood.cost,tbfood.cuisines,tbfood.fldimage,tblcart.fld_cart_id,tblcart.fld_product_id,tblcart.fld_customer_id from tbfood inner join tblcart on tbfood.food_id=tblcart.fld_product_id where tblcart.fld_customer_id='$cust_id'");`
- `$query=mysqli_query($con,"select tblvendor.fld_email,tblvendor.fld_name,tblvendor.fld_mob,tblvendor.fld_phone,tblvendor.fld_address,tblvendor.fldvendor_id,tblvendor.fld_logo,tbfood.food_id,tbfood.foodname,tbfood.cost,tbfood.cuisines,tbfood.paymentmode,tbfood.fldimage from tblvendor inner join tbfood on tblvendor.fldvendor_id=tbfood.fldvendor_id where tbfood.food_id='$food_id'");`
- `$query=mysqli_query($con,"select tblvendor.fld_email,tblvendor.fld_name,tblvendor.fld_mob,tblvendor.fld_phone,tblvendor.fld_address,tblvendor.fld_logo,tbfood.food_id,tbfood.foodname,tbfood.cost,tbfood.cuisines,tbfood.paymentmode,tbfood.fldimage from tblvendor inner join tbfood on tblvendor.fldvendor_id=tbfood.fldvendor_id where tbfood.food_id='$food_id'");`

About:

- `mysqli_query($con,"select * from tblcustomer where fld_email='$cust_id'");`
- `$query=mysqli_query($con,"select tblvendor.fld_name,tblvendor.fldvendor_id,tblvendor.fld_email,tblvendor.fld_mob,tblvendor.fld_address,tblvendor.fld_logo,tbfood.food_id,tbfood.foodname,tbfood.cost,tbfood.cuisines,tbfood.paymentmode from tblvendor inner join tbfood on tblvendor.fldvendor_id=tbfood.fldvendor_id;");`
- `$query=mysqli_query($con,"select tbfood.foodname,tbfood.fldvendor_id,tbfood.cost,tbfood.cuisines,tbfood.fldimage,tblcart.fld_cart_id,tblcart.fld_product_id,tblcart.fld_customer_id from tbfood inner join tblcart on tbfood.food_id=tblcart.fld_product_id where tblcart.fld_customer_id='$cust_id'");`

Contact:

- `mysqli_query($con,"select
tbfood.foodname,tbfood.fldvendor_id,tbfood.cost,tbfood.cuisines,tbfood.fldimage,
tblcart.fld_cart_id,tblcart.fld_product_id,tblcart.fld_customer_id from tbfood inner
join tblcart on tbfood.food_id=tblcart.fld_product_id where
tblcart.fld_customer_id='$cust_id'");`

Customer part:

- `mysqli_query($con,"select * from tblcustomer where fld_email='$email' &&
password='$password'");`
- `mysqli_query($con,"select * from tblcustomer where fld_email='$email'");`
- `mysqli_query($con,"insert into tblcustomer
(fld_name,fld_email,password,fld_mobile)
values('$name','$email','$password','$mobile')");`
- `mysqli_query($con,"select
tbfood.foodname,tbfood.fldvendor_id,tbfood.cost,tbfood.cuisines,tbfood.fldimage,
tblcart.fld_cart_id,tblcart.fld_product_id,tblcart.fld_customer_id from tbfood inner
join tblcart on tbfood.food_id=tblcart.fld_product_id where
tblcart.fld_customer_id='$cust_id'");`
- `mysqli_query($con,"delete from tblcart where fld_cart_id='$del' &&
fld_customer_id='$cust_id'");`
- `mysqli_query($con,"update tblcustomer set
fld_name='$name',fld_mobile='$mobile',password='$pswd' where
fld_email='$fld_email'");`
- `mysqli_query($con,"select
tbfood.foodname,tbfood.fldvendor_id,tbfood.cost,tbfood.cuisines,tbfood.fldimage,
tblcart.fld_cart_id,tblcart.fld_product_id,tblcart.fld_customer_id from tbfood inner
join tblcart on tbfood.food_id=tblcart.fld_product_id where
tblcart.fld_customer_id='$cust_id'");`
- `mysqli_query($con,"update tblcustomer set
fld_name='$name',fld_mobile='$mobile',password='$pswd' where
fld_email='$fld_email'");`
- `mysqli_query($con,"select * from tblvendor where fldvendor_id='$vendor_id'");`

- `mysqli_query($con,"select * from tblorder where fld_email_id='$cust_id' && fldstatus='In Process'");`
- `mysqli_query($con,"select * from tbfood where food_id='$fid'");`
- `mysqli_query($con,"select * from tblcustomer where fld_email='$cust_id'");`

Restaurant & Food Part:

- `$sql=mysqli_query($con,"select * from tblvendor where fld_email='$username' && fld_password='$pswd' "); if(mysqli_num_rows($sql))`
- `$sql=mysqli_query($con,"insert into tblvendor (fld_name,fld_email,fld_password,fld_mob,fld_phone,fld_address,fld_logo values('$r_name','$email','$pswd','$mob','$phone','$address','$logo'))");`
- `$sql=mysqli_query($con,"select * from tblvendor where fld_email='$username' && fld_password='$pswd' ");`
- `$vq=mysqli_query($con,"select * from tblvendor where fld_email='$id'");`
- `$query=mysqli_query($con,"select * from tblvendor where fld_email='$id'");`
- `mysqli_query($con,"insert into tbfood(fldvendor_id,foodname,cost,cuisines,paymentmode,fldimage) values ('$v_id','$food_name','$cost','$cuisines','$paymentmode','$img_name'))"`

`move_uploaded_file($_FILES['food_pic']['tmp_name'], "image/restaurant/$id/foodimages/".$_FILES['food_pic']['name']);`

`}`

- `mysqli_query($con,"select * from tblvendor where fld_email='$id'");`
- `mysqli_query($con,"update tblvendor set fld_logo='$new_img_name' where fld_email='$id'")`

`move_uploaded_file($_FILES['logo_pic']['tmp_name'], "image/restaurant/$id/".$_FILES['logo_pic']['name']);`

- `mysqli_query($con,"select * from tblvendor where fld_email='$id'");`
- `mysqli_query($con,"select * from tblorder where fldvendor_id='$vrid'");`

Admin part

- `$admin_info=mysqli_query($con,"select * from tbadmin where fld_username='$admin_username'");`
- `if(mysqli_query($con,"update tbadmin set fld_password='$password'"))`
`{`
`//$_SESSION['pas_update_success']="Password Updated Successfully`
`Login with New Password";`
`unset ($_SESSION['admin']);`
`header("location:admin_info_update.php");`
`}`
`else`
`{`
`echo "failed";`
`}`
- `$query=mysqli_query($con,"select tblvendor.fldvendor_id,tblvendor.fld_name,tblvendor.fld_email,tbfood.food_id,tbfood.foodname,tbfood.cuisines,tbfood.fldimage from tblvendor right join tbfood on tblvendor.fldvendor_id=tbfood.fldvendor_id");`
- `$query=mysqli_query($con,"select * from tblvendor");`
- `$rr=mysqli_query($con,"select * from tblorder");`
- `$r_f=mysqli_query($con,"select * from tbfood where food_id='$foodid'");`