

React JS

Integration with Liferay

DXP Using Headless API



Things To Note



The purpose of this documentation is to show how users can use a popular Javascript library called React.js with Liferay and Headless API to create stand-alone React applications.

1 Primary requirements include knowing a bit of JavaScript, how to set up/download software onto Terminal for MacOSX. Also, knowing how to initialize a Liferay instance locally will help with the set up portion of this walk through.

2 For this project, I developed on a MacOSX (Linux) system, using VS Code as a barebones code editor and GitHub to push my files onto the internet for public access.



3 This documentation is set up into separate parts, divided by column. These include Getting Started, Headless API's Into React, and Component Explanations.



Getting Started



<https://github.com/sasajallana/react-for-liferay-fe/tree/master>
For reference if you're ever stuck



Diving In



<https://github.com/sasajallana/react-for-liferay-fe/tree/master>
For reference if you're ever stuck

NPM

NPM is the orchestration tool used to create and manage React Apps. Make sure you have these latest versions (as of 2/27/2020), which work with Liferay DXP 7.2.

npm/npx

6.13.6

java sdk

openjdk version "1.8.0_232"

node

v13.7.0

Liferay and Blade

Liferay is being used as a platform management system in this project. It provides the Headless API that our stand-alone React application(s) call in order to retrieve data.

Blade is the CLI tool used to initialize a Liferay project with the correct files.

This tutorial uses 7.2 DXP with Tomcat.



Setting Up



One thing that you should have already is **Homebrew**, a MacOSX package installer. Using Homebrew makes it easier to download software using Terminal:
<https://docs.brew.sh/Installation>

Before beginning to setup ReactJS for Liferay Workspace, you will need a few things. As mentioned above, you should first download things like Npm/npx, node, Java. On MacOSX, the easiest way to download is by typing these commands in \$USER home on a Terminal window...

node

brew install node

npm/npx

(will be installed w node, check via)
npm --version

And then, you're going to need to download Liferay Workspace:

<https://sourceforge.net/projects/lportal/files/Liferay%20IDE/3.8.0/>

LiferayWorkspace-202002250521-osx-installer.dmg

2020-02-26

22.6 MB

Click on this line from the above link and wait for the download. Once done, go through the process of setting up from this site:

https://portal.liferay.dev/docs/7-1/tutorials/-/knowledge_base/t/liferay-workspace

Note: If you try to open the Installer directly, it might issue a 'Untrusted Developer' warning. The easiest work around is to right-click the Installer icon and from the Menu, click Open.



Why We Use SDK from DMG



We are using the SDK installer to initialize Liferay and Blade CLI. From now on, we will use Blade and npm to create Liferay Workspaces to host our React App for development.



Setting Up Workspace



Now with Node, Java, NPM installed and the Liferay installer done, let's start from anew.

Go ahead and open your Terminal to your \$USER home directory.
Let's create a new folder where your Liferay Workspace will live and cd into it.

cmd `mkdir react-for-liferay-fe`

cmd `cd react-for-liferay-fe`

Now, in your new empty folder “**react-for-liferay-fe**”, initialize a Liferay workspace through:

cmd `blade init -v 7.2`

The **-v** tag indicates what version of Liferay we're using. Now if you list the files in the directory (**ls** command), you will see this:

Terminal

```
Setups-MacBook-Pro:react-for-liferay-fe setup$ blade init -v 7.2
Setups-MacBook-Pro:react-for-liferay-fe setup$ ls
build.gradle           gradle           gradle.properties      gradlew.bat          settings.gradle      wars
configs                gradle-local.properties    gradlew             modules            themes

```

These are all Liferay Workspace files. Next, we need Liferay Server files, in order to run and setup the rest of Liferay. Still in the **react-for-liferay-fe** directory, run command

cmd `blade server init`

Terminal

```
Setups-MacBook-Pro:react-for-liferay-fe setup$ blade server init
Executing gradle task initBundle...

server init completed successfully.
Setups-MacBook-Pro:react-for-liferay-fe setup$ ls
build.gradle           configs           gradle-local.properties gradlew          modules        themes
bundles               gradle           gradle.properties       gradlew.bat      settings.gradle wars
```

This will create a **bundles** folder. In the new bundles folder, there will be a bunch of server files. To access the command to run Liferay Workspace, you will need to execute this command to move into the correct folder:

cmd `cd bundles/tomcat-9.0.17/bin`

Terminal

```
/Users/setup/react-for-liferay-fe/bundles/tomcat-9.0.17/bin
Setups-MacBook-Pro:bin setup$ ls
bootstrap.jar           configtest.bat      setclasspath.sh      tomcat-native.tar.gz
catalina-tasks.xml      configtest.sh       setenv.bat          tool-wrapper.bat
catalina.bat            daemon.sh          setenv.sh          tool-wrapper.sh
catalina.sh             digest.bat         shutdown.bat      version.bat
ciphers.bat            digest.sh          shutdown.sh        version.sh
ciphers.sh             makebase.bat      startup.bat
commons-daemon-native.tar.gz   makebase.sh      startup.sh
commons-daemon.jar      setclasspath.bat  tomcat-juli.jar
```

You will notice a bunch of .sh and .bat files. These are executionary files that can be launched or stopped by using commands like “**run**” and “**stop**”. In this case, we will be setting up Liferay Workspace for the first time, so we need to *run* the server. You do this by running the **catalina.sh** file with the command:

cmd `./catalina.sh run`


Use this command anytime you would like to run the Liferay Workspace. Since we are going to be consistently building off data from the Liferay Workspace, the server will need to be up. If nothing goes wrong, in the Terminal the below Liferay logo and extra lines of code should appear, and then a browser window will open connected to web address

localhost:8080

Terminal

```
Starting Liferay Community Edition Portal 7.2.0 CE GA1 (Mueller / Build 7200 / June 4, 2019)
```

localhost:8080



Continue set-up as usual with **Default Configuration** and **Default Database** as Hypersonic database, and make sure to create the **Admin user as the initial test@liferay**, just incase you ever get locked out somehow. **Agree to the Terms of Service** and set your password.

You should have a fresh, working Liferay Instance working!



Setting Up React



To start integrating React with Liferay, open up Terminal and redirect into the workspace directory created before that hosts all of the server and Liferay files (if following the tutorial, **react-for-liferay-fe**).

Assuming that you have npm/node installed, we will now be able to use **npm/npx** commands in order to build our ReactJS application.

One warning/issue you might bump into is the **mismatch of compatible Node.js version to work with Liferay**. As of **3/3/2020**, the latest version of Node.js that works with Liferay DXP 7.2 is **Dubnium**. You can change your Node version via **nvm**.

From the **react-for-liferay-fe** directory in your Terminal, type the following command:

```
npx create-react-app reactapp
```

npx: is like npm, but runs the following command temporarily, and is best in this case to just instantiate a new React application in the local **react-for-liferay-fe** directory

create-react-app: is the command to build React apps/generate fresh React application files

reactapp: is the name of our new React application

After the command runs and says it's creating and finishes installing a new React project called **reactapp**, you should get a few "Success" messages, and recommended commands to run in order to start the project. Go ahead and **cd** into **reactapp** and **ls**.

```
cd reactapp ; ls
```

```
[Setups-MacBook-Pro:reactapp setup$ pwd  
/Users/setup/react-for-liferay-fe/reactapp  
[Setups-MacBook-Pro:reactapp setup$ ls  
README.md          package-lock.json      public  
node_modules       package.json          src
```

node_modules: where external dependencies/files needed for the project as you develop will be stored and referenced

package.json: metadata for the project, including dependency version numbers, script commands

public: on initialization, contains barebones files that renders the homepage (**index.html**) and other files

src: contains JavaScript and style files that helps to render the homepage programatically

You don't have to exactly know everything about React from the get-go; you will learn as you work with it continuously. Anyways, let's go ahead and start up the application with command:

```
npm start
```



If successful, the app will launch in browser on **localhost:3000**. You have successfully created a work React App in a Liferay Workspace directory!

The Project

Now that we have created both a working Liferay Workspace and a new React App within it, we can begin to look into how to make them work together.

One thing to be pointed out is that **it will help to have a functional understanding of ReactJS in order to better understand this tutorial.** Things like knowing about states, props, components, etc.

For this project, we will be creating a simple **single page blog application** that displays blog posts hosted on tag's set in Liferay.

The data will be fetched using **Liferay headless API commands** (more on that later).

The front end design will be in **our React app.**



Simple Interface



For this project, we will follow a simple interface as pictured below.

This display is **separated into two main components:**

A place for the **listing of blog posts**, as indicated on the left
And a place for the **blog post contents, information and title**, as
indicated on the right.

To create components and orchestrate how our website will better
look, it's important to conceptualize layout before we code.

This whole outlined area we will call the **BlogWindow**

The highlighted yellow area is the area for displaying lists of all blogs, **BlogList**

Environmental Organizations

Japanese Agricultural Association

Blog about the JAS Standards for organic plants and organic processed foods of plant origin were established in 2000.

Ecocert Cosmos Certification

Ecocert supports you in improving your environmental and social impact through its certification services.

1 >

When You Need A Reliable, International Body of Certification

By: Alexa Javellana
Published 02/25/2020

What is JOCA (Japan Organic Cotton Association)?

What is JOCA (Japan Organic Cotton Association) JOCA (Japan Organic Cotton Association) started as an association to think what we should protect and what we should do through organic cotton in this 21st century, and take action. It is an association contributing to the preservation of the global environment with the spread of cultivation of organic cotton and the method of minimizing the environmental stress on its production process.

About Organic Family Cotton Tag

About Organic Family Cotton Tag Avanti is a member of Japan Organic Cotton Association. Its original brand PRISTINE was made by taking advantage of Japanese technology and sensibility in a way that is friendly to people and the environment, with the aim of spreading organic cotton based on JOCA Charter. The tags proving its firm safety and security are attached to all products before delivering to you.

In 1993, our representative, Chieko Watanabe established "Japan Texas Organic Cotton Association", with the cooperation of nine domestic textile enterprises, and came in the board chairman. In 2000 it was promoted to "NPO Japan Organic Cotton Association (JOCA)", and she came in the vice chairman. She uses all her strength for the enlightenment and spreading of organic cotton products that are relied by consumers. JOCA is aiming to increase the production of organic cotton by 10 percent, and spreading production methods and recycling system friendly to the earth. It is our action assignment to carry out activities that contribute to conservation of the global environment in

For more information about Japan Organic Cotton Association, refer to the official site.

This highlighted pink area is the area to display the corresponding blog selected from the left blog list, **BlogContent**



Let's Begin



With a plan in mind, let's begin with a mini-lesson on how to correctly organize files in a simple ReactJS project with Liferay Workspace in order to better understand the structure of our application.

Assuming that we are still in the Terminal running the npm command, **open a new Terminal tab/window and go ahead and cd back into our react-for-liferay-fe/reactapp directory.**

There, we will see the **src** folder. Go ahead and **cd into src**. (If you **pwd** or **dir**, your path should be something like **/Users/\$username/react-for-liferay-fe/reactapp/src**)

In this **src** folder, if you **ls**, you will see a bunch of JS files, beginning with App or index. These files determine what you see when you go to the website at localhost:3030 in your browser. For this project, we will only need to see how to use Headless API's with ReactJS, so our setup will be simple.

```
[Setup-MacBook-Pro:src setup$ pwd  
/Users/setup/react-for-liferay-fe/reactapp/src  
[Setup-MacBook-Pro:src setup$ ls  
App.css           App.test.js        index.js          serviceWorker.js  
App.js            index.css         logo.svg         setupTests.js
```

Here, we will create a **components** folder.

The **components** folder in a ReactJS project contains the types of components you create to integrate into your application/website. This can range from things like **forms, cards, buttons, and more**. For this project, we will start by creating a **Blogs component**.

```
src  
  mkdir components  
    src/components  
      mkdir Blogs
```

Now, we have a folder called **Blogs** to hold the code for our custom Blog component in the **src/components** folder.

In **Blogs**, let's create a simple React JS file to act as the root code for our component. Create a file in **Blogs** called **BlogWindow.js**, **open the project and BlogWindow.js file in your favorite code editor**, and in the new file copy and paste the code from the **skeleton.txt** under the **BlogWindow** portion into it.

(**Skeleton.txt is located in the reactapp/src/ folder**)

It should look like this:

```
reactapp > src > components > Blogs > js BlogWindow.js > ...  
  1 import React from 'react';  
  2  
  3 export default class BlogWindow extends React.Component {  
  4   constructor(props) {  
  5     super(props);  
  6     this.state = {  
  7       }  
  8     }  
  9   }  
 10   render() {  
 11     return (  
 12       <div className="blogContainer">  
 13         <div>Hello!</div>  
 14       </div>  
 15     )  
 16   }  
 17 }  
 18 }  
 19 }
```

How do we view this component in our React app?

For this case scenario, we will simply replace the contents of our **src/index.js** file to render **BlogWindow.js**. This is done by **replacing the code in src/index.js with the skeleton code in skeleton.txt for index.js**.

Now, **index.js** should look like this:

What did we do exactly?

In this bare bones application, **index.js** is responsible for generating the initial HTML you see on your screen at localhost:3030 (**at index.html**). In the above code, we are calling the ReactDOM to render the component **BlogWindow.js** from the **BlogWindow** component, in this case simply being the **<div>** returned in **BlogWindow.js**. That's why we also have to import **BlogWindow** in **index.js** as indicated on the top of the **index.js** file.

Now, start your React project (make sure you're somewhere in the **react-for-liferay-fe** directory!) by the command:

react-for-liferay-fe/..

```
npm start
```