



Wir starten um 15 Uhr!  
**SAS Viya Update Session**

 **sas viya**  
More Productive Data and AI

# Housekeeping

## Nehmen Sie Kontakt auf!

- In der MS Teams Session sieht jeder alle Teilnehmerinnen und Teilnehmer mit dem jeweils selbst gewählten Namen.
  - Vernetzen Sie sich über LinkedIn!
  - Fragen Sie bei uns nach, wir vermitteln den Kontakt, wenn dies gewünscht ist.
- Während der Hauptsession schalten wir Mikrofone stumm. Kamera bitte nur bei Speakern an!
- In den Expertensessions ab 15:40 Uhr: gerne alle “on camera” – dort sind auch mündliche Fragen erlaubt und gewünscht!
- Fragen, Anmerkungen und Kommentare jederzeit gerne im Chat, wir gehen darauf ein – spätestens in den Expertensessions oder auch im Nachgang.
- Kontaktperson für Terminvereinbarungen mit den Experten oder weitere Fragen jeder Art:



Jan Schmidt  
Sr Associate Marketing Specialist  
[Jan.Schmidt@sas.com](mailto:Jan.Schmidt@sas.com)

# SAS®Viya Update Session


## Rückschau

**Casey Smith**  
Director Data Engineering, SAS R&D

**Live from Cary -  
Jahresrückblick**




David Weik  
Sr Software Engineer,  
SAS R&D



# SAS®Viya Update Session


## Rückschau



# SAS® Viya Update Session

## Rückschau

ModelOps: Wichtige Neuerungen, Demo Snippets und eine Kurzanleitung zum Aufbau eines zentralen Modell Dashboards.



Tamara Fischer  
Principal Data Scientist,  
SAS

# SAS® Viya Update Session

## Rückschau

### Session 1



**Günter Greulich**

Senior Solutions Architect, SAS

**Zusammenspiel SAS Dataset  
und Datastep mit Singlestore**

### Session 2



**Nico Büttner**

Senior Solutions Architect, SAS

**SAS Container Runtime – Die  
moderne Art, SAS-Modelle und  
-Entscheidungen in der Cloud  
auszuführen**

### Session 3




**Matthias Krufczik**

Business Solution Manager, SAS

**Live Demo: Generate Business  
Value by Decarbonizing your  
Mortgage Loan Portfolio**

# SAS®Viya Update Session

## Rückschau



Kalorienverbrauch Marathon:  
~3500kcal

1 Mozartkugel:  
~85kcal

Benötigte Mozartkugeln:  
42!

Zufall?

# SAS® Viya Update Session

## Was passiert in den nächsten 60 Minuten?



**15:00** **Begrüßung und Einleitung:** Robert Ruf, Sr Pre-Sales Solutions Architect, SAS

**Live from Cary – im Interview werfen wir einen Blick auf Copilot Coding mit den beiden R&D Experten**  
- mit Jorge Silva (Director, AIML Server) und David Weik (Senior Software Engineer), SAS

**Updates! Updates! Updates!** - David Weik, Senior Software Engineer, SAS R&D

**Agentic AI und die Kunst der intelligenten Entscheidungen-** Tamara Fischer, Principal Data Scientist, SAS

**Gewinnspiel**

**15:40** **Live Breakouts (parallele MS-Teams Sessions)**

**SAS Viya im Fokus: Impact Analysis & SAS Studio – Transparenz für Ihre Datenflüsse**  
- Günter Greulich, Pre-Sales Solutions Architect, SAS

**Sammelst Du noch oder generierst du schon – synthetische Daten mit dem SAS Data Maker & Überblick über die Copilots in SAS Viya**  
- Gerhard Svolba, Advisory Pre-Sales Solutions Architect, SAS

**Intelligent Decisioning beyond Out of the Box - Query Datagrids with DuckDB**  
- Clemens Knobloch, Principal Business Solutions Manager, SAS

Alle Experten stehen in eigenen MS Teams-Räumen für Fragen und Vertiefungen zur Verfügung.  
Sie wählen selbst, welches Thema Sie am meisten interessiert!

**16:00** Ende der Veranstaltung - Rückfragen / Terminwünsche für Einzelgespräche an [jan.schmidt@sas.com](mailto:jan.schmidt@sas.com)

# Gewinnen Sie ...\*



## Modus:

- Getippt wird hier live im Chat, sobald das "START" Signal von SAS dort sichtbar ist.
- 1 Tipp je Anmeldung/TN. (der erste Tipp wird gewertet)
- Es gewinnt, wer am am nächsten am richtigen Ergebnis ist und ...
- Haben mehrere TN den gleichen Tipp, gewinnt der zuerst genannte Tipp.
- Eine Tippabgabe ist bis zum Übergang in die Breakout Sessions möglich.

\*Der Rechtsweg ist ausgeschlossen.

# Gewinnen Sie ...

Frage:

Wieviele Treppenstufen sind es vom Restaurant bis zum SAS Office?

(ohne Aufzug und Rolltreppe)



SAS Office Frankfurt, 13. Etage



Restaurant Messeturm im 1. UG



[https://de.wikipedia.org/wiki/Messeturm\\_\(Frankfurt\\_am\\_Main\)](https://de.wikipedia.org/wiki/Messeturm_(Frankfurt_am_Main))

|                 |                                       |
|-----------------|---------------------------------------|
| Bauzeit:        | Juli 1988 bis Oktober 1990            |
| Baustil:        | Postmodern                            |
| Arbeitsplätze:  | 4.000                                 |
| Höhe:           | 256,5 m                               |
| Höhevvergleich: | Nr. 2 in Deutschland, Nr. 8 in Europa |

# Live from Cary

Jorge Silva, Director for AI & ML, SAS R&D  
David Weik, Sr Systems Architect, SAS R&D




# Discussion

# Updates! Updates! Updates!

What's New with SAS Viya 2025.04 – 2025.11

David Weik, Sr Systems Architect, SAS R&D

# Overview



# of Features

540

# of Releases

8

Features by Category

164

Analytics

142

Data Management

97

Operations

92

Administration

32

ModelOps

13

Decisioning

# Data Management

# 52 Updates for Google BigQuery, PostgreSQL, ...

Connect me baby one more time

## Impala: Connect with Kerberos Authentication

Databricks: Parquet Support for BL\_FORMAT= Enhancement to PROC ACCELERATOR: KEEPLISTC... DuckDB: Reading Complex Data Types DuckDB: Support for Avro and Excel Files DuckDB: Support for CONNECTION= DuckDB: Usage for Parquet Files JDBC: Support for CATALOG= Option Enhancement for data step: For DATE, DATETIME, a... Google BigQuery: Additional Values Supported fo... Hadoop: HIVE\_PRINCIPAL= Option is Deprecated Hadoop: SAS In-Database Technologies for Hadoo... Hadoop: new option WEBHDFSURL Hive: Hadoop Data Connector, Connect to Hive Ser... Impal: Bulk Loading from S3 Impala: Changes When You Use WebHDFS for Bulk... Documentation has been updated to note that the... Impala: Support for BL\_FORMAT= Options Impala: Support for HTTPPATH= Cloudera: SAS/ACCESS Interface to Hadoop has ad... Microsoft Fabric Data Warehouse: Multi-Value Insert... Microsoft SQL Server on Fabric: Support for SCAN... Microsoft SQL Server: Authentication for Bulk Load... Amazon Redshift: LIBNAME Support for SSO Microsoft SQL Server: Support for Microsoft Fabric... Oracle: Support for Bulk Loading PostgreSQL: Bulk Loading with FedSQL and DS2 L... Retired Product: SAS In-Database Technologies for... SingleStore: Documentation has been updated to r... SingleStore: The BY statement is now supported for... Snowflake: Working with VARIANT Data Support for LIBNAME Connections to DuckDB Teradata: A new option is available for scoring in T... Teradata: Clarification About Using SSO Teradata: Scoring in Teradata has undergone signif... Teradata: Support for Single Sign-On to Microsoft A... Teradata: TPT= Usage The product SAS with SingleStore has been renam... The restriction for the RIGHT function (and KRIGHT)... XLSX: COMPAT\_VARNAME= Argument Amazon Redshift: Data Connector Support for SSO

# The Duck is Loose

Motherducker! With SAS ACCESS for DuckDB

|        |                 |            |                                                                          |
|--------|-----------------|------------|--------------------------------------------------------------------------|
| 202511 | Data Management | SAS/ACCESS | DuckDB: Reading Complex Data Types                                       |
| 202511 | Data Management | SAS/ACCESS | DuckDB: Support for Avro and Excel Files                                 |
| 202511 | Data Management | SAS/ACCESS | DuckDB: Memory Usage and Parallel Processing                             |
| 202510 | Data Management | SAS/ACCESS | DuckDB: Support for CONNECTION=                                          |
| 202509 | Data Management | SAS/ACCESS | DuckDB: Options to Facilitate Working With Parquet Files                 |
| 202509 | Data Management | SAS/ACCESS | DuckDB: New Connection Options for GCP and Azure                         |
| 202508 | Data Management | SAS/ACCESS | DuckDB: Usage for Parquet Files                                          |
| 202507 | Operations      | SAS Viya   | DuckDB: New SAS/ACCESS engine is now included with the SAS Viya platform |
| 202507 | Data Management | SAS/ACCESS | Support for LIBNAME Connections to DuckDB                                |

# SAS Studio

## Those Coders are Fast as Lightning (Ha Huh)

A new Connection Manager window is available  
By default, a maximum of 5,000 columns is displayed  
Displaying Errors and Warnings on the Code Tab for  
Enhancement to the Submissions Subtab  
In SAS Studio, you can now run a job definition that  
New Parameter for SAS Studio URL  
New Step: Modeling and Forecasting  
New Step: Proportional Hazards Regression  
Performing Impact Analysis  
Some steps can be opened on a new tab and used  
The column selector now displays both the column  
The experience for importing data is now the same  
The query functionality has been improved: a default  
The query functionality has been improved: ability to  
The step categories can be sorted alphabetically. Yes  
Viewing Scheduled SAS Jobs  
You can now copy and paste a range of cells  
You now have the option to view both the formatted  
new Find and Replace functionality, which replaces...

A search is now available in advanced options and i...  
Cloning Git Repositories: SAS Studio Automatically...  
Enhancement to Custom Step Designer: Filter for In...  
Flows now use curved arrows  
In a current view, you can autosize all of the columns  
In the custom steps interface, the controls and sect...  
In the current view, you can autosize all of the columns  
New Step: Compare Data  
New Step: Similarity Analysis  
SAS Studio now provides infinite scrolling in the table  
The Shared tab in the Steps pane is renamed Custo...  
The deploy, redeploy, and jobs functionality is dete...  
The new SAS Server and SAS Content panes replac...  
The query functionality has been improved: ability to...  
The query functionality has been improved: improve...  
The user interface for the Manage Git Connections...  
When importing a file in a flow, you are no longer r...  
When no step is selected in the flow, the Details pa...  
a faster code editor for SAS and Python programs  
syntax suggestion in the Python code editor

Adding Snippets to a Flow as Embedded Programs  
Critical Change: Git Profiles Using SSH Authentication  
Enhancement to Step: Verify with Logate  
In SAS Studio Analyst and SAS Studio Engineer, you...  
More properties are available for files and folders...  
New Step: Generalized Linear Models  
New Step: N-Way ANOVA  
New Step: Univariate Time Series Analysis  
Snippets are in a new format (.snippet file). A snipp...  
The Start page now includes a link to create a Pytho...  
The division between basic and advanced options i...  
The new Submissions and Job Status tab replaces...  
The query functionality has been improved: ability to...  
The split between connected libraries and saved de...  
To set your preferences, click the Profile icon and se...  
Using Undo and Redo in a Flow  
You can access some of the flow functionality using...  
You can use the go-to-row functionality to quickly m...  
improved syntax help menu for SAS programs  
A Code Generation option is now available from th...

Adding Status Handling to a Flow  
Deprecated Features  
Enhancement to Table Node: Search and Filter  
New Step: Mixed Models  
New Step: Neural Network  
New User Interface

# Viewing Tables just got Great


It's a bird, it's a plane, it's TABLES

The screenshot displays the SAS Studio interface. On the left, the 'Library Connections' pane shows a tree view of SASHELP tables, with 'SASHELP.CARS' selected. The main window shows the 'SASHELP.CARS' table with 15 columns and 428 rows. A context menu is open over the 'Type' column, listing actions: Hide column, Pin, Autosize, Select, Copy column headers, Sort, Filter column, Move, and Properties. The table data includes columns for Make, Model, Type, Origin, DriveTrain, MSRP, Invoice, EngineSize, Cylinders, Horsepower, MPG\_City, MPG\_Highway, and Weight.

| #  | Make  | Model                            | Type                | Origin | DriveTrain | MSRP     | Invoice  | EngineSize | Cylinders | Horsepower | MPG_City | MPG_Highway | W |
|----|-------|----------------------------------|---------------------|--------|------------|----------|----------|------------|-----------|------------|----------|-------------|---|
| 1  | Acura | MDX                              | Hide column         |        |            | \$36,945 | \$33,337 | 3.5        | 6         | 265        | 17       | 23          |   |
| 2  | Acura | RSX Type S 2dr                   | Pin                 |        |            | \$23,820 | \$21,761 | 2          | 4         | 200        | 24       | 31          |   |
| 3  | Acura | TSX 4dr                          | Autosize            |        |            | \$26,990 | \$24,647 | 2.4        | 4         | 200        | 22       | 29          |   |
| 4  | Acura | TL 4dr                           | Select              |        |            | \$33,195 | \$30,299 | 3.2        | 6         | 270        | 20       | 28          |   |
| 5  | Acura | 3.5 RL 4dr                       |                     |        |            | \$43,755 | \$39,014 | 3.5        | 6         | 225        | 18       | 24          |   |
| 6  | Acura | 3.5 RL w/Navigation 4dr          | Copy column headers |        |            | \$46,100 | \$41,100 | 3.5        | 6         | 225        | 18       | 24          |   |
| 7  | Acura | NSX coupe 2dr manual S           | Sort                |        |            | \$89,765 | \$79,978 | 3.2        | 6         | 290        | 17       | 24          |   |
| 8  | Audi  | A4 1.8T 4dr                      | Filter column       |        |            | \$25,940 | \$23,508 | 1.8        | 4         | 170        | 22       | 31          |   |
| 9  | Audi  | A41.8T convertible 2dr           | Move                |        |            | \$35,940 | \$32,506 | 1.8        | 4         | 170        | 23       | 30          |   |
| 10 | Audi  | A4 3.0 4dr                       |                     |        |            | \$31,840 | \$28,846 | 3          | 6         | 220        | 20       | 28          |   |
| 11 | Audi  | A4 3.0 Quattro 4dr manual        | Properties          |        |            | \$33,430 | \$30,366 | 3          | 6         | 220        | 17       | 26          |   |
| 12 | Audi  | A4 3.0 Quattro 4dr auto          |                     |        |            | \$34,480 | \$31,388 | 3          | 6         | 220        | 18       | 25          |   |
| 13 | Audi  | A6 3.0 4dr                       | Sedan               | Europe | Front      | \$36,640 | \$33,129 | 3          | 6         | 220        | 20       | 27          |   |
| 14 | Audi  | A6 3.0 Quattro 4dr               | Sedan               | Europe | All        | \$39,640 | \$35,992 | 3          | 6         | 220        | 18       | 25          |   |
| 15 | Audi  | A4 3.0 convertible 2dr           | Sedan               | Europe | Front      | \$42,490 | \$38,325 | 3          | 6         | 220        | 20       | 27          |   |
| 16 | Audi  | A4 3.0 Quattro convertible 2dr   | Sedan               | Europe | All        | \$44,240 | \$40,075 | 3          | 6         | 220        | 18       | 25          |   |
| 17 | Audi  | A6 2.7 Turbo Quattro 4dr         | Sedan               | Europe | All        | \$42,840 | \$38,840 | 2.7        | 6         | 250        | 18       | 25          |   |
| 18 | Audi  | A6 4.2 Quattro 4dr               | Sedan               | Europe | All        | \$49,690 | \$44,936 | 4.2        | 8         | 300        | 17       | 24          |   |
| 19 | Audi  | A8 L Quattro 4dr                 | Sedan               | Europe | All        | \$69,190 | \$64,740 | 4.2        | 8         | 330        | 17       | 24          |   |
| 20 | Audi  | S4 Quattro 4dr                   | Sedan               | Europe | All        | \$48,040 | \$43,556 | 4.2        | 8         | 340        | 14       | 20          |   |
| 21 | Audi  | RS 6 4dr                         | Sports              | Europe | Front      | \$84,600 | \$76,417 | 4.2        | 8         | 450        | 15       | 22          |   |
| 22 | Audi  | TT 1.8 convertible 2dr (coupe)   | Sports              | Europe | Front      | \$35,940 | \$32,512 | 1.8        | 4         | 180        | 20       | 28          |   |
| 23 | Audi  | TT 1.8 Quattro 2dr (convertible) | Sports              | Europe | All        | \$37,390 | \$33,891 | 1.8        | 4         | 225        | 20       | 28          |   |

# Data Sources Made Simple

Connect me baby one more time



# New steps to make things easier

Stepping it Up

# of Step Updates

27

# of Step Updates by Category

14

Analytics

13

Data Management

# Three Step Highlights

## Compare, Sample & Analysis

Compare Data

Select TablesSelect ColumnsComparison CriteriaOutput DataNodeNotes

Method for judging equality:  
Exact  
☐ Treat a missing value in the Base data set as equal to any value.  
☐ Treat a missing value in the Comparison data set as equal to any value.

Sample Data  
DataOptionsOutputNodeNotes

Similarity Analysis

DataOptionsOutputNodeNotes

Methods

Distance measure method: \*  
Dynamic time warping (default)

Settings

Distance measure metric: \*  
Root square deviation (default)

Input


Note: The minimum of the specified warping window size and the percentage of input series size is used to determine the actual warping window size.

Size of warping window:  
1,000

Percentage of input series size:  
50


# Standalone SAS Steps

Sometimes being Single ain't so bad



# Autocompletion was never better

This is the function you are looking for



# Coding Updates

There IS a Proc for That

# of Proc Updates

65

# of Step Updates by Category

50

Analytics

8

Data Management

# A quick Look


The old is better and the new is awesome

|                                                                                 |
|---------------------------------------------------------------------------------|
| New Proc: TRANSCRIPTERROR                                                       |
| New Proc: TRANSCRIPT                                                            |
| New Proc: TEXTNEARDUP                                                           |
| New Proc: TEXTBERT                                                              |
| New Proc: SHAPLEY                                                               |
| New Proc: NOMINALDR                                                             |
| New PROC: LIME                                                                  |
| New Proc: LIME                                                                  |
| New Proc: FPCASSCORE, scoring for functional principal component analysis model |
| New Proc: FPCAScore                                                             |
| New Proc: FPCA, functional principal component analysis                         |
| New Proc: FPCA                                                                  |
| New Proc: ASSESSBIAS                                                            |

|                                                                           |
|---------------------------------------------------------------------------|
| Enhancement to PROC: TEXTPROFILE                                          |
| Enhancement to PROC: TEXTMINE, TOPICDECISION option for the SVD statement |
| Enhancement to Proc: SVMACHINE                                            |
| Enhancement to Proc: RECENGINE                                            |
| Enhancement to Proc: NOMINALDR                                            |
| Enhancement to Proc: NNET                                                 |
| Enhancement to PROC: GRADBOOST, new MITIGATEBIAS statement                |
| Enhancement to Proc: GRADBOOST                                            |
| Enhancement to Proc: FOREST                                               |
| Enhancement to Proc: FASTKNN                                              |
| Enhancement to Proc: ERCOMPSTORE                                          |
| Enhancement to Proc: ASTORE                                               |
| Enhancement to Proc: ASSESSBIAS                                           |
| Enhancement to Proc: ACCELERATOR                                          |


# Expanded Graph Options (Preview)

The Future is looking to the left and right



# Growing trees, from trees for granular insights

## Two trees is not a forest



# SAS Intelligent Decisioning

I'm so decided, and I just can't hide it

## Segmentation Tree Enhancements

Control the Publishing of Decisions from a Workflow  
Distribute Advanced List Data across Multiple Redis Destinations  
Enhancement to Segmentation Trees: Export referenced data to CSV  
Manage Function Categories, Hidden Functions, and Segmentation Trees  
New Configuration Options: sas.intelligent.decisioning.enabled  
New Configuration Options: sas.referencedata.active  
Publish Decisions to Databricks Destinations  
Configure Advanced Lists to Use a Redis Cluster Instance  
The sas-decisions pod has been merged into the sas-decisioning pod  
View the Status of Long-Running Jobs

Prevent Deletion of Tags on Read-Only Items  
Editing a Locked Version of an Object  
Enhancement to Segmentation Trees: You can delete tags  
Local Value Lists  
Maximum Lengths for Character Variables  
New %DCM\_IMPORT\_RULE\_FLOW Macro  
New Configuration Options: sas.intelligent.decisioning.enabled  
Customize Direction When Adding Missing Variables  
Sample Decision Approval V2 Workflow  
Specifying a Python Version for a Decision  
Update Oracle Database Connections  
View a List's Estimated Memory and Record Count  
Compare Node Variables with Decision Variables

# SAS Visual Analytics API

Automate the Boring Stuff

SAS Visual  
Analytics

## Get Export a PDF of a report

Exports a report as PDF. Maintain the client connection to download the report even if it takes some time to generate the PDF. Apply the query parameter values to the creation o...

/reports/{reportId}/pdf

## Get Export a PNG Image of a report or report object

Exports an image for the report or part of a report in Portable Network Graphics format. The returned content is as specified by the Accept header of the request as ...

/reports/{reportId}/png

## Get Export an SVG Image of report or report object

Exports an image for the report or part of a report in Scalable Vector Graphics format. The returned content is as specified by the Accept header of the request as "image/svg+xml".

/reports/{reportId}/svg

## Get Export a report package

Exports a package for the report or report objects in compressed (zip) format. The returned content contains the report source files, plus the results of data queries and ...

/reports/{reportId}/package

## Post Create a report while applying the specified operation(s)

Creates a report while applying the specified operation(s). The new report can be generated with a specific name and location by denoting the resultFolder and ...

/reports

## Put Update a report while applying the specified operation(s)

Creates or updates a report while applying the specified operation(s). The source report for the updates is denoted in the uri of the request. A new report can be generated by ...

/reports/{reportId}

## Delete Delete a report

Deletes the specified report and its content. Removes the report from the parent folder.

/reports/{reportId}

## Put Create a copy of a report

Creates a copy of a report. The report to be copied is denoted in the uri of the request. The name and location of the copied report can be specified in the body of the request with th...

/reports/{reportId}/copy

Exports the data for a report object in the requested exported format. The report object can be any table, graph or crosstab in the report.

/reports/{reportId}/xlsx

# SAS Extension for VS Code [GitHub]

Power Overwhelming

Add Traditional Chinese and Polish translations

Add application name to ITC-based (IOM/COM) co...

Add sas file system support for ITC-based (IOM/CO...

Add support for fileNavigationCustomRootPath/file...

Added ability to save cell output

Added check for unsaved files in a folder upon dele...

Allow mapping VS Code color theme to custom OD...

Be able to ignore region from format

Set default CSV save location to workspace root fo...

Toggle SAS code comment by line

Ability to export SAS Notebook to HTML file


# SAS Portal Framework for SAS Viya [GitHub]

The only limit is your Content

- New Object runCustomCode, a complex new objec...
- New object: Data Product Registry
- New object: SAS Contet Job Object
- New utility function getAllURLSearchParams, retriev...
- New utility function getSCRMetadata, retrieves the...
- New utility function scoreSCR, which enables you t...
- New utility function terminateCASSession, handles...
- New utility function terminateSASSession, handles t...
- New utility function: copyReport
- The MAS Module Scorer object now provides the a...
- The SCR Module Scorer object has been added
- All currently available objects can be created using...
- New object: Data Product Marketplace
- New object: SAS Content VA Report Object
- New utility function createCASSession, handles the...
- New utility function: copyFile
- New utility function: getFormattedDatetime

# SAS Agentic AI Accelerator [GitHub]

Building the future together



The screenshot shows the GitHub repository page for the SAS Agentic AI Accelerator. The page has a dark theme. At the top, there is a breadcrumb navigation bar with a home icon and the text "SAS Agentic AI Accelerator". Below this, the title "SAS Agentic AI Accelerator" is displayed in a large, bold, white font. Under the title, a paragraph describes the accelerator: "The SAS Agentic AI Accelerator provides a method for building AI agents leveraging SAS Viya technology. It is designed to help users move more quickly from use-case idea to production, utilizing *No/Low/Yes* Code interfaces and full governance as a way to build agents that balance autonomy and trust." Below this paragraph, the text "It includes:" is followed by a bulleted list of features. The list includes: "The full code + documentation to deploy this in your SAS Viya Environment", "All the integrations that are built (SAS Studio Custom Steps, a no code prompt engineering UI, SAS Intelligent Decisioning Node, SAS Macros, Postman Collection and so much more)", "Pre-build deployment recipes for LLMs", and "Pre-build deployment recipes for embedding models". At the bottom of the screenshot, a paragraph states: "The accelerator builds only on SAS Viya standard components and does not use any unsupported APIs or otherwise undocumented features."

🏠 > SAS Agentic AI Accelerator

## SAS Agentic AI Accelerator

The SAS Agentic AI Accelerator provides a method for building AI agents leveraging SAS Viya technology. It is designed to help users move more quickly from use-case idea to production, utilizing *No/Low/Yes* Code interfaces and full governance as a way to build agents that balance autonomy and trust.

It includes:

- The full code + documentation to deploy this in your SAS Viya Environment
- All the integrations that are built (SAS Studio Custom Steps, a no code prompt engineering UI, SAS Intelligent Decisioning Node, SAS Macros, Postman Collection and so much more)
- Pre-build deployment recipes for LLMs
- Pre-build deployment recipes for embedding models

The accelerator builds only on SAS Viya standard components and does not use any unsupported APIs or otherwise undocumented features.

# Updates Every Month – See you next Time

[David.Weik@sas.com](mailto:David.Weik@sas.com)



Copyright © SAS Institute Inc. All rights reserved.

# Agentic AI


Die Kunst der intelligenten Entscheidungen

Tamara Fischer, Principal Data Scientist SAS



# Eine kurze Einführung

# From Large Language Models (LLMs)...



## A passive tool


They can't access your data.

They don't follow business rules.

They can't act.

## ...to AI Agents

AI systems that have the agency to act and perform complex tasks.



Copyright © SAS Institute Inc. All rights reserved.


## An active assistant

They can take actions.


They iterate to changing environments.

They execute complex tasks.

# Agentic AI & AI Agents




**Agentic AI** is a hybrid AI paradigm/approach that enables autonomous or semiautonomous **agents** to operate with trusted decisioning power, human oversight, and governance by design.



**AI Agents** are autonomous or semiautonomous AI systems that have the agency to decide, act and perform tasks.

# SAS for **Agentic AI**

A unified, governed,  
decision-first approach  
that turns AI agents from  
a science experiment into  
a business differentiator.



Decisioning

Human/AI Balance

Governance



## Design and Implement Agentic AI with Governance and Trust

### BUILDING BLOCKS

#### DATA

Vector Stores | Enterprise Data | 3<sup>rd</sup> Party Integration

#### TOOLS

AI/ML | SAS MCP Server | Rules

#### PROMPT REPOSITORY

LLMs | LLM Guardrails | Prompt Templates

### DESIGN

#### INTELLIGENT AGENTS

Human in the loop

Human out of the loop



AI Agent



AI Agent



AI Agent

Agentic Workflow

Agentic Workflow

Agentic Workflow

Orchestration

#### AGENTIC WORKFLOWS

### DEPLOYMENT



Streaming



API



Batch

### INTERACTION



Chatbots



Applications



Processes

### GOVERNANCE AND OBSERVABILITY

Performance Monitoring

Testing

Versioning

Explainability

Model Cards

Lineage

Traceability


# Ein einfaches Beispiel

# KI-basiertes Entscheidungsunterstützungssystem für Kreditanträge


## Szenario

**Ziel:** *Verbesserung von Transparenz, Genauigkeit und Nachvollziehbarkeit bei Kreditentscheidungen durch prädiktive und generative KI*


- 1. Vorhersage:** Gradient-Boosting-Modell bewertet Ausfallrisiko basierend auf Finanz- und Verhaltensdaten.
- 2. Erklärung:** TreeSHAP-Werte identifizieren die wichtigsten Einflussfaktoren je Antrag.
- 3. Verständlichkeit:** Sprachmodell (LLM) generiert individuelle, verständliche Erklärungen für Stakeholder.
- 4. Qualitätsbewertung:** Klassisches Textanalysemodell prüft die Qualität der generierten Erklärungen im Hinblick auf die erwartete Antwort.




ML Model




Prompt



LLM



Functions



Guardrails

# Decision Flow

## Explanation: TreeSHap Values


Output Table

|  | BAD | P_BAD1       | S_1CLAGE     | S_1CLNO      |
|--|-----|--------------|--------------|--------------|
|  | 1   | 0.9832531972 | 1.0951164064 | 0.6111721196 |
|  | 1   | 0.9510998911 | 0.908017684  | -0.599579264 |
|  | 1   | 0.9891865123 | 1.3951009567 | -0.563142343 |
|  | 1   | 0.9627123621 | 0.8843311574 | 1.7682304126 |
|  | 1   | 0.9817028914 | 1.071713857  | 0.746025148  |


The screenshot shows the SAS Studio LLM\_Evaluation interface. On the left, there are two lists of concepts: 'Predefined Concepts (9)' and 'Custom Concepts (6)'. The 'Custom Concepts' list is expanded, showing 'Contributors', 'Income', 'Credit\_H', and 'Open\_H'. The main area displays a 'Test Sample Text' with a 'Code is valid' status. Below this, there is a 'Generated' section with a list of concepts and their corresponding values, such as 'Income' with a value of 1100 and 'Credit\_H' with a value of 1.0.



## Quality Assessment & Guardrail: Classical Text Analytics

## Prediction: Model Studio




## Comprehensibility: Prompt





^ Hide tiles         Opened items (3)

6 Projects with Published Models 10%



New project

 [illegible]

SAS® Model Manager - Manage Models

Models > Gradient Boosting (Pipeline 1)

Project: Home Equity Loan Application (Version 1)

Opened items (2)

Gradient Boosting (Pipeline 1) (3.0)

Model CardFilesVariablesPropertiesVersions

Overview

Model Usage

Data Summary

Model Summary

Model Audit

Tags:

PublishedDS2 multi-type

Modeler:

gertsc

Responsible party:

(missing)

Gradient Boosting (Pipeline 1) Version 3.0

The Home Equity Risk Prediction Model is designed to assess the financial risk associated with home equity loans by forecasting the likelihood of borrower default or p...

Model Health ⓘ

Data partition: Validation

Accuracy ⓘ

Pass

MCE

Generalizability ⓘ

Pass

MCE Difference

Fairness ⓘ

Pass

REASON

Published status:

Published

Limitations documented:

Yes

Fairness assessment available:

Yes

Programming language:

SAS

Model Usage

Intended Use

The model is intended to support the financial institution in evaluating and managing the risk associated with home equity lending. It is used during loan origination to assess borrower risk, during portfolio monitoring to identify emerging threats, and in strategic planning to optimize capital allocation. By predicting the likelihood of default or property devaluation, the model enables proactive decision-making, enhances regulatory compliance, and improves overall portfolio health. It also aids in customer segmentation, pricing strategies, and stress testing, making it a vital tool for risk analysts, underwriters, and financial planners.

Model modified:

Sep 8, 2025, 02:34:52 P...

Influential Variables ⓘ

The most influential variables ranked by relative impact:

DEBTINC

CLAGE

VALUE

YOJ

CLNO

Fairness Variables ⓘ

No analysis has been run on the training data.

Publish

Copyright © SAS Institute Inc. All rights reserved.

SAS® Model Manager - Manage Models

Models > Gradient Boosting (Pipeline 1)

Gradient Boosting (Pipeline 1) (3.0)Project: Home Equity Loan Application (Version 1)

Model CardFilesVariablesPropertiesVersions

SCORE CODE

dmcas\_epscorecode.sas

dmcas\_packagescoreco...

PROPERTIES AND METADATA

AstoreMetadata.json

dmcas\_fitstat.json

dmcas\_lift.json

dmcas\_misc.json

dmcas\_miscTable.json

dmcas\_modelInfo.json

dmcas\_packagemetadat...

dmcas\_properties.json

dmcas\_relativeimportan...

dmcas\_roc.json

dmcas\_scoreinputs.json

dmcas\_scoreoutputs.json

dmcas\_sha1key.json

dmcas\_targetInfo.json

ModelProperties.json

OTHER

assessforbiasmetadata.j...

groupMetrics.json

master.json

maxDifferences.json

partialDependence1.json

partialDependence10.js...

partialDependence2.json

partialDependence3.json

partialDependence4.json

partialDependence5.json

dmcas\_epscorecode.sas

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

/\*-----\*/

/\* Product: Visual Data Mining and Machine Learning \*/

/\* Release Version: V2025.05 \*/

/\* Component Version: V2024.09 \*/

/\* CAS Version: V.04.00M0P05052025 \*/

/\* SAS Version: V.04.00M0P050525 \*/

/\* Site Number: 70180938 \*/

/\* Host: sas-cas-server-default-client \*/

/\* Encoding: utf-8 \*/

/\* Java Encoding: UTF8 \*/

/\* Locale: en\_US \*/

/\* Project GUID: 4239a13a-093a-454c-a43c-cb4fdc1f4e71 \*/

/\* Node GUID: 8d4e4daf-c3a1-4886-9887-aecb941bb4d3 \*/

/\* Node Id: 8D5VR16355LEE895259PJ39V \*/

/\* Algorithm: Gradient Boosting \*/

/\* Generated by: gertsc \*/

/\* Date: 29JUL2025:15:03:15 \*/

/\*-----\*/

data sasep.out;

dcl package score\_8D5VR16355LEE895259PJ39V();

dcl double EM\_EVENTPROBABILITY having label n'Probability for BAD=1';

dcl double "CLAGE";

dcl nchar(12) EM\_CLASSIFICATION having label n'Predicted for BAD';

dcl double "CLNO";

dcl double EM\_PROBABILITY having label n'Probability of Classification';

dcl double "DEBTINC";

dcl double "DELINQ";

dcl double "DEROG";

dcl double "LOAN";

dcl double "MORTDUE";

dcl double "NINQ";

dcl double "VALUE";

dcl double "YOJ";

dcl nchar(7) "REASON";

dcl nchar(7) "JOB";

dcl double "P\_BAD1" having label n'Predicted: BAD=1';

dcl double "P\_BAD0" having label n'Predicted: BAD=0';

dcl nchar(12) "I\_BAD" having label n'Into: BAD';

dcl nchar(4) "\_WARN\_" having label n'Warnings';

dcl double "L\_BAD1" having label n'Scaled log odds of P\_BAD1';

dcl double "L\_BAD0" having label n'Scaled log odds of P\_BAD0';

dcl double "S\_1CLAGE" having label n'TreeSHAP of variable CLAGE of L\_BAD1';

dcl double "S\_1CLNO" having label n'TreeSHAP of variable CLNO of L\_BAD1';

dcl double "S\_1DEBTINC" having label n'TreeSHAP of variable DEBTINC of L\_BAD1';

CHAMPION

Created by: gertsc

Modified by: gertsc

Date modified: Sep 8, 2025, 02:34:52 PM

Displayed version: 3.0

Latest published version: 3.0

Score Code Type

DS2 multi-type

Algorithm

Gradient boosting

Development Tool

Model Studio

Function

Classification

Training Code Type

No property value is specified.

Copyright © SAS Institute Inc. All rights reserved.

Build Prompts

Portal Builder

MAS Tester

Use Case 1

VA Test

## LLM Prompt Builder

Craft precise and effective prompts for language models. Select from various models and customize their options to optimize performance and achieve the desired outputs. Get started by selecting a model, adjusting the parameters, and entering your prompts.

### Select or Create a Project that is used for the Prompt Tracking

#### Select a Project:

Home Equity

#### Select an existing Prompt-Test:

Prompt test

Create a new Project

Create a new Prompt - The new Prompt will be saved into the currently selected project

Open in SAS Model Manager

### Select the LLMs to test Prompts with

- ☐ gpt\_4o\_mini\_2025\_01\_01
- ☐ phi\_35\_mini
- ☐ phi\_3\_mini\_4k


### Start building and testing your prompt

The left input field is for the **system prompt**, here you should enter how the LLM should behave/act/respond and give it a more or less static task description. The right input field is for the **user prompt**, which is the variable part the system prompt should be applied to. In the user prompt input field you can structure your inputs in the following fashion to introduce a variable input schema that will then also be turned into the documented inputs of the prompt for further use - variable names can not contain spaces and as semicolons: `variableName1:variableValue;variableName2:variableValue;...`

Enter the system prompt here...

Enter the user prompt here...

Run Experiments



Build Prompts

Portal Builder

MAS Tester

Use Case 1

VA Test

Prompt Experiment Run #6 ^

**System Prompt:** Neutral tone, not using first person talk. A customer has applied for a mortgage and was rejected due to a high risk of defaulting. The given 3 input values are the most important drivers for this. Explain how the input values have influenced the risk. Explain only the variable values that you get. The input is provided as a list of 6 pairs in the structure VARNAME1:variablename;VARVALUE1:value;VARNAME2:variablename;VARVALUE2:value;VARNAME3:variablename;VARVALUE3:value separated by semicolon. Repond using a numbered list using HTML formatting for each provided input key like this:

1. **key 1:** explanation
2. **key 2:** explanation
3. **key 3:** explanation

Use this dictionary for resolving the keys and values: REASON=Purpose of loan, DebtCon=debt consolidation, Homelmp=home improvement, LOAN=Amount of the loan request in USD, MORTDUE=Amount due on existing mortgage in USD, VALUE=Value of current property in USD, JOB=Occupational category, YOJ=Years at present job,DEBTINC=Debt-to-Income Ratio, DEROG=Number of major derogatory reports, DELINQ=Number of delinquent credit lines, CLAGE=Age of oldest trade line in months,CLNO=Number of existing credit lines.

**User Prompt** VARNAME1:DEROG;VARVALUE1:1;VARNAME2:VALUE;VARVALUE2:10;VARNAME3:NINQ;VARVALUE3:20

  Model: phi\_3\_mini\_4k ^☒ Best Response**Number of Output Tokens:** 230**Number of Input Tokens:** 411**Time to Response:** 10.145906448364258**Model Options:** {"max\_length":2048}**Model Response:**

1. **DEROG (Number of major derogatory reports):** The applicant has one major derogatory report, which indicates a history of financial difficulties or missed payments. This factor significantly increases the risk of defaulting on the mortgage, as it suggests potential issues with the applicant's ability to manage their debts.
2. **VALUE (Value of current property in USD):** The current property value is \$10,000. This relatively low value may affect the loan-to-value ratio, potentially requiring a larger down payment or a higher interest rate to secure the mortgage.
3. **NINQ (Number of existing credit lines):** The applicant has 20 existing credit lines. A high number of credit lines can indicate a heavy reliance on credit, which may increase the risk of defaulting on the mortgage if the applicant struggles to manage their debt obligations.

Prompt Experiment Run #5 ^

Prompt Experiment Run #4 ^

Prompt Experiment Run #3 ^

Save Experiments

Manifest Best Prompt

^ Hide tiles       Opened items (3)

6 Projects with Published Models 10%



63  
Projects

- Classification
- Not specified
- Text analytics
- User-defined

Search name   Advanced search

New project

Results: 3   In production x   gertsc x

[illegible]

SAS® Model Manager - Manage Models

Models > Prompt test

Prompt test (1.9)

Project: Home Equity (Version 1)

FilesVariablesPropertiesVersions

+

↓

🗑

📁

🔍

🔗

🔗

🔗

SCORE CODE

📄 prompt\_test.py

SCORE RESOURCES

📄 DS2Pkg\_PythonWrapper.s...

📄 example\_test.py

📄 settings.py

VARIABLES

📄 inputVar.json

📄 outputVar.json

OTHER

📄 Prompt-Experiment-Track...

📄

↶

↷

✂

📄

🔗

🔗

🔗

⚙

prompt\_test.py

```
1 def scoreModel(VARNAME1, VARVALUE1, VARNAME2, VARVALUE2, VARNAME3, VARVALUE3):
2     "Output: llmBody, llmURL"
3     # The llm and the target endpoint
4     llm = "phi_3_mini_4k"
5     endpoint = "https://agenticviya.emea.sas.com/llm"
6     llmURL = f"{endpoint}/{llm}/{llm}"
7     # These are the options that were set for the best prompt
8     options = f"{{max_length:2048}}"
9     # This is the system prompt that was selected as the best one by the prompt engineer
10    systemPrompt = ""Neutral tone, not using first person talk. A customer has applied for a mortgage and was rejected due to a high risk of default
11    # Here the user prompt will be created from the inputs of the call
12    userPrompt = f"VARNAME1: {VARNAME1}; VARVALUE1: {VARVALUE1}; VARNAME2: {VARNAME2}; VARVALUE2: {VARVALUE2}; VARNAME3: {VARNAME3}; VARVALUE3: {VARV
13    llmBody = '{"inputs":[{"name":"systemPrompt","value":"' + systemPrompt + '"}, {"name":"userPrompt","value":"' + userPrompt + '"}, {"name":"options",
14    return llmBody, llmURL
```

Opened items (4)

Publish

📄

↶

↷

✕

Key Model Properties

Created by: 

G

 gertsc

Modified by: 

G

 gertsc

Date modified: Jul 29, 2025, 05:52:41 PM

Displayed version: 1.9

Latest published version: Not published

Score Code Type

Python

Algorithm

Prompt-Template

Development Tool

Prompt-Builder

Function

Prompting

Training Code Type

No property value is specified.

https://agenticviya.emea.sas.com/SASModelManager/#

Copyright © SAS Institute Inc. All rights reserved.

Model Studio - Build Models

Projects > LLM Evaluation

LLM Evaluation

Data Pipelines

Evaluate LLM Output

Run pipeline


LLM\_Evaluation

Description

☐ Include predefined concepts

☐ Use basic tokenizer

Chunk Size



Model Studio - Build Models

Projects > LLM Evaluation > LLM\_Evaluation

LLM\_Evaluation

Concepts

Predefined Concepts (9)

- ☐ nlpDate
- ☐ nlpMeasure
- ☐ nlpMoney
- ☐ nlpNeonGroup
- ☐ nlpOrganization
- ☐ nlpPercent
- ☐ nlpPerson
- ☐ nlpPlace
- ☐ nlpTime

Custom Concepts (4)

- ☐ Contributors
- ☒ Items
- ☐ close\_b
- ☐ open\_b

Concept Sandbox

Items

Run node 12

1 CONCEPT RULE: (ORD, " c(open\_b)"," c(Contributors)"," c(close\_b)")

Code is valid

Documents Sample Text

All (50) Matched Unmatched Search

llmGenerated

<ol>

<li><b>Debt-to-Income Ratio (DEBTINC)</b></li><b>Debt-to-Income Ratio (DEBTINC) of . (or 0%) indicates that the applicant has no debt, which is a positive sign for lenders. However, it's unusual for a mortgage applicant to have no debt, as most people have some form of debt. This could be a red flag for the lender, as it may suggest that the applicant is not fully aware of their financial situation ...

<li><b>Debt-to-Income Ratio (DEBTINC)</b></li><b>Debt-to-Income Ratio (DEBTINC) of . (or 0%) indicates that the applicant has no debt, which is a positive sign for the lender. However, it's unusual for a mortgage applicant to have no debt, as most people have some form of debt. This could be a red flag for the lender, as it may suggest that the applicant is not fully aware of their financial ...

<li><b>Debt-to-Income Ratio (DEBTINC)</b></li><b>Debt-to-Income Ratio (DEBTINC) of . (or 0%) indicates that the applicant has no debt, which is a positive sign for the lender. However, it's unusual for a mortgage applicant to have no debt, as most people have some form of debt. This could be a red flag for the lender, as it may suggest that the applicant is not fully aware of their financial ...

Document 1 of 50

^ Hide tiles         [Opened items \(3\)](#)

### Total Number of Projects

### Projects per Operational Status



SAS® Model Manager - Manage Models

Models > LLM\_Evaluation

LLM\_Evaluation (1.0)Project: LLM Evaluation (Evaluate LLM Output) (Version 1)

FilesVariablesPropertiesVersions

+

↓

🗑

📄

?

SCORE CODE

vta\_epScoreCode.sas

vta\_packageScoreCode.sas

PROPERTIES AND METADATA

AstoreMetadata.json

OTHER

a1d336a4-0c96-45ce-8e6...

master.json

vta\_epScoreCode.sas

1

data sasep.out;

2

dcl package score sc();

3

dcl varchar(32767) "llmGenerated";

4

dcl varchar(32767) "\_concepts\_" having label n'Concepts';

5

dcl varchar(32767) "\_facts\_" having label n'Facts';

6

varlist allvars[\_all\_];

7

method init();

8

sc.setvars(allvars);

9

sc.setKey(n'97BF35787A8F97E91055630C450E7F0CF15AF08C');

10

end;

11

method preScoreRecord();

12

end;

13

method postScoreRecord();

14

end;

15

method term();

16

end;

17

method run();

18

set sasep.in;

19

preScoreRecord();

20

sc.scoreRecord();

21

postScoreRecord();

22

end;

23

enddata;

24

Published

🔍

↶

↷

✕

Key Model Properties

Created by:

G gertsc

Modified by:

G gertsc

Date modified:

Aug 14, 2025, 12:43:47 PM

Displayed version:

1.0

Latest published version:

Not published

Score Code Type

DS2 multi-type

Algorithm

Rule-based

Development Tool

Visual Text Analytics

Function

Text concepts

Training Code Type

No property value is specified.



Publish Import Export ↺ ↻ ↺ ⋮ ×



3

Filter

⑧ S\_1JOB

⑧ \$ 1VALUE

④ S\_1Y0J

Ⓢ DEBTINC

⑧ S 1DEBTINC

⑧ S\_1MORTDUE

⊕ S\_1CLAGE

Ⓢ S. 1 DELINO

\_\_\_\_\_



Verify syntax

SAS® Intelligent Decisioning - Build Decisions

Custom Functions

topnshap

CodePropertiesVariables


Functions

Filter

SAS

- Arithmetic
- Array
- Bitwise Logical Operations
- Character
- Character String Matching
- Combinatorial
- Data Quality
- Data Grid
- Date and Time
- Descriptive Statistics
- Distance
- Error Checking
- Financial
- Hyperbolic
- Installation Information
- Mathematical
- Numeric
- Probability
- Quantile
- Random Number Functions
- Special
- State and ZIP code
- Trigonometric
- Truncation
- Custom

123456789101112131415161718192021222324252627282930313233343536373839404142434445464748495051525354555657585960616263646566676869707172737475767778798081828384858687888990919293949596979899100101102103104105106107108109110111112113114115116117118119120121122123124125126127128129130131132133134135136137138139140141142143144145146147148149150151152153154155156157158159160161162163164165166167168169170171172173174175176177178179180181182183184185186187188189190191192193194195196197198199200201202203204205206207208209210211212213214215216217218219220221222223224225226227228229230231232233234235236237238239240241242243244245246247248249250251252253254255256257258259260261262263264265266267268269270271272273274275276277278279280281282283284285286287288289290291292293294295296297298299300301302303304305306307308309310311312313314315316317318319320321322323324325326327328329330331332333334335336337338339340341342343344345346347348349350351352353354355356357358359360361362363364365366367368369370371372373374375376377378379380381382383384385386387388389390391392393394395396397398399400401402403404405406407408409410411412413414415416417418419420421422423424425426427428429430431432433434435436437438439440441442443444445446447448449450451452453454455456457458459460461462463464465466467468469470471472473474475476477478479480481482483484485486487488489490491492493494495496497498499500501502503504505506507508509510511512513514515516517518519520521522523524525526527528529530531532533534535536537538539540541542543544545546547548549550551552553554555556557558559560561562563564565566567568569570571572573574575576577578579580581582583584585586587588589590591592593594595596597598599600601602603604605606607608609610611612613614615616617618619620621622623624625626627628629630631632633634635636637638639640641642643644645646647648649650651652653654655656657658659660661662663664665666667668669670671672673674675676677678679680681682683684685686687688689690691692693694695696697698699700701702703704705706707708709710711712713714715716717718719720721722723724725726727728729730731732733734735736737738739740741742743744745746747748749750751752753754755756757758759760761762763764765766767768769770771772773774775776777778779780781782783784785786787788789790791792793794795796797798799800801802803804805806807808809810811812813814815816817818819820821822823824825826827828829830831832833834835836837838839840841842843844845846847848849850851852853854855856857858859860861862863864865866867868869870871872873874875876877878879880881882883884885886887888889890891892893894895896897898899900901902903904905906907908909910911912913914915916917918919920921922923924925926927928929930931932933934935936937938939940941942943944945946947948949950951952953954955956957958959960961962963964965966967968969970971972973974975976977978979980981982983984985986987988989990991992993994995996997998999100010011002100310041005100610071008100910101011101210131014101510161017101810191020102110221023102410251026102710281029103010311032103310341035103610371038103910401041104210431044104510461047104810491050105110521053105410551056105710581059106010611062106310641065106610671068106910701071107210731074107510761077107810791080108110821083108410851086108710881089109010911092109310941095109610971098109911001101110211031104110511061107110811091110111111121113111411151116111711181119112011211122112311241125112611271128112911301131113211331134113511361137113811391140114111421143114411451146114711481149115011511152115311541155115611571158115911601161116211631164116511661167116811691170117111721173117411751176117711781179118011811182118311841185118611871188118911901191119211931194119511961197119811991200120112021203120412051206120712081209121012111212121312141215121612171218121912201221122212231224122512261227122812291230123112321233123412351236123712381239124012411242124312441245124612471248124912501251125212531254125512561257125812591260126112621263126412651266126712681269127012711272127312741275127612771278127912801281128212831284128512861287128812891290129112921293129412951296129712981299130013011302130313041305130613071308130913101311131213131314131513161317131813191320132113221323132413251326132713281329133013311332133313341335133613371338133913401341134213431344134513461347134813491350135113521353135413551356135713581359136013611362136313641365136613671368136913701371137213731374137513761377137813791380138113821383138413851386138713881389139013911392139313941395139613971398139914001401140214031404140514061407140814091410141114121413141414151416141714181419142014211422142314241425142614271428142914301431143214331434143514361437143814391440144114421443144414451446144714481449145014511452145314541455145614571458145914601461146214631464146514661467146814691470147114721473147414751476147714781479148014811482148314841485148614871488148914901491149214931494149514961497149814991500150115021503150415051506150715081509151015111512151315141515151615171518151915201521152215231524152515261527152815291530153115321533153415351536153715381539154015411542154315441545154615471548154915501551155215531554155515561557155815591560156115621563156415651566156715681569157015711572157315741575157615771578157915801581158215831584158515861587158815891590159115921593159415951596159715981599160016011602160316041605160616071608160916101611161216131614161516161617161816191620162116221623162416251626162716281629163016311632163316341635163616371638163916401641164216431644164516461647164816491650165116521653165416551656165716581659166016611662166316641665166616671668166916701671167216731674167516761677167816791680168116821683168416851686168716881689169016911692169316941695169616971698169917001701170217031704170517061707170817091710171117121713171417151716171717181719172017211722172317241725172617271728172917301731173217331734173517361737173817391740174117421743174417451746174717481749175017511752175317541755175617571758175917601761176217631764176517661767176817691770177117721773177417751776177717781779178017811782178317841785178617871788178917901791179217931794179517961797179817991800180118021803180418051806180718081809181018111812181318141815181618171818181918201821182218231824182518261827182818291830183118321833183418351836183718381839184018411842184318441845184618471848184918501851185218531854185518561857185818591860186118621863186418651866186718681869187018711872187318741875187618771878187918801881188218831884188518861887188818891890189118921893189418951896189718981899190019011902190319041905190619071908190919101911191219131914191519161917191819191920192119221923192419251926192719281929193019311932193319341935193619371938193919401941194219431944194519461947194819491950195119521953195419551956195719581959196019611962196319641965196619671968196919701971197219731974197519761977197819791980198119821983198419851986198719881989199019911992199319941995199619971998199920002001200220032004200520062007200820092010201120122013201420152016201720182019202020212022202320242025202620272028202920302031203220332034203520362037203820392040204120422043204420452046204720482049205020512052205320542055205620572058205920602061206220632064206520662067206820692070207120722073207420752076207720782079208020812082208320842085208620872088208920902091209220932094209520962097209820992100210121022103210421052106210721082109211021112112211321142115211621172118211921202121212221232124212521262127212821292130213121322133213421352136213721382139214021412142214321442145214621472148214921502151215221532154215521562157215821592160216121622163216421652166216721682169217021712172217321742175217621772178217921802181218221832184218521862187218821892190219121922193219421952196219721982199220022012202220322042205220622072208220922102211221222132214221522162217221822192220222122222223222422252226222722282229223022312232223322342235223622372238223922402241224222432244224522462247224822492250225122522253225422552256225722582259226022612262226322642265226622672268226922702271227222732274227522762277227822792280228122822283228422852286228722882289229022912292229322942295229622972298229923002301230223032304230523062307230823092310231123122313231423152316231723182319232023212322232323242325232623272328232923302331233223332334233523362337233823392340234123422343234423452346234723482349235023512352235323542355235623572358235923602361236223632364236523662367236823692370237123722373237423752376237723782379238023812382238323842385238623872388238923902391239223932394239523962397239823992400240124022403240424052406240724082409241024112412241324142415241624172418241924202421242224232424242524262427242824292430243124322433243424352436243724382439244024412442244324442445244624472448244924502451245224532454245524562457245824592460246124622463246424652466246724682469247024712472247324742475247624772478247924802481248224832484248524862487248824892490249124922493249424952496249724982499250025012502250325042505250625072508250925102511251225132514251525162517251825192520252125222523252425252526252725282529253025312532253325342535253625372538253925402541254225432544254525462547254825492550255125522553255425552556255725582559256025612562256325642565256625672568256925702571257225732574257525762577257825792580258125822583258425852586258725882589259025912592259325942595259625972598259926002601260226032604260526062607260826092610261126122613261426152616261726182619262026212622262326242625262626272628262926302631263226332634263526362637263826392640264126422643264426452646264726482649265026512652265326542655265626572658265926602661266226632664266526662667266826692670267126722673267426752676267726782679268026812682268326842685268626872688268926902691269226932694269526962697269826992700270127022703270427052706270727082709271027112712271327142715271627172718271927202721272227232724272527262727272827292730273127322733273427352736273727382739274027412742274327442745274627472748274927502751275227532754275527562757275827592760276127622763276427652766276727682769277027712772277327742775277627772778277927802781278227832784278527862787278827892790279127922793279427952796279727982799280028012802280328042805280628072808280928102811281228132814281528162817281828192820282128222823282428252826282728282829283028312832283328342835283628372838283928402841284228432844284528462847284828492850285128522853285428552856285728582859286028612862286328642865286628672868286928702871287228732874287528762877287828792880288128822883288428852886288728882889289028912892289328942895289628972898289929002901290229032904290529062907290829092910291129122913291429152916291729182919292029212922292329242925292629272928292929302931293229332934293529362937293829392940294129422943294429452946294729482949295029512952295329542955295629572958295929602961296229632964296529662967296829692970297129722973297429752976297729782979298029812982298329842985298629872988298929902991299229932994299529962997299829993000300130023003300430053006300730083009301030113012301330143015301630173018301930203021302230233024302530263027302830293030303130323033303430353036303730383039304030413042304330443045304630473048304930503051305230533054305530563057305830593060306130623063306430653066306730683069307030713072307330743075307630773078307930803081308230833084308530863087308830893090309130923093309430953096309730983099310031013102310331043105310631073108310931103111311231133114311531163117311831193120312131223123312431253126312731283129313031313132313331343135313631373138313931403141314231433144314531463147314831493150315131523153315431553156315731583159316031613162316331643165316631673168316931703171317231733174317531763177317831793180318131823183318431853186318731883189319031913192319331943195319631973198319932003201320232033204320532063207320832093210321132123213321432153216321732183219322032213222322332234322532263227322832293230323132323233323432353236323732383239324032413242324332443245324632473248324932503251325232533254325532563257325832593260326132623263326432653266326732683269327032713272327332743275327632773278327932803281328232833284328532863287328832893290329132923293329432953296329732983299330033013302330333



**SAS® Intelligent Decisioning - Build Decisions**

Decisions > **Home Equity Loan Application (1.0)**

**Prompt Adherence (1.0) (Read-Only)**

Rule set | Properties | Variables | Scoring | Versions | History

DATAGRID\_CREATE(concepts, \_concepts\_)

match\_count=DATAGRID\_MATCHCOUNT(concepts, 'CONCEPT', '=', 'Items')

+ Add rule

### Home Equity Loan Application (1.0)



Workflow not selected

Publish



Decision Flow    Decision    Properties    Variables    **Scoring**    Versions    History

Tests Scenarios Publishing Validation

🔍 Filter

New test



## Properties

Select a test to view its properties.



X

Actions ▾

llmGenerated

Formatted Plain

</ol>



<li><b>Debt-to-Income Ratio (DEBTINC)</b>: A Debt-to-Income Ratio (DEBTINC) of . (or 0%) indicates that the applicant has no debt, which is a positive sign for lenders. However, it's unusual for a mortgage applicant to have no debt, as most people have some form of debt. This could be a red flag for the lender, as it may suggest that the applicant is not fully aware of their financial situation or is not comfortable with taking on debt.</li>

<li><b>Loan Amount (LOAN)</b>: The requested loan amount of \$1100 is relatively low, which could be a positive sign for the lender. However, the loan amount alone is not enough to determine the risk level. It's important to consider other factors, such as the applicant's income, credit history, and existing debts.</li>

<li><b>Age of Oldest Trade Line (CLAGE)</b>: An age of oldest trade line of 94.36666666666666 months (or approximately 8 years) indicates that the applicant has a long credit history. This is generally a positive sign for lenders, as it suggests that the applicant has been managing their credit responsibly over a long period. However, it's also important to consider the credit utilization and payment history associated with this trade line.</li>

</ol>

Close



## Introducing the SAS Agentic AI Accelerator: Build AI Agents Seamlessly in SAS Viya


Started: 3 weeks ago | Modified: 3 weeks ago | Views: 926

Hello SAS Community,

Many of us are exploring how to use Large Language Models (LLMs) for more than just simple chat. The logical next step is building systems that can perform multi-step tasks - often called AI agents - systems that go beyond basic chat and can perform multi-step tasks, orchestrate workflows, and drive decisions. However, integrating these complex systems into existing enterprise environments — while ensuring governance, scalability, and security — can be a real challenge.

That's exactly why we built the SAS Agentic AI Accelerator.

🎥 Watch our demo video to see it in action



### Contributors

MarinelaProfi



joeFurbee



### Version history

Last update: 3 weeks ago

Updated by:  joeFurbee

## sas innovate

April 27 – 30 | Gaylord Texan | Grapevine, Texas

### Registration is open

Walk in ready to learn. Walk out ready to deliver. This is the data and AI conference you can't afford to miss. Register now and lock in 2025 pricing—just \$495!

Register now

### Call for Content EXTENDED

Still thinking about your presentation idea? The submission deadline has been extended to Friday, Nov. 14, at 11:59 p.m. ET.

Submit your proposal!

<https://communities.sas.com/t5/SAS-Communities-Library/Introducing-the-SAS-Agentic-AI-Accelerator-Build-AI-Agents/ta-p/977176>

SAS Agentic AI Accelerator

SAS Agentic AI Accelerator

Administration-Guide >

User-Guide >

Home > SAS Agentic AI Accelerator

# SAS Agentic AI Accelerator

The SAS Agentic AI Accelerator provides a method for building AI agents leveraging SAS Viya technology. It is designed to help users move more quickly from use-case idea to production, utilizing *No/Low/Yes* Code interfaces and full governance as a way to build agents that balance autonomy and trust.

It includes:

- The full code + documentation to deploy this in your SAS Viya Environment
- All the integrations that are built (SAS Studio Custom Steps, a no code prompt engineering UI, SAS Intelligent Decisioning Node, SAS Macros, Postman Collection and so much more)
- Pre-build deployment recipes for LLMs
- Pre-build deployment recipes for embedding models

The accelerator builds only on SAS Viya standard components and does not use any unsupported APIs or otherwise undocumented features.

## Documentation Overview

This documentation has been split into two main sections that you can navigate to using the left hand sidebar:

1. Administration Guide, provides you with instruction on how to set everything up and deploy the different components.
2. User Guide, provides an introduction into all the different integrations and workflows that the SAS Agentic AI Accelerator provides.

## Additional Resources

- SAS Education Course for the [SAS Agentic AI Accelerator](#)
- Articles in the SAS Community on the topic of [Agentic AI](#).

Next

[Introduction »](#)

Documentation Overview

Additional Resources

Copyright © SAS Institute Inc. All rights reserved.



# Closing



# Gewinnen Sie.....

Frage:

Wieviele Treppenstufen sind es vom Restaurant bis zum SAS Office?


(ohne Aufzug und Rolltreppe)



SAS Office Frankfurt, 13. Etage



Restaurant Messeturm im 1. UG



[https://de.wikipedia.org/wiki/Messeturm\\_\(Frankfurt\\_am\\_Main\)](https://de.wikipedia.org/wiki/Messeturm_(Frankfurt_am_Main))

|                 |                                       |
|-----------------|---------------------------------------|
| Bauzeit:        | Juli 1988 bis Oktober 1990            |
| Baustil:        | Postmodern                            |
| Arbeitsplätze:  | 4.000                                 |
| Höhe:           | 256,5 m                               |
| Höhevvergleich: | Nr. 2 in Deutschland, Nr. 8 in Europa |

# Nehmen Sie Kontakt auf!


- Fragen, Anmerkungen und Kommentare jederzeit gerne im Chat, wir gehen darauf ein – spätestens in den Expertensessions oder auch im Nachgang.
- Kontaktperson für Terminvereinbarungen mit den Experten oder weitere Fragen jeder Art:



Jan Schmidt  
Sr Associate Marketing Specialist  
[Jan.Schmidt@sas.com](mailto:Jan.Schmidt@sas.com)

# SAS Christmas tree Edition

<https://communities.sas.com/t5/Graphics-Programming/>



Copyright © SAS Institute Inc. All rights reserved.

APRIL 27 – 30 | GAYLORD TEXAN | GRAPEVINE, TX

# sas innovate 2026

The data and AI conference where leaders,  
users and partners come together to learn  
and level up



Register now



# Wählen Sie jetzt Ihren Themenraum aus!

## Session 1



Günter Greulich  
Senior Solutions Architect, SAS

SAS Viya im Fokus: Impact  
Analysis & SAS Studio –  
Transparenz für Ihre  
Datenflüsse

## Session 2



Gerhard Svolba  
Pre-Sales Solutions Architect, SAS

Sammelst Du noch oder  
generierst du schon –  
synthetische Daten mit dem  
SAS Data Maker  
& Überblick über die Copilots in  
SAS Viya

## Session 3



Clemens Knobloch  
Principal Business Solutions Manager, SAS

Intelligent Decisioning beyond  
Out of the Box - Query  
Datagrids with DuckDB

## Hauptsession



Sie sind hier!  
(Diese Session endet)

